

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet)     | Pump Depth (feet) | Sample Location                         | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (EDC) (µg/L) | 1,2-Dibromoethane (EDB) (µg/L) | Lead (µg/L) |
|------------------------------------------|-----------------------|-------------------|-----------------------------------------|------------|----------------|----------------|---------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------------|-------------|
| DEP MSCs for a Residential, Used Aquifer |                       |                   |                                         |            | 5              | 1,000          | 700                 | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                               | 0.05                           | 5           |
| Unknown                                  | Unknown               | Unknown           | Kitchen Sink                            | 02/08/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0096                      | 0.27 J      |
|                                          |                       |                   | Pressure Tank                           | 02/15/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 2.4         |
|                                          |                       |                   | Post Holding Tank #1                    | 02/18/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          | Estimated few hundred | Unknown           | Post Holding Tank #2                    | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.35 J      |
|                                          |                       |                   | Pressure Tank                           | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 3.4         |
|                                          | 500                   | Unknown           | Pressure Tank                           | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 1.8         |
|                                          |                       |                   |                                         |            |                |                |                     |                      |             |                          |                    |                               |                               |                                 |                                |             |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/14/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/05/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.82        |
|                                          | Estimated 200         | 133               | Kitchen Sink                            | 02/04/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | 0.13 J      |
|                                          |                       |                   | Pressure Tank in Basement               | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.45 J      |
|                                          | Unknown               | Unknown           | Outside spigot                          | 02/13/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | 0.11 J                          | ND<0.0094                      | 0.19 J      |
|                                          |                       |                   |                                         | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | 0.19 J                          | ND<0.0094                      | 0.36 J      |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.14 J      |
|                                          | Unknown               | Unknown           | Outside Spigot                          | 02/08/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                       |                   |                                         | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13             | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | 0.4 J       |
|                                          | 60-80                 | Unknown           | Kitchen Sink                            | 02/07/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.42 J      |
|                                          |                       |                   |                                         | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.19 J      |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/12/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0092                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Second Kitchen                          | 02/10/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/12/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0092                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/11/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0093                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/08/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/11/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Kitchen Sink                            | 02/03/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/21/2025 | 0.52           | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | 0.31 J                        | 0.46 J                        | ND<0.10                         | ND<0.0094                      | ND<0.12     |
| 143                                      | 100                   | Unknown           | Outside Spigot                          | 09/28/2023 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | -                               | -                              | -           |
|                                          |                       |                   |                                         | 01/28/2025 | 0.92           | 6.6            | ND<0.50             | 100                  | ND<0.50     | 1.0                      | 84                 | 47                            | 23                            | ND<0.50                         | ND<0.0094                      | 0.017 J     |
|                                          |                       |                   | POET System Installed Effluent          | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                       |                   | Midfluent                               | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0093                      | ND<0.12     |
|                                          |                       |                   | Influent                                | 02/19/2025 | 0.13 J         | 0.27 J         | 0.72                | 29                   | ND<0.10     | 1.7                      | 47                 | 2.1                           | 1.3                           | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/24/2025 | ND<0.10        | ND<0.10        | 0.44 J              | 13                   | ND<0.10     | 0.94                     | 30                 | 0.32 J                        | 0.22 J                        | ND<0.10                         | ND<0.0094                      | 0.13 J      |
|                                          | Unknown               | Unknown           | Bathroom Sink                           | 09/28/2023 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | -                               | -                              | -           |
|                                          |                       |                   |                                         | 01/30/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown               | Unknown           | Utility Sink Kitchen Sink (First Floor) | 02/11/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/24/2025 | 0.63           | ND<0.10        | ND<0.10             | 0.63                 | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
| Estimated 100                            | Unknown               | Unknown           | Kitchen Sink Bladder Tank               | 01/28/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                       |                   |                                         | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | 0.47 J      |
| Unknown                                  | Unknown               | Unknown           | Kitchen Sink                            | 01/28/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | 0.15 J      |
|                                          |                       |                   |                                         | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.15 J      |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location            | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (EDC) (µg/L) | 1,2 Dibromoethane (EDB) (µg/L) | Lead (µg/L) |
|------------------------------------------|-------------------|-------------------|----------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------------|-------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                            |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                               | 0.05                           | 5           |
|                                          | 182               | 180               | Kitchen Sink               | 01/23/2025 | 12             | ND<0.50        | ND<0.50              | 0.29                 | ND<0.50     | ND<0.50                  | 1.3                | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0091                      | ND<0.12     |
|                                          |                   |                   | Post Treatment POET        | 01/30/2025 | 12             | ND<0.50        | ND<0.50              | 0.19                 | ND<0.50     | ND<0.50                  | 1.3                | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.25 J      |
|                                          |                   |                   |                            | 02/12/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Effluent                   | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Midfluent                  | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Influent                   | 02/25/2025 | 14             | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | 2.0                | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Utility Sink               | 01/29/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          | 503               | 340               | Kitchen Sink               | 01/23/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0092                      | ND<0.12     |
|                                          | 300               | Unknown           | Bladder Tank               | 01/28/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0092                      | 0.16 J      |
|                                          |                   |                   | Kitchen Sink (Effluent)    | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Pressure Tank (Influent)   | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | 220               | Unknown           | Bladder Tank               | 01/23/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0091                      | 0.19 J      |
|                                          |                   |                   | Kitchen Sink (First Floor) | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 01/23/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0092                      | ND<0.12     |
|                                          |                   |                   |                            | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Bladder Tank               | 01/24/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.63        |
|                                          |                   |                   | Kitchen Sink (Effluent)    | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   |                            | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Basement - (Influent)      | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.36 J      |
|                                          | 250               | Unknown           | Kitchen Sink               | 01/31/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Kitchen Sink (First Floor) | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/03/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | ND<0.12     |
|                                          |                   |                   | Kitchen Sink (Effluent)    | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | ND<0.12     |
|                                          |                   |                   | Basement (Influent)        | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | 0.23 J      |
|                                          | 200-220           | Estimated 180     | Kitchen Sink               | 02/04/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Kitchen Sink (Effluent)    | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Pressure Tank (Influent)   | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 1.5         |
|                                          | 180               | Unknown           | Front Spigot               | 02/07/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.28 J      |
|                                          | Unknown           | Unknown           | Pressure Tank              | 02/13/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | 0.93        |
|                                          | ~400-600          | Unknown           | Kitchen Sink               | 02/15/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   |                            | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          | Unknown           | Unknown           | Pressure Tank              | 01/31/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0093                      | 0.41 J      |
|                                          |                   |                   | Influent                   | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          |                   |                   | Midfluent                  | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          |                   |                   | Effluent                   | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/04/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.46 J      |
|                                          |                   |                   | Pressure Tank              | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.30 J      |
|                                          | Unknown           | Approximately 130 | Bladder Tank               | 01/28/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   |                            | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | 0.16 J      | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.13 J      |
|                                          | Unknown           | Unknown           | Utility Sink               | 01/29/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | 0.59        |
|                                          |                   |                   |                            | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 1.6         |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location          | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethylbenzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (EDC) (µg/L) | 1,2-Dibromoethane (EDB) (µg/L) | Lead (µg/L) |
|------------------------------------------|-------------------|-------------------|--------------------------|------------|----------------|----------------|---------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------------|-------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                          |            | 5              | 1,000          | 700                 | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                               | 0.05                           | 5           |
|                                          | 295               | Unknown           | Bladder Tank             | 01/24/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | 0.12        | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Kitchen Sink             | 02/06/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Effluent                 | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Midfluent                | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Influent                 | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.15 J      |
|                                          | 290 - 300         | 250               | Bladder Tank             | 01/24/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 1.7         |
|                                          |                   |                   | Effluent                 | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0093                      | 0.13 J      |
|                                          |                   |                   | Influent                 | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | 0.12 J      | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0093                      | 3.1         |
|                                          | Estimated 600     | Estimated 400     | Bladder Tank             | 01/23/2025 | 15             | 6.7            | 2.7                 | 49                   | ND<0.50     | 1.3                      | 19                 | 48                            | 39                            | ND<0.50                         | ND<0.0092                      | 5.2         |
|                                          |                   |                   | Kitchen Sink (Post)      | 01/31/2025 | 8.9            | 3.7            | 1.7                 | 25                   | ND<0.50     | 0.94                     | 7.3                | 29                            | 22                            | ND<0.50                         | ND<0.0093                      | 0.23 J      |
|                                          |                   |                   | Influent                 | 02/15/2025 | 25             | 6.7            | 4.1                 | 44                   | 0.12 J      | 1.9                      | 20                 | 49                            | 34                            | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   |                          | 02/24/2025 | 28             | 4.6            | 4.6                 | 42                   | 0.14 J      | 2.1                      | 22                 | 55                            | 41                            | ND<0.50                         | ND<0.0094                      | 0.15 J      |
|                                          |                   |                   | Midfluent                | 02/15/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0093                      | ND<0.12     |
|                                          |                   |                   |                          | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0094                      | 0.17 J      |
|                                          |                   |                   | Effluent                 | 02/15/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   |                          | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          | 400               | 230               | Bladder Tank             | 01/23/2025 | 20             | 51             | 32                  | 640                  | ND<0.50     | 7.6                      | 120                | 310                           | 120                           | ND<0.50                         | ND<0.0093                      | 0.23 J      |
|                                          |                   |                   | Post Treatment           | 02/07/2025 | 0.35 J         | 2.3            | 1.2                 | 46                   | ND<0.50     | 0.26 J                   | 29                 | 19                            | 11                            | ND<0.50                         | ND<0.0094                      | 0.75        |
|                                          | 450               | 430               | Bladder Tank             | 01/23/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0093                      | 1.4         |
|                                          |                   |                   | Effluent                 | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | 0.11 J      | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Influent                 | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | 0.12 J      | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.29 J      |
|                                          | Possibly 300      | Unknown           | Kitchen Sink             | 01/24/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   |                          | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          | 585               | 540 or 550        | Kitchen Sink             | 01/24/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   |                          | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | 0.22 J      |
|                                          | 550               | Unknown           | Supply Tank Spigot       | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | 0.20 J      |
|                                          | Unknown           | Unknown           | Pressure Tank            | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0096                      | 1.3         |
|                                          | Unknown           | Unknown           | Kitchen Sink             | 01/27/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Kitchen Sink             | 02/14/2025 | ND<0.50        | ND<0.50        | ND<0.50             | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   |                          | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | 86                | Unknown           | Kitchen Sink             | 02/04/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.29 J      |
|                                          |                   |                   |                          | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.19 J      |
|                                          | 80                | Unknown           | Pressure Tank            | 02/15/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Pressure Tank            | 02/03/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 41          |
|                                          | Estimated 200     | 180               | Pressure Tank            | 02/05/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | 0.66        |
|                                          |                   |                   | Influent - Pressure Tank | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.95        |
|                                          |                   |                   | Effluent - Kitchen Sink  | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10             | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0093                      | 0.55        |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location             | Date       | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | MTBE<br>(µg/L) | Isopropyl<br>Benzene<br>(µg/L) | Naph-<br>thalene<br>(µg/L) | 1,2,4-Trimethyl-<br>benzene<br>(µg/L) | 1,3,5-Trimethyl-<br>benzene<br>(µg/L) | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L) | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L) | Lead<br>(µg/L) |
|------------------------------------------|-------------------|-------------------|-----------------------------|------------|-------------------|-------------------|-----------------------------|----------------------------|----------------|--------------------------------|----------------------------|---------------------------------------|---------------------------------------|--------------------------------------------|-------------------------------------------|----------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                             |            | 5                 | 1,000             | 700                         | 10,000                     | 20             | 840                            | 100                        | 130                                   | 130                                   | 5                                          | 0.05                                      | 5              |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink                | 02/05/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | ND<0.12        |
|                                          | 150               | Unknown           | Kitchen Sink                | 02/04/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Effluent                    | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Influent                    | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                             |            |                   |                   |                             |                            |                |                                |                            |                                       |                                       |                                            |                                           |                |
|                                          | 89 or 109         | Unknown           | Kitchen Sink                | 02/04/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Effluent (Kitchen Sink)     | 02/22/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 0.12 J         |
|                                          |                   |                   |                             |            |                   |                   |                             |                            |                |                                |                            |                                       |                                       |                                            |                                           |                |
|                                          |                   |                   | Pre-Treatment (Basement)    | 02/22/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 1.1            |
|                                          | 120               | Unknown           | Pressure Tank               | 02/03/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | 0.68           |
|                                          |                   |                   | Effluent                    | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   | Midfluent                   | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   | Influent                    | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | 705               | Unknown           | Bathroom Sink               | 02/04/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | 2.1            |
|                                          |                   |                   |                             | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 0.38 J         |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/04/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/10/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Estimated 80      | Unknown           | Kitchen Sink                | 02/07/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | ND<0.12        |
|                                          |                   |                   | Effluent                    | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Midfluent                   | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Influent                    | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 01/27/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | 0.12           |
|                                          | 300               | +180              | Kitchen Sink                | 02/05/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | ND<0.12        |
|                                          | Unknown           | 100               | Kitchen Sink                | 01/25/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | ND<0.12 B      |
|                                          |                   |                   |                             | 02/19/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/05/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.13 J         |
|                                          |                   |                   |                             | 02/25/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 0.16 J         |
|                                          | 600               | Unknown           | Kitchen Sink                | 01/23/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | 0.17 J         | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | 0.31 J         |
|                                          |                   |                   | Effluent                    | 02/19/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Midfluent                   | 02/19/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Influent                    | 02/19/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.16 J         | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | ~44               | Unknown           | Pressure Tank POET Effluent | 02/03/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0092                                 | 0.34 J         |
|                                          |                   |                   |                             | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   | Midfluent                   | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   | Influent                    | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | 1.2            |
|                                          | 800               | Unknown           | Outside Spigot - Untreated  | 02/03/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | 0.40 J         | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0095                                 | 0.32 J         |
|                                          |                   |                   | Kitchen Sink                | 02/18/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.47 J         | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                | Date       | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | MTBE<br>(µg/L) | Isopropyl<br>Benzene<br>(µg/L) | Naph-<br>thalene<br>(µg/L) | 1,2,4-Trimethyl-<br>benzene<br>(µg/L) | 1,3,5-Trimethyl-<br>benzene<br>(µg/L) | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L) | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L) | Lead<br>(µg/L) |
|------------------------------------------|-------------------|-------------------|--------------------------------|------------|-------------------|-------------------|-----------------------------|----------------------------|----------------|--------------------------------|----------------------------|---------------------------------------|---------------------------------------|--------------------------------------------|-------------------------------------------|----------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                |            | 5                 | 1,000             | 700                         | 10,000                     | 20             | 840                            | 100                        | 130                                   | 130                                   | 5                                          | 0.05                                      | 5              |
|                                          | ~150-200          | ~150-200          | Kitchen Sink                   | 02/08/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | 0.16 J         | ND<0.50                        | 0.23 J                     | 1.1                                   | 0.71                                  | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/18/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.27 J         | ND<0.10                        | ND<0.20                    | 1.2                                   | 0.69                                  | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Bathroom Sink                  | 09/26/2023 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | -                                         | -              |
|                                          |                   |                   |                                | 01/31/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Pressure Tank                  | 02/06/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/25/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 0.16 J         |
|                                          | Unknown           | Unknown           | Outside Spigot                 | 02/05/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 4.0            |
|                                          | 400               | Unknown           | Outside Spigot                 | 09/25/2023 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | -                                          | -                                         | -              |
|                                          |                   |                   | Outside Spigot (Pre Treatment) | 01/31/2025 | 39                | 7.9               | 49                          | 230                        | 0.2            | 18                             | 160                        | ND<0.50                               | 180                                   | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Kitchen Sink (Post Treatment)  | 01/31/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.63           |
|                                          |                   |                   | POET Effluent                  | 02/14/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | ND<0.12        |
|                                          |                   |                   | Midfluent                      | 02/14/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   | Influent                       | 02/14/2025 | 92                | 80                | 41                          | 310                        | 0.33 J         | 13                             | 110                        | 280                                   | 120                                   | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/24/2025 | 58                | 9.4               | ND<0.10                     | 250                        | 0.42 J         | ND<0.10                        | 140                        | 450                                   | 200                                   | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Bladder Tank                   | 01/31/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   |                                | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0092                                 | ND<0.12        |
|                                          |                   |                   | Kitchen Sink                   | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0092                                 | 0.17 J         |
|                                          | Unknown           | Unknown           | Pressure Tank                  | 02/05/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.52           |
|                                          | 124               | 100               | Laundry Room sink              | 02/06/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Kitchen sink                   | 03/01/2025 | ND<0.19           | ND<0.19           | ND<0.13                     | ND<0.19                    | ND<0.13        | ND<0.13                        | ND<0.14                    | ND<0.13                               | ND<0.15                               | ND<0.15                                    | ND<0.005                                  | ND<0.3         |
|                                          | Unknown           | 380               | Kitchen Sink                   | 01/31/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/04/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0095                                 | 0.26 J         |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/10/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | 0.38 J         |
|                                          | Unknown           | Unknown           | From Wellhead with Bailer      | 02/17/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0095                                 | 0.78           |
|                                          | Estimated 200     | Estimated 200     | Utility Sink                   | 02/06/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          | 147               | Estimated 115     | Kitchen Sink                   | 02/06/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.18 J         |
|                                          |                   |                   |                                | 03/01/2025 | ND<0.19           | ND<0.19           | ND<0.13                     | ND<0.19                    | ND<0.13        | ND<0.13                        | ND<0.14                    | ND<0.13                               | ND<0.15                               | ND<0.15                                    | ND<0.005                                  | ND<0.3         |
|                                          | Unknown           | Unknown           | Pre Carbon Treatment           | 02/03/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.52           |
|                                          |                   |                   | Effluent                       | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          |                   |                   | Influent                       | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 0.14 J         |
|                                          |                   |                   | Irrigation Well                | 02/24/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 6.5            |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/03/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 0.20 J         |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/15/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0095                                 | ND<0.12        |
|                                          | 420               | 320               | Kitchen Sink                   | 02/07/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          | 600               | Unknown           | Pressure Tank                  | 02/08/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink *bypassed carbon  | 02/05/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0093                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Backyard Spigot                | 02/13/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0095                                 | 0.14 J         |
|                                          | 700               | 700               | Pressure Tank                  | 02/03/2025 | ND<0.50           | ND<0.50           | ND<0.50                     | ND<0.50                    | ND<0.50        | ND<0.50                        | ND<0.50                    | ND<0.50                               | ND<0.50                               | ND<0.50                                    | ND<0.0094                                 | 5.6            |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                   | Date                     | Benzene<br>(µg/L)<br>5 | Toluene<br>(µg/L)<br>1,000 | Ethyl-<br>benzene<br>(µg/L)<br>700 | Total<br>Xylenes<br>(µg/L)<br>10,000 | MTBE<br>(µg/L)<br>20 | Isopropyl<br>Benzene<br>(µg/L)<br>840 | Naph-<br>thalene<br>(µg/L)<br>100 | 1,2,4-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,3,5-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L)<br>5 | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L)<br>0.05 | Lead<br>(µg/L)<br>5 |
|------------------------------------------|-------------------|-------------------|-----------------------------------|--------------------------|------------------------|----------------------------|------------------------------------|--------------------------------------|----------------------|---------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------------|---------------------------------------------------|---------------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                   |                          |                        |                            |                                    |                                      |                      |                                       |                                   |                                              |                                              |                                                 |                                                   |                     |
|                                          | Unknown           | Unknown           | Kitchen sink                      | 02/13/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank                     | 02/05/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0092                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Utility sink                      | 02/04/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0096                                         | 0.33 J              |
|                                          | 340               | Unknown           | Kitchen Sink                      | 02/04/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0093                                         | ND<0.12             |
|                                          | 137               | 120               | Kitchen Sink                      | 02/07/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Estimated 350     | Unknown           | Pressure Tank                     | 02/06/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0095                                         | 24                  |
|                                          | Unknown           | Unknown           | Bathroom Next to Kitchen          | 02/14/2025<br>02/21/2025 | ND<0.50<br>ND<0.10     | ND<0.50<br>ND<0.10         | ND<0.50<br>ND<0.10                 | ND<0.50<br>ND<0.10                   | ND<0.50<br>ND<0.10   | ND<0.50<br>ND<0.10                    | ND<0.50<br>ND<0.10                | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                              | ND<0.0094<br>ND<0.0097                            | ND<0.12<br>0.16 J   |
|                                          | 105               | 75                | Kitchen Sink                      | 02/05/2025<br>03/01/2025 | ND<0.50<br>ND<0.19     | ND<0.50<br>ND<0.19         | ND<0.50<br>ND<0.13                 | ND<0.50<br>ND<0.19                   | ND<0.50<br>ND<0.13   | ND<0.50<br>ND<0.13                    | ND<0.50<br>ND<0.14                | ND<0.50<br>ND<0.13                           | ND<0.50<br>ND<0.15                           | ND<0.50<br>ND<0.15                              | ND<0.0094<br>ND<0.005                             | 0.25 J<br>ND<0.3    |
|                                          | Unknown           | Unknown           | Pressure Tank                     | 02/04/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | 0.66 J              |
|                                          | ~70-80            | Unknown           | Bathroom Sink                     | 02/19/2025               | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | 0.45 J               | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 1.2                 |
|                                          | ~300              | ~100              | Kitchen Sink                      | 02/13/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Laundry Sink                      | 03/01/2025               | ND<0.19                | ND<0.19                    | ND<0.13                            | ND<0.19                              | ND<0.13              | ND<0.13                               | ND<0.14                           | ND<0.13                                      | ND<0.15                                      | ND<0.15                                         | ND<0.005                                          | ND<0.3              |
|                                          | 90                | 70-90             | Kitchen Sink<br>Kitchen Sink      | 02/15/2025<br>03/01/2025 | ND<0.50<br>ND<0.19     | ND<0.50<br>ND<0.19         | ND<0.50<br>ND<0.13                 | ND<0.50<br>ND<0.19                   | ND<0.50<br>ND<0.13   | ND<0.50<br>ND<0.13                    | ND<0.50<br>ND<0.14                | ND<0.50<br>ND<0.13                           | ND<0.50<br>ND<0.15                           | ND<0.50<br>ND<0.15                              | ND<0.0094<br>ND<0.005                             | ND<0.12<br>ND<0.3   |
|                                          | ~120              | Unknown           | Kitchen Sink                      | 02/15/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 140               | Unknown           | Kitchen Sink                      | 02/11/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/13/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0093                                         | 1.0                 |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/13/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 212               | Unknown           | Kitchen Sink                      | 02/03/2025<br>02/20/2025 | ND<0.50<br>ND<0.10     | ND<0.50<br>ND<0.10         | ND<0.50<br>ND<0.10                 | ND<0.50<br>ND<0.10                   | ND<0.50<br>ND<0.10   | ND<0.50<br>ND<0.10                    | ND<0.50<br>ND<0.20                | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                              | ND<0.0095<br>ND<0.0094                            | ND<0.12<br>ND<0.12  |
|                                          | 200-400           | 250-300           | Kitchen Sink                      | 02/10/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 193               | 180               | Kitchen Sink                      | 02/05/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          |                   |                   | Kitchen Sink (Effluent)           | 02/14/2025<br>02/21/2025 | ND<0.50<br>ND<0.10     | ND<0.50<br>ND<0.10         | ND<0.50<br>ND<0.10                 | ND<0.50<br>ND<0.10                   | ND<0.50<br>ND<0.10   | ND<0.50<br>ND<0.10                    | ND<0.50<br>ND<0.20                | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                              | ND<0.0096<br>ND<0.0094                            | ND<0.12<br>ND<0.12  |
|                                          |                   |                   | Midfluent - Spigot Between Carbon | 02/21/2025               | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          |                   |                   | Influent - Pressure Tank          | 02/21/2025               | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 2.0                 |
|                                          | 135               | Unknown           | Kitchen Sink                      | 02/03/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | 0.23 J              |
|                                          | Unknown           | Unknown           | Pressure Tank                     | 02/05/2025               | 0.85                   | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | 0.80                |
|                                          |                   |                   | Pre POET Treatment                | 02/18/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0093                                         | ND<0.12             |
|                                          | 163               | 163               | Kitchen Sink                      | 02/04/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | 170               | Kitchen Sink                      | 02/11/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank                     | 02/13/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | 0.63                |
|                                          | 150-160           | 120-130           | Kitchen Sink                      | 02/07/2025<br>02/20/2025 | ND<0.50<br>ND<0.10     | ND<0.50<br>ND<0.10         | ND<0.50<br>ND<0.10                 | ND<0.50<br>ND<0.10                   | ND<0.50<br>ND<0.10   | ND<0.50<br>ND<0.10                    | ND<0.50<br>ND<0.20                | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                           | ND<0.50<br>ND<0.10                              | ND<0.0095<br>ND<0.0095                            | 0.17 J<br>0.20 J    |
|                                          |                   |                   | Pressure Tank                     | 02/14/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0095                                         | 2.5                 |
|                                          | 250               | ~250              | Bar sink- bypassed                | 02/05/2025               | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | 0.76                |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet)   | Sample Location                     | Date       | Benzene     | Toluene         | Ethyl- benzene | Total Xylenes    | MTBE         | Isopropyl Benzene | Naph- thalene | 1,2,4-Trimethyl- benzene | 1,3,5-Trimethyl- benzene | 1,2-Dichloro- ethane (EDC) | 1,2 Dibromo- ethane (EDB) | Lead        |         |
|------------------------------------------|-------------------|---------------------|-------------------------------------|------------|-------------|-----------------|----------------|------------------|--------------|-------------------|---------------|--------------------------|--------------------------|----------------------------|---------------------------|-------------|---------|
| DEP MSCs for a Residential, Used Aquifer |                   |                     |                                     |            | (µg/L)<br>5 | (µg/L)<br>1,000 | (µg/L)<br>700  | (µg/L)<br>10,000 | (µg/L)<br>20 | (µg/L)<br>840     | (µg/L)<br>100 | (µg/L)<br>130            | (µg/L)<br>130            | (µg/L)<br>5                | (µg/L)<br>0.05            | (µg/L)<br>5 |         |
|                                          | Estimated 90      | Estimated 65        | Bathroom Sink                       | 02/10/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | 0.66    |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/03/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0095   | 0.65    |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/10/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | ~ 200             | Unknown             | Kitchen Sink                        | 02/06/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | 180               | Unknown             | Outside Spigot - Treatment Bypassed | 02/12/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0093   | 1.3     |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/08/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          |                   |                     | Pre -Water Softener                 | 02/15/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/06/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          |                   |                     |                                     | 02/14/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       |                          | ND<0.50                  | ND<0.50                    | ND<0.0094                 | ND<0.12     |         |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/06/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | 225               | Unknown             | Kitchen Sink                        | 02/14/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | 400               | ~400                | Kitchen Sink                        | 02/05/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0093   | 0.37 J  |
|                                          |                   |                     | Influent                            | 03/01/2025 | ND<0.19     | ND<0.19         | ND<0.13        | ND<0.19          | ND<0.13      | ND<0.13           | ND<0.14       | ND<0.13                  | ND<0.15                  | ND<0.15                    | ND<0.005                  | ND<0.3      |         |
|                                          |                   |                     | Midfluent Effluent                  | 03/01/2025 | ND<0.19     | ND<0.19         | ND<0.13        | ND<0.19          | ND<0.13      | ND<0.13           | ND<0.14       | ND<0.13                  | ND<0.15                  | ND<0.15                    | ND<0.005                  | ND<0.3      |         |
|                                          | 232               | Unknown             | Kitchen Sink                        | 02/05/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       |                          | ND<0.50                  |                            | ND<0.50                   | ND<0.0094   | 0.16 J  |
|                                          | 75                | 65                  | Kitchen Sink                        | 02/20/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | ND<0.12 |
|                                          | Unknown           | Unknown             | Effluent (Kitchen Sink)             | 03/01/2025 | ND<0.19     | ND<0.19         | ND<0.13        | ND<0.19          | ND<0.13      | ND<0.13           | ND<0.14       | ND<0.13                  |                          | ND<0.15                    | ND<0.15                   | ND<0.005    | ND<0.3  |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/22/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.20       | ND<0.10                  |                          | ND<0.10                    | ND<0.10                   | ND<0.0094   | 0.24 J  |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/17/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/20/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | 0.19 J  |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/15/2025 | ND<0.50     | ND<0.50         | ND<0.50        | ND<0.50          | ND<0.50      | ND<0.50           | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          | Unknown           | Unknown             | Kitchen Sink (First Floor)          | 02/22/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0096   | ND<0.12 |
|                                          | ~50               | Close to the bottom | Pressure Tank                       | 02/17/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | 220     |
|                                          | ~250              | Close to the bottom | Kitchen Sink                        | 02/17/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0095   | ND<0.12 |
|                                          | 300               | ~100                | Kitchen Sink                        | 02/17/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | ND<0.12 |
|                                          | ~50               | Close to the bottom | Kitchen Sink                        | 02/17/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | ND<0.12 |
|                                          | Unknown           | Unknown             | Basement Pre-Treatment              | 02/18/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | 0.44 J  |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/07/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0092   | ND<0.12 |
|                                          | Unknown           | Unknown             | Kitchen Sink                        | 02/19/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.20      | ND<0.10           | ND<0.10       | ND<0.10                  |                          | ND<0.10                    | ND<0.10                   | ND<0.0096   | ND<0.12 |
|                                          | Unknown           | Unknown             | Pre-Treatment Pressure Tank         | 02/19/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.20      | ND<0.10           | ND<0.10       | ND<0.10                  |                          | ND<0.10                    | ND<0.10                   | ND<0.0094   | ND<0.12 |
|                                          | 149               | 147                 | Kitchen Faucet (Effluent)           | 03/01/2025 | ND<0.19     | ND<0.19         | ND<0.13        | ND<0.19          | ND<0.13      | ND<0.13           | ND<0.13       | ND<0.14                  |                          | ND<0.15                    | ND<0.15                   | ND<0.005    | ND<0.3  |
|                                          | ~150              | Jet Pump            | Kitchen Sink                        | 02/19/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | ND<0.12 |
|                                          | 65-70 maybe 80    | Unknown             | Pressure Tank                       | 02/19/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | 0.23 J  |
|                                          | 500-600           | 360-400             | Kitchen Sink                        | 02/07/2025 | 0.18 J      | 120             | ND<0.50        | ND<0.50          | ND<0.50      | 0.12 J            | ND<0.50       | ND<0.50                  |                          | ND<0.50                    | ND<0.50                   | ND<0.0094   | ND<0.12 |
|                                          |                   |                     | Kitchen Sink                        | 02/18/2025 | 0.14 J      | 80              | ND<0.10        | ND<0.10          | 0.11 J       | ND<0.10           | ND<0.10       |                          | ND<0.10                  | ND<0.10                    | ND<0.0095                 | 2.3         |         |
|                                          | Unknown           | Unknown             | Spigot                              | 02/13/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0095   | 0.52    |
|                                          | ~25               | Unknown             | Kitchen Sink                        | 02/19/2025 | ND<0.10     | ND<0.10         | ND<0.10        | ND<0.10          | ND<0.10      | ND<0.10           | ND<0.10       | ND<0.20                  | ND<0.10                  |                            | ND<0.10                   | ND<0.0094   | 0.13 J  |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                | Date       | Benzene<br>(µg/L)<br>5 | Toluene<br>(µg/L)<br>1,000 | Ethyl-<br>benzene<br>(µg/L)<br>700 | Total<br>Xylenes<br>(µg/L)<br>10,000 | MTBE<br>(µg/L)<br>20 | Isopropyl<br>Benzene<br>(µg/L)<br>840 | Naph-<br>thalene<br>(µg/L)<br>100 | 1,2,4-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,3,5-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L)<br>5 | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L)<br>0.05 | Lead<br>(µg/L)<br>5 |
|------------------------------------------|-------------------|-------------------|--------------------------------|------------|------------------------|----------------------------|------------------------------------|--------------------------------------|----------------------|---------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------------|---------------------------------------------------|---------------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                |            |                        |                            |                                    |                                      |                      |                                       |                                   |                                              |                                              |                                                 |                                                   |                     |
|                                          | 26'9"             | 20                | Basement Bathroom              | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.20 J              |
|                                          | 90                | Unknown           | Kitchen Sink                   | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | ~40               | 40                | Kitchen Sink                   | 02/07/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0092                                         | 0.22 J              |
|                                          | ~45               | Unknown           | Laundry Room Utility           | 02/18/2025 | ND<0.50                | ND<0.50                    | ND<0.50                            | ND<0.50                              | ND<0.50              | ND<0.50                               | ND<0.50                           | ND<0.50                                      | ND<0.50                                      | ND<0.50                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink (first floor)     | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.17 J              |
|                                          | 115               | 100               | Bathroom Sink                  | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          |                   |                   | Pre-Treatment Pressure Tank    | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0098                                         | ND<0.12             |
|                                          | Estimated 150     | Unknown           | Kitchen Sink                   | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | ND<0.12             |
|                                          | ~140              | Unknown           | Kitchen Sink                   | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 280               | 270               | Kitchen Sink                   | 02/10/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Estimated 300     | Estimated 293     | Kitchen Sink                   | 02/10/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/25/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank                  | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 4.2                 |
|                                          | ~80               | Unknown           | Kitchen Sink                   | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 88                | Unknown           | Kitchen Sink                   | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | ~ 90              | Unknown           | Kitchen Sink                   | 02/06/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.41 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                   | 02/13/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 123               | Unknown           | Office Downstairs Kitchen Sink | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location             | Date       | Benzene<br>(µg/L)<br>5 | Toluene<br>(µg/L)<br>1,000 | Ethyl-<br>benzene<br>(µg/L)<br>700 | Total<br>Xylenes<br>(µg/L)<br>10,000 | MTBE<br>(µg/L)<br>20 | Isopropyl<br>Benzene<br>(µg/L)<br>840 | Naph-<br>thalene<br>(µg/L)<br>100 | 1,2,4-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,3,5-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L)<br>5 | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L)<br>0.05 | Lead<br>(µg/L)<br>5 |
|------------------------------------------|-------------------|-------------------|-----------------------------|------------|------------------------|----------------------------|------------------------------------|--------------------------------------|----------------------|---------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------------|---------------------------------------------------|---------------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                             |            |                        |                            |                                    |                                      |                      |                                       |                                   |                                              |                                              |                                                 |                                                   |                     |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Basement Pre-Treatment      | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/10/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.50 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/07/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 200               | Estimated 75      | Untreated hose in closet    | 02/07/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | 0.30 J                            | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 2.6                 |
|                                          |                   |                   | Kitchen Sink                | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.12 J              |
|                                          | Unknown           | ~ 210             | Pressure Tank               | 02/07/2025 | 0.44 J                 | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.21 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | ~30               | Unknown           | Kitchen Sink                | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 120               | 100               | Kitchen Sink                | 02/25/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Outside Spigot              | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank               | 02/13/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.32 J              |
|                                          | Unknown           | Unknown           | -                           | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0096                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pre-Treatment Pressure      | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.14 J              |
|                                          | 100               | 100               | Kitchen Sink                | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.51 J              |
|                                          | Unknown           | Unknown           | Pre-Treatment Pressure      | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 62                | Unknown           | Kitchen Sink                | 02/21/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | 0.16 J              |
|                                          | ~ 436             | Unknown           | Kitchen Sink                | 02/06/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank               | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.15 J              |
|                                          | 400               | 340               | Effluent                    | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          |                   |                   | Influent                    | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | 0.20 J              |
|                                          | Unknown           | Unknown           | POET Influent               | 02/11/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.38 J              |
|                                          | Unknown           | Unknown           | POET Influent               | 02/11/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 1.3                 |
|                                          | >1,000            | 520               | POET Influent               | 02/11/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 91                | 60                | Utility Sink (Basement)     | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.13 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.16 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          |                   |                   | Kitchen Sink                | 02/24/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.19 J              |
|                                          | Unknown           | Unknown           | Pressure Tank               | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank               | 02/12/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | 0.52                |
|                                          | Unknown           | Unknown           | Pre-Treatment Pressure Tank | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 1.4                 |
|                                          |                   |                   | Post-Treatment Kitchen Sink | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                          | Date       | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | MTBE<br>(µg/L) | Isopropyl<br>Benzene<br>(µg/L) | Naph-<br>thalene<br>(µg/L) | 1,2,4-Trimethyl-<br>benzene<br>(µg/L) | 1,3,5-Trimethyl-<br>benzene<br>(µg/L) | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L) | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L) | Lead<br>(µg/L) |
|------------------------------------------|-------------------|-------------------|------------------------------------------|------------|-------------------|-------------------|-----------------------------|----------------------------|----------------|--------------------------------|----------------------------|---------------------------------------|---------------------------------------|--------------------------------------------|-------------------------------------------|----------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                          |            | 5                 | 1,000             | 700                         | 10,000                     | 20             | 840                            | 100                        | 130                                   | 130                                   | 5                                          | 0.05                                      | 5              |
|                                          | 250               | Unknown           | Pre-Treatment Pressure Tank              | 02/18/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 1.3            |
|                                          | Unknown           | Unknown           | Pre-Treatment Pressure Tank              | 02/18/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Pre-Treatment Pressure Tank              | 02/13/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 2.3            | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          |                   |                   |                                          | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 3.2            | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 1.2            |
|                                          |                   |                   | Sink - Post Treatment (Non-RO Treatment) | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | 0.13 J         |
|                                          | Unknown           | Unknown           | Post Treatment - RO Spigot at Sink       | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | 0.24 J                     | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | ND<0.12        |
|                                          |                   |                   | Kitchen Sink                             | 02/18/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.40 J         | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Pre-Treatment                            | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.11 J         | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Post Treatment                           | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | 0.10 J         | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Basement Bathroom Sink                   | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | 300 +             | Unknown           | Outside Spigot                           | 02/13/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Estimated 700     | Estimated 150     | Pressure Tank                            | 02/13/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | 400               | Outside Spigot (South Side of House)     | 02/14/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | 250-300           | Unknown           | Spigot                                   | 02/17/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 0.58           |
|                                          | Estimated 290     | Unknown           | Kitchen Sink                             | 02/12/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0093                                 | ND<0.12        |
|                                          | ~350              | Unknown           | Pre-Treatment Pressure Tank              | 02/19/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | 310               | 280               | Kitchen Sink (first floor)               | 02/20/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen Sink                             | 02/13/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Kitchen sink                             | 02/13/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0094                                 | ND<0.12        |
|                                          | Unknown           | Unknown           | Spigot                                   | 02/17/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 1.7            |
|                                          |                   |                   | Pressure Tank                            | 02/21/2025 | ND<0.10           | ND<0.10           | ND<0.10                     | ND<0.10                    | ND<0.10        | ND<0.10                        | ND<0.20                    | ND<0.10                               | ND<0.10                               | ND<0.10                                    | ND<0.0095                                 | 0.16 J         |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                        | Date       | Benzene<br>(µg/L)<br>5 | Toluene<br>(µg/L)<br>1,000 | Ethyl-<br>benzene<br>(µg/L)<br>700 | Total<br>Xylenes<br>(µg/L)<br>10,000 | MTBE<br>(µg/L)<br>20 | Isopropyl<br>Benzene<br>(µg/L)<br>840 | Naph-<br>thalene<br>(µg/L)<br>100 | 1,2,4-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,3,5-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L)<br>5 | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L)<br>0.05 | Lead<br>(µg/L)<br>5 |
|------------------------------------------|-------------------|-------------------|----------------------------------------|------------|------------------------|----------------------------|------------------------------------|--------------------------------------|----------------------|---------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------------|---------------------------------------------------|---------------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                        |            |                        |                            |                                    |                                      |                      |                                       |                                   |                                              |                                              |                                                 |                                                   |                     |
|                                          | 340               | 120               | Kitchen Sink                           | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank                          | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 1.2                 |
|                                          | Unknown           | Unknown           | Kitchen Sink                           | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | ~500-600          | Unknown           | Pressure Tank                          | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 400               | 380               | Effluent - Bathroom Sink<br>(Basement) | 02/21/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          |                   |                   | Influent - Pressure Tank               | 02/21/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 1.8                 |
|                                          | 600               | 50                | Pre-Treatment                          | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 280               | 260               | Bathroom Sink<br>(Basement)            | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 400               | 360               | Pre-Treatment                          | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.12 J              |
|                                          | 400               | 380               | Outside Spigot                         | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0096                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                           | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.12 J              |
|                                          | Unknown           | Unknown           | Double Basin Kitchen<br>Sink           | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                           | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 600               | 500               | Pressure Tank                          | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 1.3                 |
|                                          | Unknown           | Unknown           | Kitchen Sink                           | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 650               | Unknown           | Kitchen Sink                           | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | ~160              | Unknown           | Kitchen Sink                           | 02/13/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | ~700              | Unknown           | Kitchen Sink                           | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Pressure Tank                          | 02/14/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Maybe 200         | Unknown           | Kitchen Sink                           | 02/13/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 188               | Unknown           | Kitchen Sink                           | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen                                | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                   | Date       | Benzene<br>(µg/L)<br>5 | Toluene<br>(µg/L)<br>1,000 | Ethyl-<br>benzene<br>(µg/L)<br>700 | Total<br>Xylenes<br>(µg/L)<br>10,000 | MTBE<br>(µg/L)<br>20 | Isopropyl<br>Benzene<br>(µg/L)<br>840 | Naph-<br>thalene<br>(µg/L)<br>100 | 1,2,4-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,3,5-Trimethyl-<br>benzene<br>(µg/L)<br>130 | 1,2-Dichloro-<br>ethane<br>(EDC)<br>(µg/L)<br>5 | 1,2 Dibromo-<br>ethane<br>(EDB)<br>(µg/L)<br>0.05 | Lead<br>(µg/L)<br>5 |
|------------------------------------------|-------------------|-------------------|-----------------------------------|------------|------------------------|----------------------------|------------------------------------|--------------------------------------|----------------------|---------------------------------------|-----------------------------------|----------------------------------------------|----------------------------------------------|-------------------------------------------------|---------------------------------------------------|---------------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                                   |            |                        |                            |                                    |                                      |                      |                                       |                                   |                                              |                                              |                                                 |                                                   |                     |
|                                          | 300               | 150               | Kitchen Sink                      | 02/24/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.19 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 25                | ~25               | Kitchen Sink                      | 02/24/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.15 J              |
|                                          | Unknown           | Unknown           | Well via Bailer                   | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 65                | Unknown           | Kitchen Sink                      | 02/17/2025 | ND<0.10                | ND<0.20                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 57                | 48                | Pressure Tank                     | 02/17/2025 | ND<0.10                | ND<0.20                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 2.5                 |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/25/2025 | ND<0.10                | ND<0.20                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.38 J              |
|                                          | 35-50             | Unknown           | Kitchen Sink                      | 02/21/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 03/01/2025 | ND<0.19                | ND<0.19                    | ND<0.13                            | ND<0.19                              | ND<0.13              | ND<0.13                               | ND<0.14                           | ND<0.13                                      | ND<0.15                                      | ND<0.15                                         | ND<0.005                                          | ND<0.3              |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Upstairs Kitchen Sink             | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | 0.12 J              |
|                                          | <400              | Unknown           | Pressure Tank                     | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0097                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/20/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 530               | Unknown           | Spigot attached to Barn           | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 305               | Unknown           | Backyard Spigot Attached to House | 02/18/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 300               | 300               | Pressure Tank                     | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 3.5                 |
|                                          | Unknown           | Unknown           | Pressure tank                     | 03/01/2025 | ND<0.19                | ND<0.19                    | ND<0.13                            | ND<0.19                              | ND<0.13              | ND<0.13                               | ND<0.14                           | ND<0.13                                      | ND<0.15                                      | ND<0.15                                         | ND<0.005                                          | ND<0.3              |
|                                          | Estimated 20 - 28 | Unknown           | Kitchen Sink                      | 02/25/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0093                                         | 0.43 J              |
|                                          | Unknown           | Unknown           | Outside Spigot                    | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | 860               | ~40               | Kitchen Sink                      | 02/19/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | 450               | ~350-400          | Utility sink                      | 02/13/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.61                |
|                                          | 300               | ~270              | Bathroom Sink                     | 02/15/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Spigot                            | 03/01/2025 | ND<0.19                | ND<0.19                    | ND<0.13                            | ND<0.19                              | ND<0.13              | ND<0.13                               | ND<0.14                           | ND<0.13                                      | ND<0.15                                      | ND<0.15                                         | ND<0.005                                          | 0.7 J               |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 02/25/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink (First Floor)        | 02/21/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0095                                         | ND<0.12             |
|                                          | Unknown           | Unknown           | Kitchen Sink (First Floor)        | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | Estimated 60-90   | Unknown           | Kitchen Sink                      | 02/17/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | ND<0.12             |
|                                          | ~70-90            | Unknown           | Kitchen Sink                      | 02/22/2025 | ND<0.10                | ND<0.10                    | ND<0.10                            | ND<0.10                              | ND<0.10              | ND<0.10                               | ND<0.20                           | ND<0.10                                      | ND<0.10                                      | ND<0.10                                         | ND<0.0094                                         | 0.19 J              |
|                                          | Unknown           | Unknown           | Kitchen Sink                      | 03/01/2025 | ND<0.19                | ND<0.19                    | ND<0.13                            | ND<0.19                              | ND<0.13              | ND<0.13                               | ND<0.14                           | ND<0.13                                      | ND<0.15                                      | ND<0.15                                         | ND<0.005                                          | ND<0.3              |

Table 1  
Potable Well Analytical Results Summary

| Sample Location                          | Well Depth (feet) | Pump Depth (feet) | Sample Location            | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (EDC) (µg/L) | 1,2 Dibromoethane (EDB) (µg/L) | Lead (µg/L) |
|------------------------------------------|-------------------|-------------------|----------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------------|--------------------------------|-------------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                            |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                               | 0.05                           | 5           |
|                                          | 146               | Unknown           | Kitchen Sink               | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Pressure Tank              | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 1.2         |
|                                          | Unknown           | 460               | Kitchen Sink               | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Estimated 300     | Unknown           | Kitchen Sink               | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.16 J      |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.55        |
|                                          | 41                | Unknown           | Kitchen Sink               | 02/24/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.18 J      |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/18/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Kitchen Sink               | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | ~200              | Unknown           | Kitchen Sink (First Floor) | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          |                   |                   | Pre-Treatment Basement     | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | 144               | Unknown           | Pressure Tank              | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | ~75               | Unknown           | Bathroom Sink              | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.39 J      |
|                                          |                   |                   | Kitchen Sink - (Cottage)   | 02/21/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | 90-100            | 100               | Kitchen Sink (first floor) | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | 270               | 270               | Pressure Tank              | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          |                   |                   | Utility Sink in Garage     | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | 0.34 J      |
|                                          | Unknown           | Unknown           | Pre-Treatment From         | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.017 J     |
|                                          | ~100              | Unknown           | Kitchen Sink               | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0094                      | ND<0.12     |
|                                          | 140               | Unknown           | Pressure Tank              | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          | 300               | Unknown           | Pressure Tank              | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | ND<0.12     |
|                                          | Unknown           | Unknown           | Spigot                     | 02/13/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                         | ND<0.0095                      | 0.52        |
|                                          | 350               | 300               | Kitchen sink               | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |
|                                          | Unknown           | Unknown           | Kitchen sink               | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                         | ND<0.005                       | ND<0.3      |

Notes:  
DEP = Pennsylvania Department of Environmental Protection  
MSCs = Medium-Specific Concentrations per 25 Pa. Code Chapter 250  
µg/L = Micrograms/Liter  
ND<# = Not Detected (# is method detection limit)  
NA = Not Available or Not Analyzed  
MDL = Method Detection Limit  
RL = Reporting Limit  
PID = Photoionization Detector  
ppm = Parts Per Million  
J = Approximate value; result is < RL and ≥ MDL  
\* = See laboratory report for qualifiers  
**Bold** = Exceeds the DEP MSC for a Used, Residential Aquifer < 2,500 mg/L total dissolved solids  
Volatiles analyzed via EPA Method 524.2  
EDB analyzed via EPA Method 8011 through 2/28/2025; samples collected beginning 3/1/2025 analyzed via EPA Method 504  
Dissolved Lead analyzed via EPA Method 200.8