

Appendix E

Gauging Data

Gauging Data – Monitoring Wells



Monitoring Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-1S	8/4/2025	225.20	-	24.26	-	200.94	0.0
	8/5/2025		-	23.54	-	201.66	4.9
	8/6/2025		-	23.25	-	201.95	4.4
	8/7/2025		-	23.06	-	202.14	4.4
	8/8/2025		-	22.65	-	202.55	7.1
	8/11/2025		-	22.82	-	202.38	1.7
	8/12/2025		-	22.98	-	202.22	1.2
	8/13/2025		-	23.18	-	202.02	2.2
	8/13/2025		-	23.17	-	202.03	1.4
MW-1D	8/4/2025	225.55	-	27.84	-	197.71	0.0
	8/5/2025		-	27.38	-	198.17	0.0
	8/6/2025		-	27.15	-	198.40	0.0
	8/7/2025		-	26.94	-	198.61	0.0
	8/8/2025		-	27.07	-	198.48	0.2
	8/11/2025		-	27.55	-	198.00	0.0
	8/12/2025		-	27.97	-	197.58	0.0
	8/13/2025		-	27.93	-	197.62	0.0
	8/13/2025		-	27.87	-	197.68	0.0
MW-2S	8/4/2025	223.96	-	26.50	-	197.46	1.1
	8/5/2025		-	24.69	-	199.27	0.0
	8/6/2025		-	25.35	-	198.61	0.0
	8/7/2025		-	25.21	-	198.75	0.4
	8/8/2025		-	25.28	-	198.68	0.7
	8/11/2025		-	25.79	-	198.17	0.3
	8/12/2025		-	26.15	-	197.81	0.3
	8/13/2025		-	26.27	-	197.69	0.1
	8/13/2025		-	26.27	-	197.69	0.2
MW-2D	8/4/2025	224.31	-	28.30	-	196.01	0.0
	8/5/2025		-	27.54	-	196.77	0.0
	8/6/2025		-	27.50	-	196.81	0.0
	8/7/2025		-	27.03	-	197.28	0.0
	8/8/2025		-	27.27	-	197.04	0.3
	8/11/2025		-	27.40	-	196.91	0.1
	8/12/2025		-	27.85	-	196.46	0.0
	8/13/2025		-	28.04	-	196.27	0.0
	8/13/2025		-	27.93	-	196.38	0.0
MW-3S	8/4/2025	225.66	-	11.11	-	214.55	0.0
	8/5/2025		-	8.58	-	217.08	0.0
	8/6/2025		-	8.05	-	217.61	0.0
	8/7/2025		-	7.76	-	217.90	0.0
	8/8/2025		-	7.67	-	217.99	0.2
	8/11/2025		-	7.83	-	217.83	0.1
	8/12/2025		-	7.99	-	217.67	0.2
	8/13/2025		-	7.96	-	217.70	0.1
	8/13/2025		-	8.02	-	217.64	0.1



Monitoring Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-3D	8/4/2025	225.39	-	19.25	-	206.14	0.0
	8/5/2025		-	18.85	-	206.54	3.0
	8/6/2025		-	18.78	-	206.61	0.0
	8/7/2025		-	18.68	-	206.71	0.6
	8/8/2025		-	18.73	-	206.66	2.2
	8/11/2025		-	19.09	-	206.30	0.5
	8/12/2025		-	19.46	-	205.93	0.2
	8/13/2025		-	19.76	-	205.63	0.2
	8/13/2025		-	19.75	-	205.64	0.3
MW-4S	7/28/2025	196.67	-	17.20	-	179.47	0.0
	7/29/2025		-	19.13	-	177.54	0.5
	7/30/2025		-	19.66	-	177.01	0.7
	8/4/2025		-	20.23	-	176.44	3.5
	8/5/2025		-	20.17	-	176.50	0.6
	8/6/2025		-	21.16	-	175.51	0.0
	8/7/2025		-	21.32	-	175.35	1.9
	8/8/2025		-	20.92	-	175.75	2.0
	8/11/2025		-	21.86	-	174.81	0.0
	8/12/2025		-	22.30	-	174.37	0.3
	8/13/2025		-	22.67	-	174.00	0.4
	8/13/2025		-	22.75	-	173.92	0.4
MW-4D	7/28/2025	196.63	-	28.40	-	168.23	0.0
	7/29/2025		-	25.35	-	171.28	0.3
	7/29/2025		-	27.24	-	169.39	0.2
	8/4/2025		-	26.76	-	169.87	26.8
	8/5/2025		-	26.47	-	170.16	0.0
	8/6/2025		-	27.53	-	169.10	0.0
	8/7/2025		-	27.62	-	169.01	0.0
	8/8/2025		-	27.48	-	169.15	0.2
	8/11/2025		-	29.06	-	167.57	0.0
	8/12/2025		-	29.79	-	166.84	0.2
	8/13/2025		-	30.03	-	166.60	0.0
	8/13/2025		-	29.93	-	166.70	0.0
MW-5S	7/24/2025	213.69	-	3.55	-	210.14	-
	7/25/2025		-	3.47	-	210.22	-
	7/28/2025		-	3.71	-	209.98	0.0
	7/29/2025		-	3.82	-	209.87	0.2
	7/30/2025		-	3.95	-	209.74	0.1
	8/4/2025		-	3.91	-	209.78	0.2
	8/5/2025		-	3.98	-	209.71	0.0
	8/6/2025		-	4.11	-	209.58	0.0
	8/7/2025		-	4.10	-	209.59	0.0
	8/8/2025		-	4.15	-	209.54	0.1
	8/11/2025		-	4.33	-	209.36	0.0
	8/12/2025		-	4.59	-	209.10	0.1
	8/13/2025		-	4.24	-	209.45	0.0
	8/13/2025		-	4.58	-	209.11	0.0



Monitoring Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-5D	7/23/2025	213.62	-	40.00	-	173.62	-
	7/23/2025		-	39.77	-	173.85	-
	7/25/2025		-	38.41	-	175.21	-
	7/28/2025		-	38.36	-	175.26	0.0
	7/29/2025		-	38.12	-	175.50	0.5
	7/30/2025		-	37.98	-	175.64	0.3
	8/4/2025		-	37.98	-	175.64	6.5
	8/5/2025		-	37.87	-	175.75	0.5
	8/6/2025		-	37.86	-	175.76	0.0
	8/7/2025		-	37.83	-	175.79	1.2
	8/8/2025		-	37.80	-	175.82	2.5
	8/11/2025		-	37.88	-	175.74	0.0
	8/12/2025		-	38.05	-	175.57	0.2
	8/13/2025		-	37.89	-	175.73	0.3
	8/13/2025		-	38.00	-	175.62	0.3
MW-6S	8/7/2025	215.18	-	20.68	-	194.50	4.0
	8/8/2025		-	21.28	-	193.90	83.6
	8/11/2025		-	22.06	-	193.12	45.1
	8/12/2025		-	22.49	-	192.69	12.8
	8/13/2025		-	22.66	-	192.52	23.1
	8/13/2025		-	22.64	-	192.54	18.1
MW-6D	8/6/2025	215.29	-	21.40	-	193.89	-
	8/7/2025		-	23.18	-	192.11	78.5
	8/8/2025		-	24.26	-	191.03	6.7
	8/11/2025		-	53.85	-	161.44	18.3
	8/12/2025		-	51.38	-	163.91	7.9
	8/13/2025		-	47.44	-	167.85	23.6
	8/13/2025		-	46.59	-	168.70	2.5
MW-7S	8/8/2025	205.67	-	29.53	-	176.14	0.0
	8/11/2025		-	33.72	-	171.95	-
	8/12/2025		-	30.64	-	175.03	0.4
	8/13/2025		-	30.85	-	174.82	0.6
	8/13/2025		-	30.88	-	174.79	0.0
MW-7D	8/8/2025	205.47	-	33.11	-	172.36	0.0
	8/11/2025		-	30.42	-	175.05	-
	8/12/2025		-	33.98	-	171.49	0.6
	8/13/2025		-	33.94	-	171.53	1.8
	8/13/2025		-	33.99	-	171.48	0.2



Monitoring Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-8S	8/11/2025	224.25	-	8.80	-	215.45	-
	8/11/2025		-	22.14*	-	202.11	-
	8/12/2025		-	8.14	-	216.11	0.0
	8/13/2025		-	8.08	-	216.17	0.1
	8/13/2025		-	8.04	-	216.21	0.0
MW-8D	8/11/2025	224.17	-	69.95	-	154.22	-
	8/11/2025		-	69.92	-	154.25	-
	8/12/2025		-	67.69	-	156.48	0.6
	8/13/2025		-	65.77	-	158.40	0.0
	8/13/2025		-	65.51	-	158.66	0.3

Notes:

* Measurement collected right after development

ft. = feet

LNAPL = Light Non-Aqueous Phase Liquid

NA = Not Applicable

Well head screening is completed with a photoionization detector (PID).

Gauging Data – Recovery Wells



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-1	3/22/2025	208.27	-	43.53	-	164.74		62	-
	3/24/2025	208.27	-	42.67	-	165.60		144	-
	3/25/2025	208.27	-	42.81	-	165.46		88	-
	3/26/2025	208.27	-	42.53	-	165.74		128	-
	3/27/2025	208.27	-	42.62	-	165.65		93	-
	3/28/2025	208.27	-	42.32	-	165.95		184.3	-
	3/29/2025	208.27	-	41.93	-	166.34		69.8	-
	3/31/2025	208.27	41.64	41.65	0.01	166.62	166.63	139.2	-
	4/1/2025	208.27	-	42.14	-	166.13		224.9	-
	4/2/2025	208.27	-	41.92	-	166.35		140.5	-
	4/3/2025	208.27	-	40.91	-	167.36		127.6	-
	4/4/2025	208.27	-	41.09	-	167.18		104.2	-
	4/5/2025	208.27	-	40.53	-	167.74		149.0	-
	4/7/2025	208.27	-	39.37	-	168.90		114.7	-
	4/7/2025	208.27	-	39.33	-	168.94		NM	-
	4/8/2025	208.27	-	39.22	-	169.05		139.2	-
	4/8/2025	208.27	-	39.16	-	169.11		69.9	-
	4/9/2025	208.27	-	39.51	-	168.76		58.2	-
	4/9/2025	208.27	-	39.53	-	168.74		72.3	-
	4/10/2025	208.27	-	40.55	-	167.72		56.7	-
	4/10/2025	208.27	-	39.27	-	169.00		52.6	-
	4/11/2025	208.27	-	38.85	-	169.42		57.5	-
	4/11/2025	208.27	-	38.85	-	169.42		59.8	-
	4/12/2025	208.27	-	38.52	-	169.75		53.9	-
	4/12/2025	208.27	-	38.53	-	169.74		59.7	-
	4/14/2025	208.27	-	37.25	-	171.02		102.4	-
	4/14/2025	208.27	-	37.11	-	171.16		67.7	-
	4/15/2025	208.27	-	36.18	-	172.09		61.6	-
	4/15/2025	208.27	-	36.10	-	172.17		70.4	-
	4/16/2025	208.27	-	35.80	-	172.47		41.4	-
	4/16/2025	208.27	-	35.75	-	172.52		41.7	-
	4/17/2025	208.27	-	35.49	-	172.78		51.5	-
	4/17/2025	208.27	-	35.43	-	172.84		51.4	-
	4/18/2025	208.27	-	34.44	-	173.83		44.3	-
	4/18/2025	208.27	-	34.61	-	173.66		35.2	-
	4/19/2025	208.27	-	33.89	-	174.38		36.8	-
	4/19/2025	208.27	-	33.87	-	174.40		23.0	-
	4/21/2025	208.27	-	33.54	-	174.73		28.3	-
	4/22/2025	208.27	-	33.03	-	175.24		12.2	-
	4/23/2025	208.27	-	33.35	-	174.92		6.1	-
	4/24/2025	208.27	-	32.98	-	175.29		21.0	-
	4/25/2025	208.27	-	32.80	-	175.47		12.0	-
	4/26/2025	208.27	-	32.05	-	176.22		11.8	-
	4/28/2025	208.27	-	32.53	-	175.74		17.8	-
	4/29/2025	208.27	-	32.20	-	176.07		44.7	-
	4/30/2025	208.27	-	32.21	-	176.06		44.6	-
	5/1/2025	208.27	-	32.11	-	176.16		73.9	-
	5/2/2025	208.27	-	34.21	-	174.06		72.6	-
	5/3/2025	208.27	-	33.24	-	175.03		54.0	-
	5/5/2025	208.27	-	33.22	-	175.05		21.5	-
	5/6/2025	208.27	-	32.95	-	175.32		20.1	-
	5/7/2025	208.27	-	32.42	-	175.85		15.1	-
	5/8/2025	208.27	-	32.73	-	175.54		15.3	-
	5/9/2025	208.27	-	32.79	-	175.48		12.9	-
	5/10/2025	208.27	-	32.84	-	175.43		10.3	-
	5/12/2025	208.27	-	32.77	-	175.50		12.8	-
	5/13/2025	208.27	-	32.64	-	175.63		11.7	-
	5/14/2025	208.27	-	32.20	-	176.07		4.8	-
	5/15/2025	208.27	-	32.20	-	176.07		16.3	-
	5/16/2025	208.27	-	28.34	-	179.93		6.0	-
	5/17/2025	208.27	-	26.81	-	181.46		3.1	-
	5/19/2025	208.27	-	25.76	-	182.51		23.6	-
	5/20/2025	208.27	-	25.64	-	182.63		4.3	-
	5/21/2025	208.27	-	25.22	-	183.05		3.2	-
	5/22/2025	208.27	-	24.58	-	183.69		3.2	-
	5/23/2025	208.27	-	24.35	-	183.92		4.4	-
	5/24/2025	208.27	-	23.97	-	184.30		2.6	-
	5/27/2025	208.27	-	22.52	-	185.75		0.0	-
	5/28/2025	208.27	-	22.75	-	185.52		0.0	-
	5/29/2025	208.27	-	22.77	-	185.50		0.0	-
	5/30/2025	208.27	-	22.59	-	185.68		7.5	-
	5/31/2025	208.27	-	22.49	-	185.78		0.0	-
	6/2/2025	208.27	-	22.71	-	185.56		6.4	-
	6/3/2025	208.27	-	23.23	-	185.04		7.8	-
	6/4/2025	208.27	-	22.97	-	185.30		12.5	-
	6/6/2025	208.27	-	22.99	-	185.28		8.2	-
	6/7/2025	208.27	-	22.96	-	185.31		11.4	-
	6/9/2025	208.27	-	23.83	-	184.44		2.3	-
	6/10/2025	208.27	-	23.80	-	184.47		0.0	-
	6/11/2025	208.27	-	24.35	-	183.92		1.2	-
	6/12/2025	208.27	-	24.84	-	183.43		8.2	-
	6/13/2025	208.27	-	25.36	-	182.91		4.1	-
	6/14/2025	208.27	-	25.10	-	183.17		15.1	-
	6/16/2025	208.27	-	25.19	-	183.08		0.0	-
	6/17/2025	208.27	-	24.86	-	183.41		0.0	-
	6/18/2025	208.27	-	29.24	-	179.03		21.7	-
	6/19/2025	208.27	-	26.70	-	181.57		11.7	-
	6/20/2025	208.27	-	25.34	-	182.93		20.7	-
	6/21/2025	208.27	-	26.94	-	181.33		13.8	-
	6/23/2025	208.27	-	26.47	-	181.80		5.3	-
	6/23/2025	208.27	-	26.44	-	181.83		5.1	-
	6/23/2025	208.27	-	42.90	-	165.37		0.8	-
	6/24/2025	208.27	-	42.89	-	165.38		0.2	-
	6/24/2025	208.27	-	42.93	-	165.34		0.8	-
	6/24/2025	208.27	-	43.01	-	165.26		0.7	-
	6/24/2025	208.27	-	43.03	-	165.24		0.7	-
	6/25/2025	208.27	-	42.89	-	165.38		0.0	-
	6/25/2025	208.27	-	42.99	-	165.28		1.7	-
	6/26/2025	208.27	-	42.99	-	165.28		0.0	-
	6/27/2025	208.27	-	26.49	-	181.78		3.6	-
	6/28/2025	208.27	-	26.50	-	181.77		2.6	-
	6/30/2025	208.27	-	26.52	-	181.75		2.4	-
	7/1/2025	208.27	-	27.05	-	181.22		3.1	-
	7/2/2025	208.27	-	27.37	-	180.90		1.9	-
	7/3/2025	208.27	-	26.63	-	181.64		3.5	-
	7/5/2025	208.27	-	26.17	-	182.10		0.0	-
	7/7/2025	208.27	-	25.76	-	182.51		1.5	-
	7/8/2025	208.27	-	26.10	-	182.17		0.9	-
	7/9/2025	208.27	-	25.79	-	182.48		1.5	-



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-1	7/10/2025	208.27	-	28.12	-	180.15		1.4	-
	7/11/2025	208.27	-	25.38	-	182.89		1.0	-
	7/12/2025	208.27	-	25.94	-	182.33		0.6	-
	7/14/2025	208.27	-	27.38	-	180.89		1.6	-
	7/17/2025	208.27	-	26.69	-	181.58		0.5	-
	7/18/2025	208.27	-	26.47	-	181.80		0.7	-
	7/19/2025	208.27	-	27.44	-	180.83		0.6	-
	7/21/2025	208.27	-	26.39	-	181.88		0.5	-
	7/22/2025	208.27	-	26.26	-	182.01		0.7	-
	7/23/2025	208.27	-	27.95	-	180.32		0.8	-
	7/24/2025	208.27	-	26.47	-	181.80		0.9	-
	7/25/2025	208.27	-	26.80	-	181.47		0.7	-
	7/26/2025	208.27	-	26.52	-	181.75		5.6	-
	7/28/2025	208.27	-	27.95	-	180.32		0.0	-
	7/29/2025	208.27	-	27.28	-	180.99		0.7	-
	7/30/2025	208.27	-	27.88	-	180.39		0.1	-
	7/31/2025	208.27	-	27.88	-	180.39		0.8	-
	8/1/2025	208.27	-	28.09	-	180.18		0.2	-
	8/2/2025	208.27	-	28.45	-	179.82		0.0	-
	8/4/2025	208.27	-	29.09	-	179.18		0.0	-
	8/5/2025	208.27	-	29.25	-	179.02		2.9	-
	8/6/2025	208.27	-	31.60	-	176.67		0.0	-
	8/7/2025	208.27	-	30.96	-	177.31		0.0	-
	8/8/2025	208.27	-	31.47	-	176.80		0.0	-
	8/9/2025	208.27	-	31.30	-	176.97		0.0	-
	8/11/2025	208.27	-	31.34	-	176.93		0.0	-
	8/12/2025	208.27	-	33.59	-	174.68		0.2	-
	8/13/2025	208.27	-	32.31	-	175.96		0.2	-



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-2	5/22/2025	221.25	-	19.13	-	202.12		18.7	-
	5/23/2025	221.25	-	19.00	-	202.25		163.7	-
	5/24/2025	221.25	-	18.30	-	202.95		244.8	Water could be heard trickling in the well
	5/27/2025	221.25	-	19.77	-	201.48		31.7	-
	5/28/2025	221.25	-	20.27	-	200.98		10.2	-
	5/29/2025	221.25	-	20.70	-	200.55		0.0	-
	5/30/2025	221.25	-	19.82	-	201.43		4.3	-
	5/31/2025	221.25	-	20.07	-	201.18		0.0	-
	6/2/2025	221.25	-	19.51	-	201.74		18.7	-
	6/3/2025	221.25	-	19.24	-	202.01		14.8	-
	6/4/2025	221.25	-	19.98	-	201.27		0.9	Well was developed via surge and purge (approximately 115 gallons of groundwater)
	6/5/2025	221.25	-	20.45	-	200.80		16.5	-
	6/5/2025	221.25	22.08	22.19	0.11	199.06	199.15	-	LNAPL detected after purging approximately 130 gallons of water; bailed approximately 4 gallons of LNAPL
	6/5/2025	221.25	21.59	21.60	0.01	199.65	199.66	-	Bailed approximately 1.25 gallons of LNAPL
	6/5/2025	221.25	22.59	22.60	0.01	198.65	198.66	-	Pumped approximately 30 gallons groundwater / 20 gallons LNAPL
	6/5/2025	221.25	-	21.75	-	199.50	-	-	Socks deployed
	6/6/2025	221.25	-	21.48	-	199.77	-	12.7	Socks removed (100% saturated)
	6/6/2025	221.25	26.05	26.07	0.02	195.18	195.20	-	Pump approximately 175 gallons groundwater, 1 gallon of LNAPL
	6/6/2025	221.25	-	23.16	-	198.09	-	-	-
	6/7/2025	221.25	-	20.79	-	200.46	-	47.6	Socks <15% saturated
	6/9/2025	221.25	*	21.89	*	199.36	-	6.7	* IFP did not detect the LNAPL during gauging Approximately 0.9 feet in bailer; 0.25 gallons bailed; Sock replaced (100% saturated)
	6/9/2025	221.25	*	22.31	*	198.94	-	-	-
	6/10/2025	221.25	23.73	24.03	0.30	197.22	197.46	-	1.75 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/10/2025	221.25	26.21	26.24	0.03	195.01	195.03	-	-
	6/11/2025	221.25	22.33	22.45	0.12	198.80	198.90	-	2.5 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/11/2025	221.25	-	26.30	-	194.95	-	-	-
	6/12/2025	221.25	-	22.10	-	199.15	-	198	2.5 gallons of LNAPL recovered via pumping
	6/12/2025	221.25	-	26.30	-	194.95	-	-	-
	6/13/2025	221.25	22.32	22.37	0.05	198.88	198.92	308	Groundwater recovery via pumping (225 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/13/2025	221.25	-	26.32	-	194.93	-	-	-
	6/14/2025	221.25	22.35	22.39	0.04	198.86	198.89	235	Approximately 0.3 gallons of LNAPL hand bailed
	6/16/2025	221.25	22.02	22.15	0.13	199.10	199.20	594	Groundwater recovery via pumping (200 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/16/2025	221.25	-	25.30	-	195.95	-	-	-
	6/17/2025	221.25	22.53	23.02	0.49	198.23	198.62	253	Groundwater recovery via pumping (100 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/17/2025	221.25	24.47	24.70	0.23	196.55	196.73	-	-
	6/18/2025	221.25	22.20	22.89	0.69	198.36	198.91	286	Groundwater recovery via pumping (200 gallons); Approximately 0.69 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/18/2025	221.25	23.80	23.82	0.02	197.43	197.45	-	-
	6/19/2025	221.25	22.25	22.30	0.05	198.95	198.99	45.3	Groundwater recovery via pumping (200 gallons); Approximately 1.6 gallons of LNAPL recovered; Sock replaced (70% saturated)
	6/19/2025	221.25	24.15	24.17	0.02	197.08	197.10	-	-
	6/20/2025	221.25	21.39	21.56	0.17	199.69	199.83	295.5	Groundwater recovery via pumping (200 gallons); Approximately 1.7 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/20/2025	221.25	25.40	25.41	0.01	195.84	195.85	-	-
	6/21/2025	221.25	-	23.70	-	197.55	-	120.1	Sock replaced (60% saturated)
	6/23/2025	221.25	22.90	22.93	0.03	198.32	198.34	-	-
	6/24/2025	221.25	22.73	22.80	0.07	198.45	198.51	18.3	Bailed approximately 0.5 gallons of LNAPL
	6/24/2025	221.25	22.80	22.85	0.05	198.40	198.44	260.4	-
	6/24/2025	221.25	22.65	22.70	0.05	198.55	198.59	78.4	-
	6/25/2025	221.25	22.65	22.68	0.03	198.57	198.59	70.8	-
	6/25/2025	221.25	22.91	23.00	0.09	198.25	198.32	61.2	-
	6/25/2025	221.25	22.84	22.95	0.11	198.30	198.39	68.4	-
	6/26/2025	221.25	22.71	22.87	0.16	198.38	198.51	68.8	-
	6/27/2025	221.25	22.66	24.50	1.84	196.75	198.22	105.3	-
	6/28/2025	221.25	22.97	23.98	1.01	197.27	198.08	114.6	-
	6/30/2025	221.25	22.62	22.90	0.28	198.35	198.57	71.5	Bailed approximately 0.5 gallons of LNAPL
	6/30/2025	221.25	-	23.54	-	197.71	-	-	-
	7/1/2025	221.25	23.39	25.40	2.01	195.85	197.46	358.2	Bailed approximately 0.4 gallons of LNAPL after pump down for geophysics. Replaced sock (80% saturated)
	7/1/2025	221.25	24.60	24.62	0.02	196.63	196.65	-	-
	7/1/2025	221.25	25.38	25.40	0.02	195.85	195.87	362.3	-
	7/2/2025	221.25	23.50	23.65	0.15	197.60	197.72	285.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (80% saturated)
	7/2/2025	221.25	26.35	26.36	0.01	194.89	194.90	-	-
	7/2/2025	221.25	28.42	28.44	0.02	192.81	192.83	293.6	-
	7/3/2025	221.25	23.69	23.70	0.01	197.55	197.56	442.5	Bailed approximately 0.1 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	221.25	23.79	23.80	0.01	197.45	197.46	-	Passive skimmer installed
	7/5/2025	221.25	-	22.80	-	198.45	-	374.4	-
	7/5/2025	221.25	-	22.83	-	198.42	-	118.3	-
	7/7/2025	221.25	23.02	23.03	0.01	198.22	198.23	168.0	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	221.25	23.70	23.85	0.15	197.40	197.52	164.8	Recovered approximately 0.4 gallons of LNAPL via skimmer
	7/9/2025	221.25	23.80	24.45	0.65	196.80	197.32	207.0	Recovered approximately 0.24 gallons of LNAPL via skimmer
	7/10/2025	221.25	23.24	23.30	0.06	197.95	198.00	274.7	Recovered approximately 0.64 gallons of LNAPL via skimmer
	7/11/2025	221.25	23.28	23.29	0.01	197.96	197.97	-	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/11/2025	221.25	23.34	23.55	0.21	197.70	197.87	-	Recovered approximately 0.85 gallons of LNAPL via skimmer
	7/12/2025	221.25	23.49	23.69	0.20	197.56	197.72	205.5	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/14/2025	221.25	24.31	24.33	0.02	196.92	196.94	139.3	Recovered approximately 0.7 gallons of LNAPL via skimmer
	7/14/2025	221.25	23.93	23.96	0.03	197.29	197.31	124.8	Recovered approximately 0.06 gallons of LNAPL via skimmer
	7/15/2025	221.25	24.64	24.77	0.13	196.48	196.58	164.7	Recovered approximately 0.4 gallons of LNAPL via skimmer.
	7/15/2025	221.25	26.31	26.32	0.01	194.93	194.94	178.5	Recovered 2.5 gallons of LNAPL via pumping
	7/16/2025	221.25	23.65	23.80	0.15	197.45	197.57	132.2	Recovered approximately 0.05 gallons of LNAPL via skimmer.
	7/16/2025	221.25	27.00	27.03	0.03	194.22	194.24	154.9	Recovered 2.2 gallons of LNAPL via pumping
	7/17/2025	221.25	23.37	23.80	0.43	197.45	197.79	151.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/17/2025	221.25	27.85	27.86	0.01	193.39	193.40	163.5	Recovered 2.52 gallons of LNAPL via pumping
	7/18/2025	221.25	23.84	23.85	0.01	197.40	197.41	100.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/18/2025	221.25	-	24.35	-	196.90	-	97.6	Recovered 2.3 gallons of LNAPL via pumping
	7/19/2025	221.25	27.94	27.96	0.02	193.29	193.31	103.4	-
	7/21/2025	221.25	24.81	24.83	0.02	196.42	196.44	103.3	Recovered approximately 0.06 gallons of LNAPL via skimmer.
	7/21/2025	221.25	-	28.00	-	193.25	-	-	Recovered approximately 0.26 gallons of LNAPL via skimmer.
	7/22/2025	221.25	24.23	24.29	0.06	196.96	197.01	92.4	Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/22/2025	221.25	-	26.78	-	194.47	-	98.7	-
	7/23/2025	221.25	24.25	24.50	0.25	196.75	196.95	119.5	Recovered approximately 2.52 gallons of LNAPL via pumping.
	7/23/2025	221.25	24.70	24.75	0.05	196.50	196.54	-	-
	7/23/2025	221.25	-	25.40	-	195.85	-	122.3	-
	7/24/2025	221.25	-	24.21	-	197.04	-	113.6	Recovered approximately 0.65 gallons of LNAPL via skimmer.
	7/24/2025	221.25	-	27.29	-	193.96	-	-	Recovered approximately 2.5 gallons of LNAPL via pumping.
	7/25/2025	221.25	23.97	24.03	0.06	197.22	197.27	73.6	Recovered approximately 0.13 gallons of LNAPL via skimmer.
	7/25/2025	221.25	-	24.74	-	196.51	-	-	Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/25/2025	221.25	-	26.30	-	194.95	-	-	-
	7/26/2025	221.25	24.25	24.27	0.02	196.98	197.00	107.6	-
	7/28/2025	221.25	24.19	24.65	0.46	196.60	196.97	370.4	Recovered approximately 0.53 gallons of LNAPL via skimmer.
	7/28/2025	221.25	-	27.01	-	194.24	-	-	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2 gallons via pumping.
	7/29/2025	221.25	25.05	25.25	0.20	196.00	196.16	110.4	-
	7/29/2025	221.25	-	26.56	-	194.69	-	111.6	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.7 gallons via pumping.
	7/30/2025	221.25	25.01	25.29	0.28	195.96	196.18	36.4	-
	7/30/2025	221.25	-	27.92	-	193.33	-	-	Recovered approximately 0.52 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	7/31/2025	221.25	25.69	25.95	0.26	195.30	195.51	56.2	-
	7/31/2025	221.25	28.70	28.71	0.01	192.54	192.55	64.6	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	8/1/2025	221.25	25.79	25.95	0.16	195.30	195.43	81.1	-
	8/1/2025	221.25	-	28.08	-	193.17	-	-	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.4 gallons via pumping.
	8/2/2025	221.25	25.05	25.60	0.55	195.65	196.09	269.9	-
	8/4/2025	221.25	25.75	26.00	0.25	195.25	195.45	305.2	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/4/2025	221.25	27.10	27.11	0.01	194.14	194.15	-	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/5/2025	221.25	24.88	25.23	0.35	196.02	196.30	152.3	Recovered approximately 0.9 gallons of LNAPL via pumping
	8/5/2025	221.25	-	26.75	-	194.50	-	-	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/6/2025	221.25	24.30	24.68	0.38	196.57	196.87	124.2	-
	8/6/2025	221.25	-	26.50	-	194.75	-	-	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/7/2025	221.25	24.51	24.65	0.14	196.60	196.71	151.0	-
	8/7/2025	221.25	26.89	26.91	0.02	194.34	194.36	-	Recovered approximately 0.39 gallons of LNAPL via skimmer and pumping
	8/8/2025	221.25	25.00	25.15	0.15	196.10	196.22	197.8	-
	8/8/2025	221.25	-	25.78	-	195.47	-	-	



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-2	8/9/2025	221.25	25.35	25.88	0.53	195.37	195.79	37.5	Recovered approximately 0.6 gallons of LNAPL via skimmer
	8/9/2025	221.25	25.43	25.51	0.08	195.74	195.80	-	-
	8/11/2025	221.25	24.84	25.92	1.08	195.33	196.19	218.3	Recovered approximately 0.97 gallons of LNAPL via skimmer and pumping
	8/11/2025	221.25	-	26.05	-	195.20	-	-	-
	8/12/2025	221.25	26.11	26.14	0.03	195.11	195.13	115.7	Recovered approximately 1.05 gallons of LNAPL via skimmer and pumping
	8/12/2025	221.25	-	28.84	-	192.41	-	-	-
	8/13/2025	221.25	25.60	25.72	0.12	195.53	195.63	103.8	Recovered approximately 0.73 gallons of LNAPL via skimmer and pumping
	8/13/2025	221.25	26.61	26.63	-	194.62	-	-	-



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-3	5/23/2025	222.38	19.71	19.75	0.04	202.63	202.66	686	Approximately 1 - 2 gallons of LNAPL purged via pump
	5/24/2025	222.38	19.49	19.49	0.00	202.89	202.89	139.3	Sheen observed; bailed approximately 0.01 gallons of LNAPL
	5/27/2025	222.38	25.08	25.10	0.02	197.28	197.30	120.0	Approximately 0.2 gallons of LNAPL bailed. Sock was removed (60%)
	5/27/2025	222.38	23.03	23.07	0.04	199.31	199.34	92.4	Approximately 0.2 gallons of LNAPL bailed
	5/28/2025	222.38	20.21	20.36	0.15	202.02	202.14	568.3	Approximately 0.15 gallons of LNAPL bailed
	5/28/2025	222.38	20.31	20.43	0.12	201.95	202.05	570.1	Approximately 0.15 gallons of LNAPL bailed
	5/29/2025	222.38	20.02	20.29	0.27	202.09	202.31	460.5	Approximately 0.2 gallons of LNAPL bailed
	5/29/2025	222.38	20.00	20.31	0.31	202.07	202.32	810.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	222.38	20.11	20.60	0.49	201.78	202.17	892.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	222.38	20.05	20.38	0.33	202.00	202.26	550.9	Approximately 0.2 gallons of LNAPL bailed
	5/31/2025	222.38	20.49	21.07	0.58	201.31	201.77	1,039	Approximately 2 gallons of LNAPL bailed
	6/2/2025	222.38	20.50	20.90	0.40	201.48	201.80	492.1	Approximately 0.5 gallons of LNAPL bailed
	6/2/2025	222.38	20.76	20.84	0.08	201.54	201.60	-	-
	6/3/2025	222.38	20.21	20.28	0.07	202.10	202.16	533.1	Approximately 0.5 gallons of LNAPL bailed
	6/3/2025	222.38	20.18	20.19	0.01	202.19	202.20	481.4	Absorbent Sock Deployed
	6/4/2025	222.38	20.98	21.23	0.25	201.15	201.35	522.7	Sock was removed (100% saturated); well was developed; approximately 110 gallons of groundwater and 1 gallon of LNAPL purged)
	6/4/2025	222.38	24.15	24.16	0.01	198.22	198.23	133.8	Absorbent Sock Deployed
	6/5/2025	222.38	21.21	21.34	0.13	201.04	201.14	619.8	Sock was removed (100% saturated)
	6/5/2025	222.38	21.96	21.97	0.01	200.41	200.42	-	-
	6/5/2025	222.38	21.31	21.32	0.01	201.06	201.07	-	Grundfos pump used to pump down water level; approximately 1.67 gallons of LNAPL and 200 gallons of groundwater were extracted
	6/6/2025	222.38	21.41	21.52	0.11	200.86	200.95	233	Socks removed (100% saturated); hand bailed LNAPL 1.75 gallons removed
	6/6/2025	222.38	30.04	30.05	0.01	192.33	192.34	-	Socks removed (100% saturated); pump approximately 50 gallons groundwater, approximately 20 gallons were LNAPL
	6/7/2025	222.38	-	21.04	-	201.34	-	336.2	Sock removed (100% saturated)
	6/9/2025	222.38	22.40	22.51	0.11	199.87	199.96	548	Sock removed (100% saturated); approximatley 2 gallons LNAPL bailed
	6/9/2025	222.38	22.97	23.00	0.03	199.38	199.40	-	-
	6/10/2025	222.38	24.67	24.91	0.24	197.47	197.66	704	1.75 gallons of LNAPL recovered via pumping; Sock removed (50% saturated); groundwater + LNAPL recovery via pumping (175 gallons)
	6/10/2025	222.38	26.56	26.58	0.02	195.80	195.82	-	-
	6/11/2025	222.38	-	22.30	-	200.08	-	-	Sock removed (100% saturated); groundwater recovery via pumping (170 gallons)
	6/11/2025	222.38	-	33.05	-	189.33	-	-	-
	6/12/2025	222.38	22.59	22.66	0.07	199.72	199.78	239	Sock removed (100% saturated); groundwater recovery via pumping (90 gallons); approximately 1.75 gallons of LNAPL
	6/12/2025	222.38	32.08	32.11	0.03	190.27	190.29	-	-
	6/13/2025	222.38	22.88	22.96	0.08	199.42	199.48	166	Sock removed (50% saturated); groundwater recovery via pumping (225 gallons); approximately 2.5 gallons of LNAPL
	6/13/2025	222.38	37.54	37.61	0.07	184.77	184.83	-	-
	6/14/2025	222.38	22.68	22.69	0.01	199.69	199.70	331	Approximately 0.4 gallons of LNAPL were hand bailed
	6/16/2025	222.38	22.90	23.05	0.15	199.33	199.45	1119	Sock removed (100% saturated); groundwater recovery via pumping (200 gallons); approximately 0.88 gallons of LNAPL
	6/16/2025	222.38	31.55	31.57	0.02	190.81	190.83	-	-
	6/17/2025	222.38	22.50	22.55	0.05	199.83	199.87	267	Sock removed (80% saturated); groundwater recovery via pumping (185 gallons); approximately 0.8 gallons of LNAPL
	6/17/2025	222.38	44.11	44.13	0.02	178.25	178.27	-	-
	6/18/2025	222.38	22.85	23.10	0.25	199.28	199.48	452	Sock removed (65% saturated); groundwater recovery via pumping (200 gallons); approximately 0.25 gallons of LNAPL
	6/18/2025	222.38	-	39.95	-	182.43	-	-	-
	6/19/2025	222.38	22.78	23.03	0.25	199.35	199.55	459.1	Sock removed (40% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/19/2025	222.38	28.48	28.49	0.01	193.89	193.90	-	-
	6/20/2025	222.38	22.98	23.04	0.06	199.34	199.39	251.4	Sock removed (50% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/20/2025	222.38	27.07	27.09	0.02	195.29	195.31	-	-
	6/21/2025	222.38	24.29	24.65	0.36	197.73	198.02	351.1	Sock replaced (50% saturated)
	6/21/2025	222.38	23.66	23.87	0.21	198.51	198.68	256.4	-
	6/23/2025	222.38	23.01	23.64	0.63	198.74	199.24	307.4	-
	6/23/2025	222.38	22.93	23.50	0.57	198.88	199.34	350.3	-
	6/23/2025	222.38	22.86	23.39	0.53	198.99	199.41	338.3	-
	6/24/2025	222.38	22.59	23.68	1.09	198.70	199.57	388.0	-
	6/24/2025	222.38	22.60	23.70	1.10	198.68	199.56	189.3	Approximately 1.0 gallons of LNAPL bailed
	6/26/2025	222.38	22.61	22.87	0.26	199.51	199.72	614.4	-
	6/26/2025	222.38	23.02	23.35	0.33	199.03	199.29	45.9	-
	6/26/2025	222.38	23.15	23.42	0.27	198.96	199.18	179.9	-
	6/26/2025	222.38	23.55	23.86	0.31	198.52	198.77	50.7	-
	6/27/2025	222.38	22.94	23.29	0.35	199.09	199.37	508.0	-
	6/28/2025	222.38	22.91	23.00	0.09	199.38	199.45	298.3	-
	6/28/2025	222.38	21.85	22.07	0.22	200.31	200.49	287.1	-
	6/30/2025	222.38	22.97	23.19	0.22	199.19	199.37	247.1	Bailed approximately 0.25 gallons of LNAPL
	6/30/2025	222.38	-	23.35	-	199.03	-	-	-
	6/30/2025	222.38	-	25.02	-	197.36	-	502.5	-
	7/1/2025	222.38	23.81	23.83	0.02	198.55	198.57	309.2	-
	7/1/2025	222.38	25.22	25.24	0.02	197.14	197.16	286.4	-
	7/2/2025	222.38	23.22	23.40	0.18	198.98	199.12	578.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (65% saturated)
	7/2/2025	222.38	29.26	29.28	0.02	193.10	193.12	-	-
	7/2/2025	222.38	28.70	28.71	0.01	193.67	193.68	472.1	-
	7/3/2025	222.38	23.30	23.49	0.19	198.89	199.04	538.9	Bailed approximately 0.06 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	222.38	23.58	23.60	0.02	198.78	198.80	-	Passive skimmer installed
	7/5/2025	222.38	23.61	23.75	0.14	198.63	198.74	489.1	Bailed approximately 0.16 gallons of LNAPL
	7/5/2025	222.38	24.10	24.11	0.01	198.27	198.28	-	Bailed approximately 0.04 gallons of LNAPL
	7/5/2025	222.38	-	24.14	-	198.24	-	215.4	-
	7/7/2025	222.38	-	23.31	-	199.07	-	292.1	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	222.38	22.58	23.02	0.44	199.36	199.71	281.7	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/9/2025	222.38	22.90	23.60	0.70	198.78	199.34	524.4	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/10/2025	222.38	23.04	23.33	0.29	199.05	199.28	513.5	Recovered approximately 0.16 gallons of LNAPL via skimmer
	7/11/2025	222.38	23.62	24.13	0.51	198.25	198.66	-	Recovered approximately 0.05 gallons of LNAPL via skimmer
	7/11/2025	222.38	22.94	23.56	0.62	198.82	199.32	-	Bailed approximately 0.05 gallons of LNAPL
	7/12/2025	222.38	22.90	23.20	0.30	199.18	199.42	425.1	Recovered approximately 0.5 gallons of LNAPL via skimmer
	7/14/2025	222.38	23.32	23.58	0.26	198.80	199.01	401.2	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/14/2025	222.38	23.24	23.50	0.26	198.88	199.09	418.4	Recovered approximately 0.03 gallons of LNAPL via skimmer
	7/15/2025	222.38	23.45	23.63	0.18	198.75	198.89	306.7	Recovered approximately 0.09 gallons of LNAPL via skimmer. Recovered 2 gallons of LNAPL via pumping
	7/15/2025	222.38	29.98	30.00	0.02	192.38	192.40	323.1	-
	7/16/2025	222.38	23.74	23.75	0.01	198.63	198.64	337.2	Recovered approximately 0.05 gallons of LNAPL via skimmer. Recovered 2 gallons of LNAPL via pumping
	7/16/2025	222.38	-	29.40	-	192.98	-	325.6	-
	7/17/2025	222.38	24.30	24.39	0.09	197.99	198.06	260.2	Recovered approximately 0.07 gallons of LNAPL via skimmer. Recovered 2.0 gallons of LNAPL via pumping
	7/17/2025	222.38	-	31.93	-	190.45	-	258.4	-
	7/18/2025	222.38	24.15	24.20	0.05	198.18	198.22	286.8	Recovered approximately 0.01 gallons of LNAPL via skimmer. Recovered approximately 1.8 gallons of LNAPL via pumping
	7/18/2025	222.38	-	29.21	-	193.17	-	269.1	-
	7/19/2025	222.38	24.58	24.60	0.02	197.78	197.80	296.6	No recovery in skimmer; insufficient volume to recovery LNAPL with bailing



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-3	7/21/2025	222.38	24.32	24.60	0.28	197.78	198.00	254.2	Recovered approximately 0.1 gallons of LNAPL via skimmer. Recovered approximately 1.5 gallons of LNAPL via pumping
	7/21/2025	222.38	-	25.40	-	196.98	-	-	-
	7/22/2025	222.38	23.95	23.96	0.01	198.42	198.43	235.6	Recovered approximately 0.26 gallons of LNAPL via skimmer. Recovered approximately 1.6 gallons of LNAPL via pumping
	7/22/2025	222.38	-	27.85	-	194.53	-	224.5	-
	7/23/2025	222.38	24.05	24.10	0.05	198.28	198.32	242.0	Recovered approximately 0.05 gallons of LNAPL via hand bailing.
	7/23/2025	222.38	-	24.31	-	198.07	-	-	-
	7/24/2025	222.38	-	25.02	-	197.36	-	116.4	Recovered approximately 0.13 gallons of LNAPL via skimmer; Recovered approximately 0.5 gallons of LNAPL via pumping
	7/24/2025	222.38	-	28.65	-	193.73	-	-	-
	7/25/2025	222.38	-	23.98	-	198.40	-	166.7	Recovered approximately 0.08 gallons of LNAPL via skimmer; Recovered approximately 1.1 gallons of LNAPL via pumping
	7/25/2025	222.38	-	24.30	-	198.08	-	-	-
	7/25/2025	222.38	-	26.70	-	195.68	-	-	-
	7/26/2025	222.38	-	24.30	-	198.08	-	197.4	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/28/2025	222.38	-	24.11	-	198.27	-	67.7	Recovered approximately 0.4 gallons of LNAPL via skimmer; and 1 gallon via pumping
	7/28/2025	222.38	-	29.50	-	192.88	-	0.0	-
	7/29/2025	222.38	-	24.76	-	197.62	-	274.5	Recovered approximately 0.1 gallons of LNAPL via skimmer; and 0.5 gallon via pumping
	7/29/2025	222.38	-	26.38	-	196.00	-	255.1	-
	7/30/2025	222.38	24.60	24.62	0.02	197.76	197.78	161.1	Recovered approximately 0.70 gallons of LNAPL via pumping
	7/30/2025	222.38	-	28.47	-	193.91	-	-	-
	7/31/2025	222.38	25.15	25.16	0.01	197.22	197.23	192.0	Recovered approximately 0.50 gallons of LNAPL via pumping
	7/31/2025	222.38	-	30.19	-	192.19	-	177.3	-
	8/1/2025	222.38	-	25.01	-	197.37	-	238.7	Recovered approximately 0.30 gallons of LNAPL via pumping
	8/1/2025	222.38	-	29.44	-	192.94	-	-	-
	8/2/2025	222.38	24.55	24.57	0.02	197.81	197.83	274.3	-
	8/4/2025	222.38	25.10	25.33	0.23	197.05	197.23	370.4	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/4/2025	222.38	-	26.10	-	196.28	-	-	-
	8/5/2025	222.38	24.44	24.45	0.01	197.93	197.94	221.0	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/5/2025	222.38	-	27.35	-	195.03	-	-	-
	8/6/2025	222.38	23.98	23.99	0.01	198.39	198.40	432.6	Recovered approximately <0.1 gallons of LNAPL via skimmer
	8/7/2025	222.38	23.91	23.97	0.06	198.41	198.46	366.5	Recovered approximately 0.03 gallons of LNAPL via skimmer
	8/7/2025	222.38	-	27.49	-	194.89	-	-	-
	8/8/2025	222.38	22.05	22.06	0.01	200.32	200.33	206.2	-
	8/9/2025	222.38	24.80	24.85	0.05	197.53	197.57	318.2	Recovered approximately 0.3 gallons of LNAPL via skimmer
	8/9/2025	222.38	-	24.94	-	197.44	-	-	-
	8/11/2025	222.38	24.40	24.46	0.06	197.92	197.97	194.2	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/11/2025	222.38	24.80	24.81	0.01	197.57	197.58	-	-
	8/12/2025	222.38	24.80	24.81	0.01	197.57	197.58	225.0	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/12/2025	222.38	24.96	24.96	0.00	197.42	197.42	-	-
	8/13/2025	222.38	24.80	24.81	0.01	197.57	197.58	231.0	Recovered approximately 0.01 gallons of LNAPL via skimmer



Recovery Well Liquid-Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft)	Product Adjusted Groundwater Elevation (ft)	Well Head Screening (ppm)	Comments
RW-4	5/23/2025	223.34	-	13.48	-	209.86	-	59	-
	5/24/2025	223.34	-	12.83	-	210.51	-	25.8	-
	5/27/2025	223.34	-	15.39	-	207.95	-	0.0	-
	5/28/2025	223.34	-	13.17	-	210.17	-	4.1	-
	5/29/2025	223.34	-	12.74	-	210.60	-	1.7	-
	5/30/2025	223.34	-	12.37	-	210.97	-	6.2	-
	5/31/2025	223.34	-	12.24	-	211.10	-	0.0	-
	6/2/2025	223.34	-	11.90	-	211.44	-	8.4	-
	6/3/2025	223.34	-	11.95	-	211.39	-	11.8	-
	6/4/2025	223.34	-	12.14	-	211.20		0.0	Well was developed via surge and purge (approximately 60 gallons of groundwater)
	6/5/2025	223.34	-	13.51	-	209.83	-	103.2	Well was purged (approximately 55 gallons of groundwater) and a sample collected after purging
	6/6/2025	223.34	-	13.87	-	209.47	-	47.1	-
	6/7/2025	223.34	-	13.25	-	210.09	-	63.9	-
	6/9/2025	223.34	-	13.98	-	209.36	-	24.9	Sock 50% saturated (silty appearance)
	6/10/2025	223.34	-	13.73	-	209.61	-	15.8	-
	6/11/2025	223.34	-	12.53	-	210.81	-	3.2	-
	6/12/2025	223.34	-	12.56	-	210.78	-	2.7	-
	6/13/2025	223.34	-	12.77	-	210.57	-	11.2	-
	6/14/2025	223.34	-	13.08	-	210.26	-	24.5	-
	6/16/2025	223.34	-	12.79	-	210.55	-	24.0	-
	6/17/2025	223.34	-	11.30	-	212.04	-	4.7	-
	6/18/2025	223.34	-	13.19	-	210.15	-	4.8	-
	6/19/2025	223.34	-	13.32	-	210.02	-	5.8	-
	6/20/2025	223.34	-	13.20	-	210.14	-	3.0	-
	6/21/2025	223.34	-	14.12	-	209.22	-	4.8	-
	6/23/2025	223.34	-	13.35	-	209.99	-	3.7	-
	6/23/2025	223.34	-	13.39	-	209.95	-	2.8	-
	6/23/2025	223.34	-	13.38	-	209.96	-	7.1	-
	6/24/2025	223.34	-	13.49	-	209.85	-	8.1	-
	6/24/2025	223.34	-	13.55	-	209.79	-	3.7	-
	6/24/2025	223.34	-	13.51	-	209.83	-	0.7	-
	6/24/2025	223.34	-	13.53	-	209.81	-	9.9	-
	6/25/2025	223.34	-	13.51	-	209.83	-	58.6	-
	6/25/2025	223.34	-	13.61	-	209.73	-	35.9	-
	6/25/2025	223.34	-	13.59	-	209.75	-	15.1	-
	6/26/2025	223.34	-	13.72	-	209.62	-	28.6	-
	6/26/2025	223.34	-	13.89	-	209.45	-	20.4	-
	6/26/2025	223.34	-	13.91	-	209.43	-	14.1	-
	6/26/2025	223.34	-	13.94	-	209.40	-	12.2	-
	6/26/2025	223.34	-	13.91	-	209.43	-	54.0	-
	6/26/2025	223.34	-	13.98	-	209.36	-	83.9	-
	6/26/2025	223.34	-	13.84	-	209.50	-	64.9	-
	6/27/2025	223.34	-	14.06	-	209.28	-	0.8	-
	6/28/2025	223.34	-	14.42	-	208.92	-	13.8	-
	6/30/2025	223.34	-	15.08	-	208.26	-	7.0	-
	7/1/2025	223.34	-	21.11	-	202.23	-	12.5	-
	7/2/2025	223.34	-	18.42	-	204.92	-	7.6	-
	7/3/2025	223.34	-	16.39	-	206.95	-	15.6	-
	7/5/2025	223.34	-	16.50	-	206.84	-	11.4	-
	7/7/2025	223.34	-	16.53	-	206.81	-	3.3	-
	7/8/2025	223.34	-	17.03	-	206.31	-	4.9	-
	7/9/2025	223.34	-	17.21	-	206.13	-	4.1	-
	7/10/2025	223.34	-	16.47	-	206.87	-	2.5	-
	7/11/2025	223.34	-	17.25	-	206.09	-	3.5	-
	7/12/2025	223.34	-	16.74	-	206.60	-	3.1	-
	7/14/2025	223.34	-	17.31	-	206.03	-	3.3	-
	7/15/2025	223.34	-	17.05	-	206.29	-	3.3	-
	7/16/2025	223.34	-	16.51	-	206.83	-	1.9	-
	7/17/2025	223.34	-	15.05	-	208.29	-	1.2	-
	7/18/2025	223.34	-	14.93	-	208.41	-	3.0	-
	7/19/2025	223.34	-	15.64	-	207.70	-	2.3	-
	7/21/2025	223.34	-	17.60	-	205.74	-	1.5	-
	7/22/2025	223.34	-	18.41	-	204.93	-	1.8	-
	7/23/2025	223.34	-	17.93	-	205.41	-	3.4	-
	7/24/2025	223.34	-	17.51	-	205.83	-	3.4	-
	7/25/2025	223.34	-	16.95	-	206.39	-	5.5	-
	7/26/2025	223.34	-	17.11	-	206.23	-	3.4	-
	7/28/2025	223.34	-	14.09	-	209.25	-	0.0	-
	7/29/2025	223.34	-	17.82	-	205.52	-	3.6	-
	7/30/2025	223.34	-	17.75	-	205.59	-	3.5	-
	7/31/2025	223.34	-	19.30	-	204.04	-	2.7	-
	8/1/2025	223.34	-	18.27	-	205.07	-	1.3	-
	8/2/2025	223.34	-	17.75	-	205.59	-	0.0	-
	8/4/2025	223.34	-	17.90	-	205.44	-	0.0	-
	8/5/2025	223.34	-	17.83	-	205.51	-	72.6	-
	8/6/2025	223.34	-	17.54	-	205.80	-	2.0	-
	8/7/2025	223.34	-	17.52	-	205.82	-	2.6	-
	8/8/2025	223.34	-	17.31	-	206.03	-	0.0	-
	8/9/2025	223.34	-	18.15	-	205.19	-	0.0	-
	8/11/2025	223.34	-	18.49	-	204.85	-	1.0	-
	8/12/2025	223.34	-	19.02	-	204.32	-	0.5	-
	8/13/2025	223.34	-	19.50	-	203.84	-	0.3	-

Notes:
ft. = feet
LNAPL = Light Non-Aqueous Phase Liquid
LEL - Lower Explosive Limit
NA = Not Applicable
Well head screening is completed with a photoionization detector (PID).

Gauging Data – Potable Water Supply Wells



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Glenwood Drive	1/28/2025	0918	Not measured	Not Measured	-	23.6	Could not get bailer past ~25 feet hitting obstruction.
	1/29/2025	-	Unable to measure	Unable to measure	-	38.5	Pump or obstruction at ~25 feet below top of casing.
	2/3/2025	-	29.05	34.12	5.07	117	Pump set at 100 feet below top of casing
	2/5/2025	9:45 AM	28.32	33.37	5.05	61.7	Pump out 8.2 gallons LNAPL
	2/6/2025	-	29.27	29.38	0.11	-	-
	2/7/2025	-	29.17	29.21	0.04	93.1	-
	2/8/2025	-	29.08	29.15	0.07	-	-
	2/8/2025	-	29.14	29.31	0.17	-	-
	2/9/2025	11:44 AM	29.08	29.16	0.08	72.9	-
	2/9/2025	12:30 PM	30.46	30.51	0.05	-	-
	2/10/2025	9:30 AM	28.75	28.80	0.05	-	-
	2/11/2025	-	28.41	28.42	0.01	42	0% LEL
	2/12/2025	1:55 PM	27.93	27.95	0.02	28	Not recoverable with Bailer
	2/13/2025	8:45 AM	27.65	27.67	0.02	50	Not recoverable with Bailer
	2/14/2025	9:00 AM	27.81	27.83	0.02	6	Not recoverable with Bailer
	2/15/2025	10:55 AM	-	24.44	-	30.5	-
	2/17/2025	-	26.77	26.79	0.02	8.0	Not recoverable with Bailer
	2/18/2025	10:00 AM	26.70	26.72	0.02	12.0	-
	2/19/2025	11:35 AM	28.08	28.09	0.01	28.0	Not recoverable with Bailer
	2/20/2025	-	26.34	26.36	0.02	6.0	Not recoverable with Bailer
	2/21/2025	-	26.38	26.40	0.02	6.0	Not recoverable with Bailer
	2/22/2025	9:52 AM	26.27	26.29	0.02	12.0	Not recoverable with Bailer
	2/24/2025	-	26.53	26.55	0.02	47	Not recoverable with Bailer
	2/25/2025	-	26.30	26.32	0.02	30	Deployed absorbent sock
	2/26/2025	9:15 AM	26.52	26.53	0.01	7	Pulled and Replaced sock
	2/27/2025	9:25 AM	-	26.41	-	22	Pulled and Replaced sock
	2/28/2025	10:00 AM	-	26.81	-	3.0	Pulled and Replaced sock
	3/1/2025	11:05 AM	-	26.57	-	4	-
	3/3/2025	9:45 AM	-	27.49	-	5	Pulled and Replaced sock
	3/4/2025	-	-	27.19	-	7	Pulled and Replaced sock
	3/5/2025	-	-	27.14	-	3	-
	3/6/2025	-	-	27.11	-	2	-
	3/7/2025	-	-	26.42	-	1	-
	3/8/2025	-	-	26.10	-	0	-
	3/10/2025	10:00 AM	-	25.95	-	3	Pulled and Replaced sock (50%)
	3/11/2025	9:45 AM	-	26.21	-	1	Did not replace sock (<5%)
	3/12/2025	9:45 AM	-	26.15	-	1	Did not replace sock (<5%)
	3/13/2025	9:20 AM	-	26.38	-	3	Did not replace sock (<5%)
	3/14/2025	9:30 AM	-	26.62	-	3	Did not replace sock (10%)
	3/15/2025	11:29 AM	-	26.80	-	1	Pulled and Replaced sock
	3/17/2025	9:50 AM	-	26.96	-	3	Did not replace sock (<5%)
	3/18/2025	10:05 AM	-	26.49	-	0	Did not replace sock (<5%)
	3/19/2025	9:36 AM	-	26.35	-	2	Did not replace sock (<5%)
	3/20/2025	9:30 AM	-	25.95	-	1	Did not replace sock (<5%)
	3/21/2025	9:35 AM	-	25.74	-	1	Did not replace sock (<10%)
	3/22/2025	9:30 AM	-	26.79	-	2	Pulled and replaced Sock (10%)
	3/24/2025	11:08 AM	-	25.25	-	1	Did not replace sock (<10%)
	3/25/2025	9:36 AM	-	25.35	-	0	Did not replace sock (<10%)
	3/26/2025	9:50 AM	-	25.50	-	2	Did not replace sock (25%)
	3/27/2025	10:45 AM	-	25.78	-	0.0	Did not replace sock (25%)
	3/28/2025	10:13 AM	-	25.58	-	2.2	Did not replace sock (25%)
	3/29/2025	10:24 AM	-	25.21	-	3.3	Did not replace sock (25%)
	3/31/2025	10:37 AM	-	25.24	-	0.2	Did not replace sock (50%)
	4/1/2025	10:53 AM	-	25.38	-	2.8	Did not replace sock (50%)
	4/2/2025	10:52 AM	-	25.38	-	1.0	Replaced sock (50%)
	4/3/2025	10:51 AM	-	24.81	-	6.1	Did not replace sock (25%)
	4/4/2025	10:20 AM	-	24.40	-	0.4	Replaced sock (75%)
	4/5/2025	10:06 AM	-	24.39	-	0.5	Did not replace sock (25%)
	4/7/2025	10:22 AM	-	23.81	-	8.8	Replaced sock (50%)
	4/8/2025	10:26 AM	-	23.90	-	4.3	Replaced sock (40%)
	4/9/2025	10:19 AM	-	24.58	-	2.4	Did not replace sock (50%)
	4/10/2025	9:41 AM	-	24.96	-	0.9	Did not replace sock (50%)
	4/11/2025	9:42 AM	-	24.55	-	0.8	Did not replace sock (50%)
	4/12/2025	10:05 AM	-	24.20	-	0.9	Did not replace sock (50%)
	4/14/2025	10:58 AM	-	24.10	-	7.1	Did not replace sock (50%)
	4/15/2025	9:30 AM	-	23.39	-	2.3	Did not replace sock (50%)
	4/16/2025	9:26 AM	-	23.47	-	2.6	Replaced sock (80%)
	4/17/2025	9:29 AM	-	24.08	-	0.3	Did not replace sock (0%)
	4/18/2025	11:10 AM	-	24.40	-	1.5	Did not replace sock (5%)
	4/19/2025	10:12 AM	-	24.12	-	7.7	Did not replace sock (25%)
	4/21/2025	9:16 AM	-	24.89	-	2.6	Replaced sock (25%)
	4/22/2025	9:35 AM	-	24.56	-	1.7	Did not replace sock (0%)
	4/23/2025	9:36 AM	-	25.03	-	1.4	Did not replace sock (0%)
	4/24/2025	9:40 AM	-	25.19	-	3.2	Did not replace sock (0%)
	4/25/2025	9:10 AM	-	25.61	-	0.0	Did not replace sock (0%)
	4/26/2025	9:23 AM	-	24.93	-	0.0	Did not replace sock (0%)
	4/28/2025	9:34 AM	-	25.99	-	6.1	Did not replace sock (0%)
	4/29/2025	9:30 AM	-	26.09	-	1.2	Removed Sock (1%)
	4/30/2025	9:50 AM	-	26.35	-	3.1	-
	5/1/2025	9:50 AM	-	26.09	-	7.4	-
	5/2/2025	9:25 AM	-	25.63	-	2.1	-
	5/3/2025	11:00 AM	-	26.32	-	5.7	-
	5/5/2025	9:40 AM	-	26.39	-	0.0	-
	5/6/2025	9:47 AM	-	26.12	-	0.0	-
	5/7/2025	9:12 AM	-	25.96	-	0.8	-
	5/8/2025	9:44 AM	-	25.84	-	2.2	-
	5/9/2025	10:08 AM	-	26.12	-	1.0	-
	5/10/2025	10:38 AM	-	26.56	-	0.9	-
	5/12/2025	11:05 AM	-	26.81	-	2.3	-
	5/13/2025	11:50 AM	-	26.36	-	0.8	-
	5/14/2025	10:52 AM	-	25.91	-	0.4	-
	5/15/2025	10:30 AM	-	24.80	-	0.7	-
	5/16/2025	11:11 AM	-	24.48	-	0.2	-
	5/17/2025	10:40 AM	-	23.81	-	0.4	-
	5/19/2025	11:05 AM	-	23.62	-	0.0	-
	5/20/2025	10:10 AM	-	23.50	-	0.8	-
	5/21/2025	10:32 AM	-	23.88	-	0.8	-
	5/22/2025	10:35 AM	-	23.17	-	0.5	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Glenwood Drive	5/23/2025	10:29 AM	-	22.61	-	2.7	-
	5/24/2025	10:45 AM	-	22.31	-	0.4	-
	5/27/2025	10:35 AM	-	23.49	-	0.0	-
	5/28/2025	9:40 AM	-	23.37	-	0.0	-
	5/29/2025	9:40 AM	-	23.15	-	0.0	-
	5/30/2025	9:40 AM	-	23.21	-	0.0	-
	5/31/2025	9:58 AM	-	23.34	-	5.2	-
	6/2/2025	9:36 AM	-	23.37	-	0.0	-
	6/3/2025	11:33 AM	-	23.04	-	0.7	-
	6/4/2025	10:39 AM	-	23.76	-	1.6	-
	6/5/2025	10:21 AM	-	23.97	-	1.2	-
	6/6/2025	9:10 AM	-	24.86	-	3.5	-
	6/7/2025	9:40 AM	-	24.02	-	3.1	-
	6/9/2025	11:08 AM	-	25.19	-	1.3	-
	6/10/2025	9:45 AM	-	27.04	-	16.8	-
	6/11/2025	9:30 AM	-	25.17	-	2.8	-
	6/12/2025	9:10 AM	-	25.15	-	3.0	-
	6/13/2025	9:40 AM	-	25.29	-	0.1	-
	6/14/2025	9:00 AM	-	25.16	-	5.6	-
	6/16/2025	10:00 AM	-	25.20	-	0.0	-
	6/17/2025	9:35 AM	-	25.35	-	0.0	-
	6/18/2025	9:15 AM	-	25.30	-	0.4	-
	6/19/2025	9:28 AM	-	25.43	-	2.4	-
	6/20/2025	9:40 AM	-	25.21	-	0.2	-
	6/21/2025	9:02 AM	-	27.28	-	2.7	-
	6/23/2025	9:55 AM	-	26.19	-	1.9	-
	6/24/2025	9:18 AM	-	25.81	-	0.6	-
	6/24/2025	10:25 AM	-	25.81	-	0.6	-
	6/25/2025	9:24 AM	-	25.75	-	0.2	-
	6/25/2025	9:57 AM	-	25.79	-	0.2	-
	6/26/2025	9:19 AM	-	26.55	-	4.7	-
	6/26/2025	9:37 AM	-	28.57	-	0.4	-
	6/27/2025	8:50 AM	-	25.90	-	1.1	-
	6/28/2025	9:31 AM	-	26.10	-	1.0	-
	6/30/2025	10:34 AM	-	26.18	-	0.0	-
	7/1/2025	9:59 AM	-	28.90	-	0.9	-
	7/2/2025	10:44 AM	-	26.56	-	1.8	-
	7/3/2025	11:00 AM	-	26.49	-	0.1	-
	7/5/2025	9:37 AM	-	26.19	-	0.0	-
	7/7/2025	9:45 AM	-	26.18	-	0.5	-
	7/8/2025	9:33 AM	-	26.57	-	1.8	-
	7/9/2025	9:17 AM	-	26.70	-	0.1	-
	7/10/2025	9:50 AM	-	27.01	-	0.0	-
	7/11/2025	9:30 AM	-	26.68	-	0.1	-
	7/12/2025	9:20 AM	-	26.65	-	0.5	-
	7/14/2025	9:30 AM	-	26.88	-	0.8	-
	7/21/2025	9:35 AM	-	28.02	-	0.1	-
	7/28/2025	9:34 AM	-	27.34	-	0.0	-
	8/4/2025	11:27 AM	-	28.80	-	0.0	-
	8/11/2025	10:18 AM	-	27.88	-	1.0	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	1/31/2025	1050	Not Measured	Not Measured		433.6	LNAPL present but bailer unable to be retrieved. Caught on wire.
	2/7/2025	-	72.21	84.55	12.34	376.8	Pump out 16.48 gallons LNAPL
	2/8/2025	-	64.54	64.64	0.10	-	-
	2/8/2025	-	-	105.49	-	Not Measured	Gauging data inconsistent with previous measurements.
	2/9/2025	11:26 AM	72.91	72.98	0.07	296.7	-
	2/9/2025	12:00 PM	71.29	71.55	0.26	-	Less than an inch bailed out (0.12 gal)
	2/10/2025	10:00 AM	72.82	73.20	0.38	193	Bailed ~1 gallon of LNAPL
	2/10/2025	11:00 AM	71.56	71.80	0.24	-	Bailed <1 gallon of LNAPL
	2/11/2025	09:45 AM	65.78	66.24	0.46	328	Bailed ~1 gallon of LNAPL
	2/11/2025	10:10 AM	65.60	65.74	0.14	-	-
	2/12/2025	1:50 PM	87.59	88.01	0.42	395	Bailed 1.5 gallons of LNAPL
	2/12/2025	2:05 PM	87.18	87.35	0.17	-	-
	2/12/2025	2:08 PM	87.00	87.13	0.13	-	-
	2/13/2025	-	85.91	86.24	0.33	260	Bailed 0.5 gallons of LNAPL
	2/13/2025	-	85.39	85.47	0.08	-	-
	2/14/2025	9:05 AM	86.39	86.75	0.36	132	Bailed 0.5 gallons of LNAPL
	2/14/2025	-	85.85	85.94	0.09	-	-
	2/15/2025	9:30 AM	63.49	63.77	0.28	393	Bailed 0.5 gallons of LNAPL
	2/15/2025	-	63.52	63.58	0.06	-	Bailed approximately 2.5 gallons of LNAPL/water
	2/17/2025	-	58.53	59.01	0.48	199	Bailed approximately 1 gallon of LNAPL/water
	2/17/2025	-	58.71	58.81	0.10	-	-
	2/18/2025	9:30 AM	72.84	73.23	0.39	162	Bailed approximately 1/2 gallon of LNAPL/water
	2/18/2025	-	72.10	72.28	0.18	-	0% LEL
	2/19/2025	9:35 AM	64.66	65.04	0.38	286.0	Bailed approximately 0.2 gallons of LNAPL
	2/19/2025	3:05 PM	72.06	72.39	0.33	225.0	Bailed approximately 0.2 gallons of LNAPL
	2/20/2025	10:00 AM	62.20	62.71	0.51	286.0	Bailed approximately 1.5 gallons of LNAPL
	2/20/2025	1:30 PM	55.80	55.95	0.15	257.0	Bailed approximately 0.5 gallons of LNAPL
	2/21/2025	9:30 AM	61.89	62.04	0.15	132.0	Bailed approximately 0.25 gallons of LNAPL
	2/21/2025	-	61.84	61.92	0.08	-	-
	2/21/2025	1:30 PM	53.03	53.13	0.10	281.0	Bailed approximately 0.5 gallons of LNAPL
	2/21/2025	-	53.12	53.19	0.07	-	-
	2/22/2025	9:15 AM	48.79	49.03	0.24	186	Bailer string wrapped around drop tube and could not be retrieved without pulling pump. Homeowner was not home to turn off breaker so pump could not be pulled.
	2/22/2025	12:35 PM	62.42	62.66	0.24	188	-
	2/23/2025	8:50 AM	37.51	37.82	0.31	154	No product bailed (see above)
	2/23/2025	9:50 AM	37.06	37.36	0.30	147	No product bailed (see above)
	2/24/2025	10:00 AM	70.28	70.70	0.42	418	Bailed approximately 0.5 gallons of LNAPL
	2/24/2025	1:50:00 PM	90.94	91.20	0.26	60	Bailed approximately 0.5 gallons of LNAPL
	2/24/2025	2:10:00 PM	90.13	90.24	0.11	-	-
	2/25/2025	9:35 AM	80.97	81.15	0.18	314	Bailed approximately 0.5 gallons of LNAPL
	2/25/2025	-	80.55	80.62	0.07	-	-
	2/25/2025	2:40 PM	65.44	65.55	0.11	322	Bailed approximately 0.5 gallons of LNAPL
	2/25/2025	-	65.21	65.25	0.04	-	-
	2/26/2025	9:25 AM	44.22	44.41	0.19	331	Bailed approximately 1 gallon of LNAPL
	2/26/2025	-	44.76	44.79	0.03	-	-
	2/26/2025	2:15:00 PM	40.76	40.81	0.05	107	Bailed approximately 0.5 gallon of LNAPL/water
	2/26/2025	-	41.22	41.24	0.02	-	-
	2/27/2025	9:40 AM	51.66	51.75	0.09	88	Bailed approximately 1 gallon of LNAPL
	2/27/2025	-	51.71	51.73	0.02	-	-
	2/27/2025	2:45 PM	57.17	57.19	0.02	204	Bailed approximately 0.5 gallon of LNAPL
	2/27/2025	-	57.10	57.11	0.01	-	-
	2/28/2025	9:00 AM	47.94	48.04	0.10	372	Bailed approximately 0.5 gallon of LNAPL
	2/28/2025	-	48.06	48.10	0.04	-	-
	2/28/2025	1:45 PM	42.62	42.70	0.08	323	Bailed approximately 0.5 gallon of LNAPL
	2/28/2025	-	42.87	42.90	0.03	-	-
	3/1/2025	9:00 AM	56.87	57.00	0.13	150	Bailed approximately 0.25 gallon of LNAPL
	3/1/2025	-	-	56.75	Sheen	-	-
	3/1/2025	1:00 PM	52.81	52.92	0.11	243	Bailed approximately 0.25 gallon of LNAPL
	3/1/2025	-	72.85	72.96	0.11	-	-
	3/2/2025	11:25 AM	70.26	70.42	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/2/2025	-	69.68	69.80	0.12	-	-
	3/2/2025	12:55 PM	80.18	80.34	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/2/2025	-	79.40	79.54	0.14	-	-
	3/3/2025	10:00 AM	71.40	71.62	0.22	97	Bailed approximately 0.5 gallon of LNAPL
	3/3/2025	-	71.19	71.26	0.07	-	-
	3/3/2025	1:35 PM	100.22	100.32	0.10	82	Bailed approximately 0.3 gallon of LNAPL
	3/3/2025	-	99.42	99.45	0.03	-	-
	3/4/2025	10:15 AM	57.68	57.78	0.10	155	Bailed approximately 0.25 gallon of LNAPL
	3/4/2025	-	57.59	57.62	0.03	-	-
	3/4/2025	1:35 PM	61.75	61.82	0.07	142	Bailed approximately 0.25 gallon of LNAPL
	3/4/2025	-	61.59	61.61	0.02	-	-
	3/5/2025	9:30 AM	76.76	76.87	0.11	160	Bailed approximately 0.25 gallon of LNAPL
	3/5/2025	-	76.19	76.22	0.03	-	-
	3/6/2025	9:40 AM	55.93	56.07	0.14	280	Bailed approximately 0.5 gallon of LNAPL
	3/6/2025	-	55.74	55.77	0.03	-	-
	3/6/2025	1:20 PM	50.07	50.09	0.02	-	-
	3/7/2025	9:00 AM	76.40	76.55	0.15	325	Bailed approximately 0.5 gallon of LNAPL
	3/7/2025	-	75.89	75.91	0.02	-	-
	3/7/2025	1:10 PM	76.49	76.53	0.04	193	Bailed approximately 0.5 gallon of LNAPL
	3/7/2025	-	76.03	76.04	0.01	-	-
	3/8/2025	10:40 AM	51.51	51.65	0.14	275	Bailed approximately 1 gallon of LNAPL
	3/8/2025	-	51.43	51.48	0.05	-	-
	3/8/2025	1:10 PM	48.15	48.27	0.12	269	Bailed approximately 1 gallon of LNAPL
	3/8/2025	-	48.29	48.31	0.02	-	-
	3/9/2025	11:20 AM	61.31	61.46	0.15	-	Bailed approximately 0.25 gallon of LNAPL
	3/9/2025	-	60.94	61.06	0.12	-	-
	3/9/2025	1:10 PM	58.22	58.38	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/9/2025	-	57.91	58.06	0.15	-	-
	3/10/2025	9:30 AM	66.42	66.68	0.26	-	Bailed approximately 0.5 gallon of LNAPL
	3/10/2025	-	66.15	66.18	0.03	-	-
	3/10/2025	1:30 PM	57.44	57.52	0.08	334	Bailed approximately 0.5 gallon of LNAPL
	3/10/2025	-	57.49	57.50	0.01	-	-
	3/11/2025	9:20 AM	52.00	52.11	0.11	376	Bailed approximately 1.0 gallon of LNAPL/groundwater
	3/11/2025	-	52.05	52.07	0.02	-	-
	3/11/2025	1:20 PM	46.10	46.13	0.03	377	Bailed approximately 0.5 gallon of LNAPL
	3/11/2025	-	46.23	46.24	0.01	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	3/12/2025	9:20 AM	55.52	55.64	0.12	349	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/12/2025	-	55.41	55.42	0.01	-	-
	3/12/2025	1:10 PM	48.10	48.13	0.03	257	Bailed approximately 0.25 gallon of LNAPL/groundwater
	3/12/2025	-	48.13	48.14	0.01	-	-
	3/13/2025	9:00 AM	35.18	35.29	0.11	394	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/13/2025	-	35.49	35.50	0.01	-	-
	3/13/2025	1:40 PM	75.32	75.35	0.03	103	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/13/2025	-	74.99	75.00	0.01	-	-
	3/14/2025	9:00 AM	58.98	59.04	0.06	448	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/14/2025	-	58.87	58.88	0.01	-	-
	3/14/2025	1:30 PM	49.58	49.66	0.08	314	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/14/2025	-	49.71	49.72	0.01	-	-
	3/15/2025	9:40 AM	35.52	35.60	0.08	355	Bailed approximately 1.25 gallon of LNAPL/groundwater
	3/15/2025	-	35.37	35.39	0.02	-	-
	3/15/2025	11:06 AM	35.85	35.88	0.03	73	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/15/2025	-	36.12	36.13	0.01	-	-
	3/16/2025	8:50 AM	46.08	46.11	0.03	236	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/16/2025	-	46.10	46.11	0.01	-	-
	3/16/2025	9:50 AM	44.76	44.78	0.02	223	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/16/2025	-	44.80	44.81	0.01	-	-
	3/17/2025	9:15 AM	51.12	51.22	0.10	189	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/17/2025	-	51.09	51.10	0.01	-	-
	3/17/2025	13:15 PM	56.08	56.13	0.05	163	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/17/2025	-	55.85	55.86	0.01	-	-
	3/18/2025	9:12 AM	79.05	79.14	0.09	93	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/18/2025	-	78.43	78.44	0.01	-	-
	3/18/2025	1:20 PM	86.03	86.09	0.06	81	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/18/2025	-	85.43	85.44	0.01	-	-
	3/19/2025	9:07 AM	45.55	45.67	0.12	365	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/19/2025	-	45.92	45.93	0.01	-	-
	3/19/2025	1:15 PM	52.78	52.81	0.03	313	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/19/2025	-	52.63	52.63	0.00	-	Sheen present on the surface
	3/20/2025	9:05 AM	36.25	36.35	0.10	305	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/20/2025	-	36.71	36.72	0.01	-	-
	3/20/2025	1:15 PM	44.96	45.00	0.04	213	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/20/2025	-	45.16	45.17	0.01	-	-
	3/21/2025	9:05 AM	38.36	38.45	0.09	286	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/21/2025	-	38.52	38.53	0.01	-	-
	3/21/2025	1:05 PM	47.94	47.97	0.03	64	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/21/2025	-	47.98	47.99	0.01	-	-
	3/22/2025	8:50 AM	32.24	32.37	0.13	301	Bailed approximately 2.5 gallons of LNAPL/groundwater
	3/22/2025	-	33.45	33.46	0.01	-	-
	3/22/2025	12:50 PM	41.58	41.62	0.04	241	Bailed approximately 1.0 gallon of LNAPL/groundwater
	3/22/2025	-	-	41.79	0.00	-	-
	3/23/2025	10:45 AM	32.29	32.40	0.11	317	Bailed approximately 2 gallons of LNAPL/groundwater
	3/23/2025	-	32.76	32.79	0.03	-	-
	3/23/2025	12:25 PM	31.95	31.98	0.03	137	Bailed approximately 1.5 gallon of LNAPL/groundwater
	3/23/2025	-	32.19	32.20	0.01	-	-
	3/24/2025	10:25 AM	41.88	42.06	0.18	476	Bailed approximately 0.5 gallons of LNAPL/groundwater
	3/24/2025	-	42.13	42.17	0.04	-	-
	3/24/2025	1:24 PM	50.06	50.14	0.08	403	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/24/2025	-	50.06	50.07	0.01	-	-
	3/25/2025	9:10 AM	34.89	35.01	0.12	426	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/25/2025	-	35.05	35.06	0.01	-	-
	3/25/2025	1:04 PM	31.38	31.41	0.03	207	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/25/2025	-	31.32	31.33	0.01	-	-
	3/26/2025	9:05 AM	48.95	49.09	0.14	523	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/26/2025	-	48.90	48.91	0.01	-	-
	3/26/2025	1:00 PM	40.58	40.62	0.04	470	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/26/2025	-	40.51	40.52	0.01	-	-
	3/27/2025	9:20 AM	53.09	53.23	0.14	394	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/27/2025	-	52.68	52.69	0.01	-	-
	3/27/2025	1:21 PM	60.16	60.20	0.04	292	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/27/2025	-	59.98	59.99	0.01	-	-
	3/28/2025	9:20 AM	44.90	45.11	0.21	604.4	Bailed approximately 0.4 gallons of LNAPL/groundwater
	3/28/2025	-	44.94	44.95	0.01	-	-
	3/28/2025	1:01 PM	38.19	38.22	0.03	389.9	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/28/2025	-	38.17	38.18	0.01	-	-
	3/29/2025	9:28 AM	60.65	60.80	0.15	486.5	Bailed approximately 0.3 gallons of LNAPL/groundwater
	3/29/2025	-	60.23	60.24	0.01	-	-
	3/29/2025	12:40 PM	67.33	67.42	0.09	476.6	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/29/2025	-	66.61	66.62	0.01	-	-
	3/30/2025	9:45 AM	33.42	33.57	0.15	360.1	Bailed approximately 0.06 gallons of LNAPL/groundwater
	3/30/2025	-	33.38	33.42	0.04	-	-
	3/30/2025	12:00 PM	43.62	43.73	0.11	-	Bailed approximately 0.06 gallons of LNAPL/groundwater
	3/31/2025	9:41 AM	41.73	41.96	0.23	398	Bailed approximately 1.5 gallons of LNAPL/groundwater
	3/31/2025	9:59 AM	41.57	41.59	0.02	-	-
	3/31/2025	1:10 PM	49.71	49.75	0.04	373.9	-
	4/1/2025	9:50 AM	36.86	37.01	0.15	441.4	Bailed approximately 1 gallon of LNAPL/groundwater
	4/1/2025	10:12 AM	36.74	36.76	0.02	-	-
	4/1/2025	1:00 PM	32.11	32.15	0.04	390.6	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/1/2025	1:14 PM	32.08	32.10	0.02	-	-
	4/2/2025	9:32 AM	37.26	37.35	0.09	394.7	Bailed approximately 1 gallon of LNAPL/groundwater
	4/2/2025	9:57 AM	37.03	37.05	0.02	-	-
	4/2/2025	1:08 PM	41.57	41.59	0.02	367.5	-
	4/3/2025	9:19 AM	34.48	34.62	0.14	368.2	Bailed approximately 1.5 gallons of LNAPL/groundwater
	4/3/2025	9:54 AM	34.04	34.06	0.02	-	-
	4/3/2025	1:06 PM	44.46	44.48	0.02	254.4	-
	4/4/2025	9:29 AM	31.60	31.80	0.20	414.4	Bailed approximately 2.5 gallons of LNAPL/groundwater
	4/4/2025	10:00 AM	32.01	32.03	0.02	-	-
	4/4/2025	12:59 PM	40.02	40.06	0.04	377.0	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/4/2025	1:17 PM	39.71	39.72	0.01	-	-
	4/5/2025	9:21 AM	25.02	25.11	0.09	419.1	Bailed approximately 1 gallon of LNAPL/groundwater
	4/5/2025	9:34 AM	23.80	23.82	0.02	-	-
	4/5/2025	1:03 PM	25.27	25.31	0.04	438.3	Unable to recover LNAPL due to minimal thickness
	4/5/2025	1:16 PM	25.69	25.70	0.01	-	-
	4/6/2025	9:07 AM	24.27	24.29	0.02	462.9	Bailed approximately 1.5 gallons of LNAPL/groundwater
	4/6/2025	9:21 AM	24.61	24.62	0.01	-	-
	4/6/2025	1:02 PM	24.51	24.52	0.01	438.9	Bailed approximately 1 gallon of LNAPL/groundwater
	4/6/2025	1:15 PM	-	24.73	-	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	4/7/2025	9:32 AM	24.57	24.58	0.01	391.1	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/7/2025	9:40 AM	-	24.78	-	-	Sheen present on the surface
	4/7/2025	12:45 PM	-	24.61	-	NM	Bailed approximately 0.25 gallons of LNAPL/groundwater
	4/7/2025	12:55 PM	-	24.80	-	NM	-
	4/8/2025	9:34 AM	24.35	24.37	0.02	684.4	Bailed approximately 0.2 gallons of LNAPL/groundwater
	4/8/2025	9:46 AM	-	24.63	-	-	Sheen present on the surface
	4/8/2025	12:33 PM	-	31.79	-	526.8	Bailed approximately 0.1 gallons of LNAPL/groundwater, Sheen present on the surface
	4/8/2025	12:38 PM	-	31.84	-	-	-
	4/9/2025	9:20 AM	-	49.01	-	530.8	Sheen present on the surface; 0.25 gallons of groundwater bailed
	4/9/2025	9:30 AM	-	48.63	-	-	-
	4/9/2025	12:36 PM	-	49.85	-	386.1	Bailed approximately 0.25 gallons of groundwater
	4/9/2025	12:45 PM	-	49.97	-	-	-
	4/10/2025	9:18 AM	25.59	25.63	0.04	531.6	Bailed approximately 0.05 gallons of LNAPL
	4/10/2025	9:22 AM	25.81	25.82	0.01	-	-
	4/10/2025	12:35 PM	44.43	44.45	0.02	497.9	Bailed approximately 0.02 gallons of LNAPL
	4/10/2025	12:55 PM	-	44.40	-	-	Sheen present on the surface
	4/11/2025	9:04 AM	30.05	30.15	0.10	494.6	Bailed approximately 0.15 gallons of LNAPL
	4/11/2025	9:19 AM	30.32	30.34	0.02	-	-
	4/11/2025	11:32 AM	27.37	27.40	0.03	690.1	Bailed approximately 0.03 gallons of LNAPL
	4/11/2025	11:37 AM	27.53	27.55	0.02	-	-
	4/12/2025	8:50 AM	24.60	24.63	0.03	569.7	Bailed approximately 0.04 gallons of LNAPL
	4/12/2025	9:00 AM	24.84	24.85	0.01	-	-
	4/12/2025	12:49 PM	24.64	24.65	0.01	776.0	Bailed approximately 0.02 gallons of LNAPL
	4/12/2025	12:58 PM	-	24.86	-	-	Sheen observed on surface
	4/13/2025	8:40 AM	24.19	24.20	0.01	537.6	Bailed approximately 0.02 gallons of LNAPL
	4/13/2025	8:54 AM	-	24.37	-	-	Sheen observed on surface
	4/13/2025	11:24 PM	-	34.21	-	419.6	Sheen observed on surface
	4/13/2025	11:36 PM	-	33.97	-	-	-
	4/14/2025	9:49 AM	40.79	40.79	-	625.2	Bailed less than 0.25 gallons of groundwater. Sheen observed on surface
	4/14/2025	10:17 AM	-	40.20	-	-	-
	4/14/2025	12:50 PM	-	44.08	-	432.7	-
	4/14/2025	1:07 PM	-	43.77	-	-	-
	4/15/2025	8:48 AM	24.34	24.40	0.06	390.7	Bailed approximately 0.09 gallons of LNAPL
	4/15/2025	9:03 AM	24.65	24.66	0.01	-	-
	4/15/2025	10:54 AM	31.90	31.92	0.02	397.2	Bailed approximately 0.03 gallons of LNAPL
	4/15/2025	11:01 AM	-	31.88	-	-	Sheen observed on surface
	4/16/2025	8:47 AM	33.92	34.02	0.10	466.2	Bailed approximately 0.15 gallons of LNAPL
	4/16/2025	9:02 AM	33.76	33.76	-	-	Sheen observed on surface
	4/16/2025	10:20 AM	30.70	30.71	0.01	410.0	Bailed approximately 0.06 gallons of LNAPL
	4/16/2025	10:31 AM	-	30.63	-	-	-
	4/17/2025	8:53 AM	34.80	34.84	0.04	531.5	Bailed approximately 0.06 gallons of LNAPL
	4/17/2025	9:04 AM	34.67	34.69	0.02	-	-
	4/17/2025	11:20 AM	29.69	29.71	0.02	709.8	Bailed approximately 0.03 gallons of LNAPL
	4/17/2025	11:28 AM	-	29.71	-	-	Sheen observed on surface
	4/18/2025	9:33 AM	24.73	24.80	0.07	1017	Bailed approximately 0.1 gallons of LNAPL
	4/18/2025	10:37 AM	36.15	36.17	0.02	-	Bailed approximately 0.03 gallons of LNAPL
	4/18/2025	11:52 AM	32.73	32.75	0.02	541.8	Sheen observed on surface
	4/18/2025	11:59 AM	-	32.73	-	-	-
	4/19/2025	9:12 AM	26.17	26.40	0.23	564	Bailed approximately 0.34 gallons of LNAPL
	4/19/2025	9:45 AM	27.08	27.09	0.01	-	-
	4/19/2025	10:57 AM	36.77	36.79	0.02	588.6	Bailed approximately 0.03 gallons of LNAPL
	4/19/2025	11:07 AM	36.71	36.72	0.01	-	-
	4/21/2025	8:56 AM	25.90	26.71	0.81	323	Bailed approximately 0.75 gallons of LNAPL
	4/21/2025	10:25 AM	37.30	37.31	0.01	-	-
	4/21/2025	12:57 PM	31.60	31.64	0.04	338.2	Bailed approximately 0.1 gallons of LNAPL
	4/21/2025	12:57 PM	31.83	31.84	0.01	-	-
	4/22/2025	9:00 AM	24.46	24.56	0.10	514.6	Bailed approximately 0.4 gallons of LNAPL
	4/22/2025	9:24 AM	25.93	25.95	0.02	-	-
	4/22/2025	12:52 PM	30.06	30.10	0.04	635.9	Bailed approximately 0.4 gallons of LNAPL
	4/22/2025	1:03 PM	-	30.21	-	-	-
	4/23/2025	9:00 AM	47.84	47.87	0.03	274.6	Bailed approximately 0.1 gallons of LNAPL
	4/23/2025	9:21 AM	47.40	47.41	0.01	-	-
	4/23/2025	12:45 PM	44.01	44.02	0.01	176.6	Bailed approximately 0.05 gallons of LNAPL
	4/23/2025	12:53 PM	44.01	44.02	0.01	-	-
	4/24/2025	9:13 AM	34.71	34.74	0.03	508.6	Bailed approximately 0.25 gallons of LNAPL
	4/24/2025	9:31 AM	-	34.36	-	-	-
	4/24/2025	12:57 PM	-	38.38	-	243.6	-
	4/25/2025	8:50 AM	35.61	35.62	0.01	260.8	LNAPL sample was collected; insufficient volume for recovery
	4/25/2025	12:45 PM	39.13	39.14	0.01	203.7	Insufficient volume for recovery
	4/26/2025	9:06 AM	-	36.10	-	96.6	-
	4/26/2025	12:46 PM	-	27.91	-	272.2	-
	4/27/2025	8:30 AM	36.67	36.77	0.10	303.6	Bailed approximately 0.25 gallons of LNAPL
	4/27/2025	-	-	36.73	-	-	-
	4/27/2025	9:30 AM	-	33.74	-	278.1	-
	4/28/2025	9:00 AM	34.72	35.05	0.33	347.0	Bailed approximately 1.0 gallons of LNAPL
	4/28/2025	9:21 AM	34.41	34.42	0.01	-	-
	4/28/2025	12:33 PM	27.64	27.67	0.03	399.0	Bailed approximately 0.25 gallons of LNAPL
	4/28/2025	12:40 PM	27.68	27.69	0.01	-	LNAPL Sample was collected
	4/29/2025	9:05 AM	49.54	49.57	0.03	734.2	Bailed approximately 0.02 gallons of LNAPL
	4/29/2025	9:14 AM	-	49.40	-	-	-
	4/29/2025	12:50 PM	38.49	38.50	0.01	908.0	-
	4/30/2025	9:10 AM	35.84	36.20	0.36	855.6	Bailed approximately 0.25 gallons of LNAPL
	4/30/2025	9:37 AM	36.05	36.06	0.01	-	-
	4/30/2025	12:35 PM	31.04	31.13	0.09	492.3	Bailed approximately 0.01 gallons of LNAPL
	4/30/2025	12:45 PM	31.23	31.24	0.01	-	-
	5/1/2025	9:23 AM	56.25	56.40	0.15	1,630	Bailed approximately 0.15 gallons of LNAPL
	5/1/2025	9:43 AM	55.75	55.76	0.01	-	-
	5/1/2025	12:35 PM	45.90	45.93	0.03	1,644	Bailed approximately 0.10 gallons of LNAPL
	5/1/2025	12:40 PM	45.82	45.83	0.01	-	-
	5/2/2025	9:05 AM	38.50	38.62	0.12	469.9	Bailed approximately 0.05 gallons of LNAPL
	5/2/2025	9:15 AM	38.45	38.46	0.01	-	-
	5/2/2025	12:33 PM	31.83	31.88	0.05	694.4	Bailed approximately 0.25 gallons of LNAPL
	5/2/2025	12:40 PM	31.95	31.96	0.01	-	-
	5/3/2025	9:55 AM	28.50	28.59	0.09	568.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	10:45 AM	-	29.02	-	249.0	-
	5/3/2025	1:15 PM	62.22	62.26	0.04	208.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	1:45 PM	-	61.52	-	524.0	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	5/4/2025	9:31 AM	31.49	31.56	0.07	253.2	Bailed approximately 0.10 gallons of LNAPL
	5/4/2025	11:45 AM	39.45	39.53	0.08	260.8	Bailed approximately 0.10 gallons of LNAPL
	5/5/2025	9:07 AM	40.77	40.90	0.13	215.0	Bailed approximately 0.25 gallons of LNAPL
	5/5/2025	9:17 AM	40.67	40.68	0.01	-	-
	5/5/2025	12:56 PM	47.86	47.90	0.04	190.3	Bailed approximately 0.125 gallons of LNAPL
	5/5/2025	1:10 PM	-	47.70	-	-	-
	5/6/2025	9:16 AM	28.40	28.48	0.08	40.3	Bailed approximately 0.125 gallons of LNAPL
	5/6/2025	9:26 AM	28.68	28.69	0.01	-	-
	5/6/2025	12:27 PM	46.91	46.93	0.02	274.0	Bailed approximately 0.125 gallons of LNAPL
	5/6/2025	12:35 PM	-	46.80	-	-	-
	5/7/2025	9:20 AM	28.78	28.87	0.09	408.0	Bailed approximately 0.25 gallons of LNAPL
	5/7/2025	9:34 AM	-	28.08	-	-	-
	5/7/2025	12:07 PM	38.70	38.72	0.02	318.0	Bailed approximately 0.125 gallons of LNAPL
	5/7/2025	12:19 PM	-	38.66	-	-	-
	5/8/2025	9:15 AM	36.89	37.01	0.12	366	Bailed approximately 0.25 gallons of LNAPL
	5/8/2025	9:28 AM	-	37.07	-	-	-
	5/8/2025	12:46 PM	31.89	31.92	0.03	374	Bailed approximately 0.125 gallons of LNAPL
	5/8/2025	1:01 PM	-	32.09	-	-	-
	5/9/2025	9:38 AM	27.37	27.38	0.01	420.6	Bailed approximately 0.06 gallons of LNAPL
	5/9/2025	9:45 AM	-	27.52	-	-	-
	5/9/2025	12:35 PM	27.55	27.56	0.01	377.0	Bailed approximately 0.125 gallons of LNAPL
	5/9/2025	12:44 PM	-	27.70	-	-	-
	5/10/2025	9:35 AM	27.33	27.35	0.02	348.8	Bailed approximately <0.2 gallons of LNAPL
	5/10/2025	9:44 AM	27.89	27.90	0.01	-	Bailed approximately <0.2 gallons of LNAPL
	5/10/2025	12:15 PM	27.76	27.77	0.01	283.3	Bailed approximately 0.10 gallons of LNAPL
	5/10/2025	12:19 PM	-	28.03	-	-	-
	5/11/2025	9:15 AM	27.78	27.81	0.03	246.3	Bailed approximately <0.2 gallons of LNAPL
	5/11/2025	9:26 AM	-	28.24	-	-	-
	5/11/2025	11:15 AM	-	28.10	-	200.3	-
	5/12/2025	9:17 AM	56.06	56.10	0.04	390.5	Bailed approximately 0.06 gallons of LNAPL
	5/12/2025	9:48 AM	55.04	55.05	0.01	-	-
	5/12/2025	12:16 PM	48.07	48.11	0.04	280.3	Bailed approximately 0.06 gallons of LNAPL
	5/12/2025	12:30 PM	-	47.97	-	-	Sheen observed on surface
	5/13/2025	9:12 AM	43.70	43.82	0.12	597.6	Bailed approximately 0.18 gallons of LNAPL
	5/13/2025	9:45 AM	43.45	43.47	0.02	-	-
	5/13/2025	12:05 PM	38.60	38.64	0.04	968.5	Bailed approximately 0.06 gallons of LNAPL
	5/13/2025	12:25 PM	-	38.65	-	-	-
	5/14/2025	9:12 AM	65.40	65.54	0.14	358.2	Bailed approximately 0.21 gallons of LNAPL
	5/14/2025	9:54 AM	64.11	64.13	0.02	-	-
	5/14/2025	1:35 PM	51.25	51.30	0.05	342.9	Bailed approximately 0.07 gallons of LNAPL
	5/14/2025	1:52 PM	51.21	51.22	0.01	-	-
	5/15/2025	9:20 AM	45.27	45.47	0.20	745.2	Bailed approximately 0.29 gallons of LNAPL
	5/15/2025	9:50 AM	45.29	45.31	0.02	-	-
	5/15/2025	12:10 PM	51.10	51.15	0.05	478.1	Bailed approximately 0.07 gallons of LNAPL
	5/15/2025	12:25 PM	50.65	50.66	0.01	-	-
	5/16/2025	9:10 AM	54.73	54.99	0.26	273.0	Bailed approximately 0.25 gallons of LNAPL
	5/16/2025	9:50 AM	53.52	53.54	0.02	-	-
	5/16/2025	2:02 PM	40.55	40.72	0.17	280.6	Bailed approximately 0.25 gallons of LNAPL
	5/16/2025	2:18 PM	40.44	40.45	0.01	-	-
	5/17/2025	9:22 AM	41.97	42.21	0.24	254.0	Bailed approximately 0.35 gallons of LNAPL
	5/17/2025	9:55 AM	41.30	41.32	0.02	-	-
	5/17/2025	11:45 AM	36.35	36.40	0.05	359.6	Bailed approximately 0.07 gallons of LNAPL
	5/17/2025	12:00 PM	sheen	36.15	-	-	Sheen observed on surface
	5/18/2025	9:15 AM	43.31	43.57	0.26	655.9	Bailed approximately 0.38 gallons of LNAPL
	5/18/2025	9:50 AM	42.81	42.82	0.01	-	-
	5/18/2025	11:05 AM	51.44	51.46	0.02	375.8	Bailed approximately 0.03 gallons of LNAPL
	5/18/2025	11:20 AM	51.10	51.11	0.01	-	-
	5/19/2025	9:25 AM	38.42	38.52	0.10	301.7	Bailed approximately 0.15 gallons of LNAPL
	5/19/2025	10:00 AM	37.86	37.88	0.02	-	-
	5/19/2025	11:55 AM	33.84	33.89	0.05	470.8	Bailed approximately 0.07 gallons of LNAPL
	5/19/2025	12:05 PM	33.89	33.91	0.02	-	-
	5/20/2025	9:10 AM	43.18	43.44	0.26	431.3	Bailed approximately 0.38 gallons of LNAPL
	5/20/2025	9:42 AM	43.91	43.93	0.02	-	-
	5/20/2025	10:45 AM	39.77	39.80	0.03	536.1	Bailed approximately 0.04 gallons of LNAPL
	5/20/2025	10:55 AM	39.69	39.70	0.01	-	-
	5/21/2025	9:25 AM	34.80	34.95	0.15	510.5	Bailed approximately 0.22 gallons of LNAPL
	5/21/2025	10:00 AM	34.75	34.77	0.02	-	-
	5/21/2025	11:10 AM	34.33	34.36	0.03	159.1	Bailed approximately 0.04 gallons of LNAPL
	5/21/2025	11:30 AM	33.28	33.30	0.02	-	-
	5/22/2025	9:25 AM	36.79	37.14	0.35	421.5	Bailed approximately 0.51 gallons of LNAPL
	5/22/2025	9:55 AM	36.52	36.54	0.02	-	-
	5/22/2025	11:15 AM	32.89	32.95	0.06	372.3	Bailed approximately 0.09 gallons of LNAPL
	5/22/2025	11:30 AM	32.85	32.87	0.02	-	-
	5/23/2025	9:20 AM	49.55	49.90	0.35	403.0	Bailed approximately 0.51 gallons of LNAPL
	5/23/2025	9:56 AM	-	48.32	-	-	Sheen observed on surface
	5/23/2025	11:12 AM	57.00	57.05	0.05	389.3	Bailed approximately 0.07 gallons of LNAPL
	5/23/2025	11:25 AM	-	56.47	-	-	Sheen observed on surface
	5/24/2025	9:13 AM	28.85	29.26	0.41	380.3	Bailed approximately 0.6 gallons of LNAPL
	5/24/2025	9:32 AM	28.46	28.47	0.01	-	-
	5/24/2025	11:24 AM	24.07	24.12	0.05	128.2	Bailed approximately 0.07 gallons of LNAPL
	5/24/2025	11:30 AM	-	24.29	-	-	Sheen observed on surface; groundwater bailed; sock deployed
	5/27/2025	9:45 AM	24.35	24.37	0.02	437.1	Bailed approximately 0.1 gallon of LNAPL. Sock was removed (30%)
	5/27/2025	9:51 AM	22.90	22.91	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/27/2025	11:45 AM	23.92	23.94	0.02	395.1	Bailed approximately 0.1 gallon of LNAPL
	5/27/2025	11:50 AM	22.99	23.00	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	9:15 AM	28.03	28.05	0.02	356.7	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	9:22 AM	29.05	29.06	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	11:35 AM	30.25	30.27	0.02	375.5	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	11:41 AM	-	31.09	-	-	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	9:15 AM	22.80	22.81	0.01	335.0	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	9:20 AM	24.02	24.03	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	12:00 PM	33.84	33.85	0.01	109.3	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	12:05 PM	-	34.50	-	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	5/30/2025	9:15 AM	22.74	22.75	0.01	392.3	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	9:20 AM	23.21	23.22	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	11:10 AM	34.15	34.16	0.01	150.5	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	11:15 AM	34.48	34.49	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/31/2025	9:45 AM	-	33.15	-	297.5	-
	5/31/2025	11:35 AM	-	25.89	-	248.4	-
	6/1/2025	8:15 AM	-	22.34	-	79.2	-
	6/1/2025	9:45 AM	-	22.40	-	29.3	-
	6/2/2025	9:27 AM	-	38.05	-	304.3	-
	6/2/2025	12:43 PM	-	55.64	-	346.6	-
	6/3/2025	9:17 AM	26.98	27.16	0.18	159.3	Bailed approximately 0.5 gallons of LNAPL
	6/3/2025	1:28 PM	-	62.36	-	52.1	-
	6/4/2025	9:08 AM	43.92	44.50	0.58	162.6	Bailed approximately 1.25 gallons of LNAPL
	6/4/2025	10:30 AM	37.46	37.47	0.01	-	-
	6/4/2025	12:40 PM	37.95	38.02	0.07	348.3	Bailed approximately 0.25 gallons of LNAPL
	6/4/2025	12:55 PM	52.48	52.50	0.02	-	-
	6/5/2025	9:02 AM	29.30	29.95	0.65	401.4	Bailed approximately 1.5 gallons of LNAPL
	6/5/2025	10:10 AM	28.15	28.16	0.01	-	-
	6/5/2025	12:25 PM	36.20	36.28	0.08	340.9	Bailed approximately 0.5 gallons of LNAPL
	6/5/2025	12:45 PM	40.81	40.83	0.02	-	-
	6/6/2025	9:10 AM	35.61	36.46	0.85	351.6	Bailed approximately 1 gallon of LNAPL
	6/6/2025	9:58 AM	33.25	33.26	0.01	-	-
	6/6/2025	11:31 AM	27.39	27.44	0.05	347.3	Bailed approximately 0.5 gallons of LNAPL
	6/6/2025	11:44 AM	27.49	27.50	0.01	-	-
	6/7/2025	9:02 AM	32.15	32.66	0.51	355.7	Bailed approximately 1 gallon of LNAPL
	6/7/2025	9:31 AM	31.28	31.29	0.01	-	-
	6/7/2025	10:40 AM	27.17	27.18	0.01	221.7	-
	6/8/2025	9:05 AM	28.68	29.25	0.57	429.8	Bailed approximately 1 gallon of LNAPL
	6/8/2025	9:30 AM	29.13	29.14	0.01	-	-
	6/8/2025	10:55 AM	28.89	28.93	0.04	334.9	Bailed approximately 0.5 gallons of LNAPL
	6/8/2025	11:30 AM	41.32	41.33	0.01	-	-
	6/9/2025	10:00 AM	40.31	42.25	1.94	379	Bailed approximately 0.75 gallons of LNAPL
	6/9/2025	10:19 AM	-	39.96	-	-	-
	6/9/2025	1:22 PM	54.33	55.53	1.20	287	Bailed approximately 0.5 gallons of LNAPL
	6/9/2025	1:35 PM	68.03	68.04	0.01	-	-
	6/10/2025	10:20 AM	33.44	35.10	1.66	323.4	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	10:50 AM	35.55	35.75	0.20	-	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	12:10 PM	29.24	30.31	1.07	347.4	Bailed approximately 0.25 gallons of LNAPL
	6/10/2025	12:35 PM	30.59	30.74	0.15	-	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	09:45 AM	32.91	34.22	1.31	459.4	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	10:25 AM	33.40	33.88	0.48	-	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	12:00 PM	27.75	28.56	0.81	347.4	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	12:40 PM	28.60	28.69	0.09	-	Bailed approximately 0.25 gallons of LNAPL
	6/12/2025	09:30 AM	35.69	36.38	0.69	681.8	Bailed approximately 0.2 gallons of LNAPL
	6/12/2025	09:45 AM	35.91	35.98	0.07	-	Bailed approximately 0.2 gallons of LNAPL
	6/12/2025	11:25 AM	41.89	43.14	1.25	493.5	Bailed approximately 0.25 gallons of LNAPL
	6/12/2025	12:00 PM	43.18	43.28	0.10	-	Bailed approximately 0.25 gallons of LNAPL
	6/13/2025	09:48 AM	25.83	26.38	0.55	667.4	Bailed approximately 0.5 gallons of LNAPL
	6/13/2025	10:15 AM	26.55	26.69	0.14	-	-
	6/13/2025	11:35 AM	39.73	40.00	0.27	355	Bailed approximately 0.5 gallons of LNAPL
	6/13/2025	11:55 AM	38.69	38.71	0.02	-	-
	6/14/2025	09:15 AM	25.14	25.49	0.35	510	Bailed approximately 0.8 gallons of LNAPL
	6/14/2025	09:40 AM	25.52	25.56	0.04	-	-
	6/14/2025	11:30 AM	37.56	37.60	0.04	599	Bailed approximately 0.1 gallons of LNAPL
	6/14/2025	11:48 AM	37.71	37.72	0.01	-	-
	6/15/2025	09:00 AM	36.31	36.52	0.21	596	Bailed approximately 0.5 gallons of LNAPL
	6/15/2025	09:30 AM	35.23	35.24	0.01	-	-
	6/15/2025	10:12 AM	32.63	32.68	0.05	-	Bailed approximately 0.25 gallons of LNAPL
	6/15/2025	10:25 AM	-	32.45	-	-	-
	6/16/2025	09:15 AM	35.35	35.55	0.20	119.5	Bailed approximately 0.5 gallons of LNAPL
	6/16/2025	09:30 AM	33.83	33.84	0.01	-	-
	6/16/2025	11:45 AM	29.05	29.06	0.01	267.5	-
	6/17/2025	09:45 AM	25.08	25.45	0.37	399.8	Bailed approximately 0.25 gallons of LNAPL
	6/17/2025	10:05 AM	25.57	25.60	0.03	-	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	11:45 AM	32.09	32.33	0.24	382.2	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	12:00 PM	34.02	34.04	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/18/2025	09:35 AM	26.27	26.82	0.55	388.9	Bailed approximately 0.25 gallons of LNAPL
	6/18/2025	10:10 AM	27.05	27.07	0.02	-	Bailed approximately 0.05 gallons of LNAPL
	6/18/2025	11:50 AM	26.60	26.67	0.07	478.8	Bailed approximately 0.25 gallons of LNAPL
	6/18/2025	12:00 PM	26.98	27.00	0.02	-	Bailed approximately 0.2 gallons of LNAPL
	6/19/2025	09:37 AM	25.16	25.55	0.39	628.1	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	10:15 AM	26.53	26.61	0.08	-	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	11:45 AM	25.71	25.82	0.11	404.0	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	12:03 PM	26.29	26.33	0.04	-	Bailed approximately 0.25 gallons of LNAPL
	6/20/2025	09:50 AM	25.49	25.57	0.08	448.1	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	10:15 AM	26.10	26.12	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	11:50 AM	27.41	27.44	0.03	229.2	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	12:05 PM	27.88	27.89	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/21/2025	9:05 AM	27.29	27.43	0.14	372.2	Bailed approximately 0.5 gallons of LNAPL
	6/21/2025	-	27.86	27.87	0.01	-	-
	6/21/2025	11:50 AM	27.29	27.30	0.01	425.3	-
	6/22/2025	9:18 AM	29.15	29.18	0.03	191.1	Bailed approximately 0.25 gallons of LNAPL
	6/22/2025	9:30 AM	29.60	29.61	0.01	-	Bailed approximately 0.3 gallons of LNAPL
	6/22/2025	10:54 AM	27.37	27.39	0.02	221.4	Bailed approximately 0.12 gallons of LNAPL
	6/22/2025	11:11 AM	27.56	27.57	0.01	-	-
	6/23/2025	9:05 AM	26.28	26.78	0.50	155.8	Bailed approximately 0.5 gallons of LNAPL
	6/23/2025	-	27.24	27.26	0.02	-	-
	6/23/2025	12:15 PM	26.30	26.40	0.10	88.4	Bailed approximately 0.5 gallons of LNAPL
	6/23/2025	-	26.74	26.75	0.01	-	-
	6/23/2025	2:00 PM	26.29	26.32	0.03	-	-
	6/24/2025	9:31 AM	25.60	25.65	0.05	25.4	Bailed approximately 0.5 gallons of LNAPL
	6/24/2025	-	25.84	25.85	0.01	-	-
	6/25/2025	9:01 AM	26.54	26.56	0.02	0.7	-
	6/25/2025	9:28 AM	-	26.63	-	27.0	-
	6/25/2025	10:32 AM	-	26.69	-	7.2	-
	6/25/2025	11:25 AM	26.71	26.72	0.01	16.4	-
	6/26/2025	9:03 AM	26.60	26.62	0.02	1.1	-
	6/26/2025	11:16 AM	27.60	27.62	0.02	10.7	-
	6/26/2025	12:12 PM	27.60	27.65	0.05	1.7	-
	6/26/2025	12:42 PM	27.68	27.70	0.02	5.0	-
	6/26/2025	1:54 PM	-	28.39	-	5.1	-
	6/26/2025	2:54 PM	28.11	28.13	0.02	6.7	-
	6/26/2025	3:42 PM	27.88	27.90	0.02	6.4	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	6/27/2025	8:00 AM	26.70	26.72	0.02	1.7	Geophysics conducted at well
	6/28/2025	9:00 AM	-	-	-	298.3	Due to 100 foot length of interface probe, unable to detect liquid levels
	6/28/2025	12:05 PM	-	-	-	272.5	Due to 100 foot length of interface probe, unable to detect liquid levels
	6/29/2025	9:11 AM	27.55	27.79	0.24	8.4	Bailed approximatley 0.25 gallons of LNAPL
	6/29/2025	9:24 AM	28.04	28.10	0.06	-	Bailed approximatley 0.08 gallons of LNAPL
	6/29/2025	11:00 AM	27.89	27.99	0.10	464.4	Bailed approximatley 0.15 gallons of LNAPL
	6/29/2025	11:12 AM	28.01	28.03	0.02	-	Bailed approximatley 0.1 gallons of LNAPL
	6/30/2025	9:30 AM	27.17	27.34	0.17	95.2	Bailed approximatley 0.5 gallons of LNAPL
	6/30/2025	-	27.67	27.69	0.02	-	-
	6/30/2025	12:00 PM	27.44	27.49	0.05	27.1	-
	6/30/2025	-	27.75	27.77	0.02	-	Unable to recover LNAPL due to minimal thickness
	7/1/2025	9:34 AM	27.61	27.64	0.03	87.4	Bailed approximatley 0.25 gallons of LNAPL
	7/1/2025	-	27.69	27.70	0.01	-	-
	7/1/2025	11:45 AM	28.92	28.94	0.02	153.2	Unable to recover LNAPL due to minimal thickness
	7/2/2025	9:47 AM	31.75	31.94	0.19	76.5	Bailed approximatley 0.25 gallons of LNAPL
	7/2/2025	-	32.17	32.19	0.02	-	-
	7/2/2025	12:33 PM	28.50	28.55	0.05	294.0	Bailed approximatley 0.25 gallons of LNAPL
	7/2/2025	12:51 PM	28.70	28.72	0.02	-	-
	7/3/2025	10:25 AM	34.78	34.88	0.10	32.0	Bailed approximatley 0.25 gallons of LNAPL
	7/3/2025	-	33.65	33.67	0.02	-	-
	7/3/2025	12:35 PM	29.84	29.85	0.01	357.1	Unable to recover LNAPL due to minimal thickness
	7/5/2025	09:17 AM	-	27.86	-	124.5	Sock 100% saturated was removed
	7/5/2025	09:22 AM	-	27.95	-	-	-
	7/5/2025	12:09 PM	-	28.14	-	55.7	-
	7/5/2025	12:15 PM	-	28.16	-	-	-
	7/7/2025	9:15 AM	-	-	-	11.3	Due to 100 foot length of interface probe, unable to detect liquid levels
	7/7/2025	11:45 AM	-	-	-	20.5	Due to 100 foot length of interface probe, unable to detect liquid levels
	7/8/2025	9:20 AM	-	109.21	-	650.1	-
	7/8/2025	11:46 AM	-	85.55	-	311.0	-
	7/9/2025	9:30 AM	28.70	28.75	0.05	98.5	Bailed approximatley 0.25 gallons of LNAPL
	7/9/2025	-	29.09	29.11	0.02	-	-
	7/9/2025	12:35 PM	28.78	28.80	0.02	283.8	-
	7/10/2025	9:33 AM	40.71	40.79	0.08	105.7	Bailed approximatley 0.25 gallons of LNAPL
	7/10/2025	-	40.91	40.92	0.01	-	-
	7/10/2025	11:31 AM	90.65	90.66	0.01	141.3	-
	7/11/2025	9:03 AM	28.73	28.90	0.17	149.7	Bailed approximatley 0.5 gallons of LNAPL
	7/11/2025	-	29.29	29.30	0.01	-	-
	7/11/2025	11:36 AM	38.65	38.69	0.04	158.0	Bailed approximatley 0.15 gallons of LNAPL
	7/11/2025	-	39.64	39.65	0.01	-	-
	7/12/2025	9:00 AM	34.05	34.20	0.15	207.7	Bailed approximatley 0.3 gallons of LNAPL
	7/12/2025	-	34.40	34.41	0.01	-	-
	7/12/2025	11:39 AM	37.20	37.21	0.01	350.2	Unable to recover LNAPL due to minimal thickness
	7/13/2025	9:12 AM	28.85	28.93	0.08	168.0	Bailed approximatley 0.5 gallons of LNAPL
	7/13/2025	9:37 AM	28.46	28.47	0.01	-	-
	7/13/2025	11:45 AM	25.44	25.48	0.04	117.3	Bailed approximatley 0.06 gallons of LNAPL
	7/13/2025	12:14 PM	25.60	25.62	0.02	-	-
	7/14/2025	9:03 AM	27.94	27.97	0.03	184.0	Bailed approximatley 0.25 gallons of LNAPL
	7/14/2025	-	28.25	28.26	0.01	-	-
	7/14/2025	12:25 PM	27.99	28.00	0.01	264.5	-
	7/15/2025	9:41 AM	35.11	35.19	0.08	107.1	Bailed approximatley 0.25 gallons of LNAPL
	7/15/2025	-	34.79	34.80	0.01	-	-
	7/15/2025	12:35 PM	30.29	30.30	0.01	429.1	-
	7/16/2025	9:05 AM	31.60	31.64	0.04	336.3	Bailed approximatley 0.3 gallons of LNAPL
	7/16/2025	-	31.50	31.51	0.01	-	-
	7/16/2025	12:30 PM	28.95	28.96	0.01	200.9	-
	7/17/2025	9:03 AM	27.72	27.77	0.05	72.2	Bailed approximatley 0.25 gallons of LNAPL
	7/17/2025	-	28.06	28.08	0.02	-	-
	7/17/2025	12:45 PM	-	35.52	-	101.4	-
	7/18/2025	9:05 AM	28.38	28.43	0.05	127.7	Bailed approximatley 0.25 gallons of LNAPL
	7/18/2025	-	29.65	29.66	0.01	-	-
	7/18/2025	12:56 PM	28.84	28.85	0.01	76.2	Insufficient volume for recovery
	7/19/2025	9:00 AM	28.40	28.47	0.07	148.3	Bailed approximatley 0.25 gallons of LNAPL
	7/19/2025	-	29.20	29.21	0.01	-	-
	7/19/2025	1:00 PM	30.01	30.02	0.01	145.2	Insufficient volume for recovery
	7/20/2025	8:55 AM	27.74	27.86	0.12	181.7	Bailed approximatley 0.1 gallons of LNAPL
	7/20/2025	9:15 AM	28.19	28.20	0.01	-	-
	7/20/2025	10:31 AM	29.32	29.35	0.03	154.2	Bailed approximatley 0.05 gallons of LNAPL
	7/20/2025	10:44 AM	29.55	29.56	0.01	-	-
	7/21/2025	9:10 AM	29.19	29.22	0.03	35.7	Bailed approximatley 0.25 gallons of LNAPL
	7/21/2025	-	-	29.85	-	-	-
	7/21/2025	1:05 PM	30.05	30.06	0.01	96.1	-
	7/22/2025	9:12 AM	37.26	37.33	0.07	143.3	Bailed approximatley 0.25 gallons of LNAPL
	7/22/2025	-	36.88	36.90	0.02	-	-
	7/22/2025	1:00 PM	67.35	67.36	0.01	50.0	-
	7/23/2025	9:40 AM	44.51	44.56	0.05	47.9	Bailed approximatley 0.25 gallons of LNAPL
	7/23/2025	-	-	44.57	-	-	-
	7/23/2025	1:30 PM	39.20	39.21	0.01	79.5	-
	7/24/2025	9:18 AM	29.33	29.50	0.17	53.5	Bailed approximatley 0.25 gallons of LNAPL
	7/24/2025	-	29.71	29.73	0.02	-	-
	7/24/2025	1:20 PM	37.69	37.70	0.01	77.0	-
	7/25/2025	9:20 AM	28.65	28.83	0.18	83.5	Bailed approximatley 0.50 gallons of LNAPL
	7/25/2025	-	29.35	29.36	0.01	-	-
	7/25/2025	1:20 PM	-	29.40	-	195.3	-
	7/26/2025	9:24 AM	28.09	28.15	0.06	78.1	Bailed approximatley 0.07 gallons of LNAPL
	7/26/2025	-	28.60	28.61	0.01	-	-
	7/26/2025	1:15 PM	29.80	29.82	0.02	117.4	-
	7/27/2025	9:15 AM	28.55	28.64	0.09	396.1	Bailed approximatley 0.25 gallons of LNAPL
	7/27/2025	9:40 AM	29.15	29.16	0.01	-	-
	7/27/2025	11:01 AM	28.78	28.84	0.06	396.5	Bailed approximatley 0.05 gallons of LNAPL
	7/27/2025	11:17 AM	29.04	29.05	0.01	-	-
	7/28/2025	9:20 AM	28.64	28.65	0.01	240.5	Bailed approximatley 0.50 gallons of LNAPL
	7/28/2025	1:09 PM	-	29.21	-	207.7	-
	7/29/2025	9:16 AM	29.31	29.35	0.04	43.5	Bailed approximatley 0.15 gallons of LNAPL
	7/29/2025	-	-	29.95	-	-	-
	7/29/2025	1:12PM	88.73	88.74	0.01	82.1	-
	7/30/2025	9:20 AM	29.19	29.21	0.02	74.4	Bailed approximatley 0.1 gallons of LNAPL
	7/30/2025	1:20 PM	29.79	29.80	0.01	49.1	-
	7/31/2025	9:18 AM	29.69	29.70	0.01	65.1	Unable to recover LNAPL due to minimal thickness
	7/31/2025	1:10 PM	30.30	30.31	0.01	26.1	-
	8/1/2025	9:25 AM	30.50	30.55	0.05	69.9	Bailed approximatley 0.20 gallons of LNAPL
	8/1/2025	-	-	31.20	-	-	-
	8/1/2025	1:00 PM	52.39	52.40	0.01	158.5	-
	8/2/2025	9:05 AM	33.20	33.22	0.02	128.8	Bailed approximatley 0.20 gallons of LNAPL
	8/2/2025	-	-	33.41	-	-	-
	8/2/2025	1:08 PM	-	35.28	-	122.1	-
	8/3/2025	9:00 AM	29.96	30.11	0.15	256.8	Bailed approximatley 0.25 gallons of LNAPL
	8/3/2025	-	30.45	30.46	0.01	-	-
	8/3/2025	1:00 PM	32.60	32.61	0.01	168.4	-
	8/4/2025	9:45 AM	31.20	31.30	0.10	377.7	Bailed approximatley 0.25 gallons of LNAPL
	8/4/2025	10:00 AM	31.50	31.51	0.01	-	-
	8/4/2025	1:21 PM	30.37	30.41	0.04	155.6	Bailed approximatley 0.06 gallons of LNAPL
	8/4/2025	1:28 PM	30.55	30.56	0.01	-	-
	8/5/2025	9:17 AM	38.04	38.15	0.11	328.1	Bailed approximatley 0.25 gallons of LNAPL
	8/5/2025	9:30 AM	37.90	37.91	0.01	-	-
	8/5/2025	1:23 PM	30.17	30.22	0.05	407.2	Bailed approximatley 0.13 gallons of LNAPL
	8/5/2025	1:30 PM	30.35	30.36	0.01	-	-
	8/6/2025	9:20 AM	28.50	28.54	0.04	305.2	Bailed approximatley 0.13 gallons of LNAPL
	8/6/2025	9:30 AM	28.88	28.89	0.01	-	-
	8/6/2025	1:05 PM	28.87	28.88	0.01	96.6	Bailed approximatley 0.01 gallons of LNAPL
	8/6/2025	1:10 PM	29.02	29.03	0.01	-	-
	8/7/2025	9:07 AM	28.78	28.81	0.03	107.3	Bailed approximatley 0.51 gallons of LNAPL
	8/7/2025	9:20 AM	-	29.15	-	-	-
	8/7/2025	1:14 PM	28.70	28.71	0.01	47.8	-
	8/7/2025	1:24 PM	-	28.99	-	-	-
	8/8/2025	9:27 AM	28.90	29.05	0.15	172.0	Bailed approximatley 0.10 gallons of LNAPL
	8/8/2025	9:40 AM	29.32	29.33	0.01	-	-
	8/8/2025	1:20 PM	84.45	84.50	0.05	55.2	Bailed approximatley 0.10 gallons of LNAPL
	8/8/2025	-	82.38	82.39	0.01	-	-
	8/9/2025	9:00 AM	30.02	30.10	0.08	186.2	Bailed approximatley 0.8 gallons of LNAPL
	8/9/2025	9:30 AM	30.18	30.18	0.00	-	-
	8/9/2025	12:15 PM	30.09	30.10	0.01	93.1	-
	8/10/2025	8:55 AM	29.02	29.05	0.03	202.0	Bailed approximatley 0.05 gallons of LNAPL
	8/10/2025	9:15 AM	-	29.17	-	-	-
	8/10/2025	11:00 AM	-	29.35	-	119.5	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	8/11/2025	10:26 AM	50.75	50.77	0.02	114.1	Unable to recover LNAPL due to minimal thickness
	8/11/2025	1:25 PM	35.90	35.92	0.02	138.0	Unable to recover LNAPL due to minimal thickness
	8/12/2025	10:46 AM	36.02	36.06	0.04	299.6	Bailed approximatley 0.01 gallons of LNAPL
	8/12/2025	10:50 AM	-	36.90	-	-	-
	8/12/2025	1:45 PM	-	60.80	-	108.4	-
	8/13/2025	9:23 AM	29.93	29.99	0.06	278	Bailed approximatley 0.01 gallons of LNAPL
	8/13/2025	10:50 AM	-	30.31	-	-	-
	8/13/2025	1:45 PM	29.95	29.96	0.01	70.3	-
	8/13/2025	1:50 PM	-	30.02	-	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Spencer Road	1/29/2025	-	50.99	51.00	0.01	22.1	LNAPL darker in color than other LNAPL found.
	2/10/2025	1300	-	51.58	-	13.0	Bailer was clear
	2/17/2025	-	-	34.68	-	3.0	Bailer was clear
	2/18/2025	-	-	32.56	-	2.0	Bailer was clear; 0% LEL
	2/19/2025	12:00 PM	-	29.60	-	9.0	-
	2/20/2025	-	-	28.50	-	8.0	-
	2/21/2025	-	-	30.92	-	2.0	-
	2/22/2025	9:35 AM	-	27.72	-	22	-
	2/24/2025	12:00 PM	-	26.54	-	4.0	-
	2/25/2025	-	-	26.54	-	3.0	-
	2/26/2025	-	-	27.73	-	12	-
	2/27/2025	-	-	27.84	-	11	-
	2/28/2025	-	-	27.93	-	3.0	-
	3/1/2025	11:40 AM	-	29.49	-	4	-
	3/3/2025	-	-	32.26	-	2	-
	3/4/2025	-	-	43.74	-	1	-
	3/5/2025	-	-	35.89	-	29	-
	3/6/2025	-	-	29.25	-	9	-
	3/7/2025	-	-	28.64	-	4	-
	3/8/2025	-	-	27.38	-	0	-
	3/10/2025	10:30 AM	-	26.51	-	4	-
	3/11/2025	10:05 AM	-	31.60	-	4	-
	3/12/2025	10:00 AM	-	25.58	-	4	-
	3/13/2025	9:45 AM	-	26.61	-	3	-
	3/14/2025	9:50 AM	-	26.31	-	7	-
	3/15/2025	10:42 AM	-	26.14	-	1	-
	3/17/2025	10:12 AM	-	28.92	-	2	-
	3/18/2025	10:38 AM	-	25.80	-	1	-
	3/19/2025	10:15 AM	-	25.42	-	1	-
	3/20/2025	11:20 AM	-	25.00	-	0	-
	3/21/2025	10:39 AM	-	24.30	-	0	-
	3/22/2025	9:47 AM	-	25.98	-	0	-
	3/24/2025	9:40 AM	-	23.58	-	0	-
	3/25/2025	9:53 AM	-	23.37	-	1	-
	3/26/2025	10:12 AM	-	24.73	-	2	-
	3/27/2025	11:04 AM	-	24.78	-	1	-
	3/28/2025	10:38 AM	-	23.70	-	4.6	-
	3/29/2025	10:56 AM	-	23.92	-	4.4	-
	3/31/2025	11:01 AM	-	23.54	-	4.0	-
	4/1/2025	11:14 AM	-	30.67	-	0.5	-
	4/2/2025	11:16 AM	-	22.76	-	2.3	-
	4/3/2025	11:11 AM	-	22.23	-	4.1	-
	4/4/2025	10:40 AM	-	23.35	-	4.3	-
	4/5/2025	10:25 AM	-	21.67	-	0.6	-
	4/7/2025	10:45 AM	-	27.22	-	6.9	-
	4/8/2025	10:41 AM	-	21.79	-	4.4	-
	4/9/2025	10:30 AM	-	22.24	-	4.3	-
	4/10/2025	10:04 AM	-	22.91	-	4.8	-
	4/11/2025	9:57 AM	-	22.31	-	4.0	-
	4/12/2025	10:25 AM	-	22.09	-	3.1	-
	4/14/2025	11:35 AM	-	21.42	-	5.0	-
	4/15/2025	9:56 AM	-	21.10	-	3.2	-
	4/16/2025	9:47 AM	-	21.40	-	5.1	-
	4/17/2025	9:50 AM	-	21.71	-	2.8	-
	4/18/2025	11:27 AM	-	22.54	-	2.2	-
	4/19/2025	10:43 AM	-	23.44	-	8.8	-
	4/21/2025	11:37 AM	-	30.69	-	2.0	-
	4/22/2025	10:20 AM	-	31.39	-	1.4	-
	4/23/2025	10:23 AM	-	23.53	-	1.3	-
	4/24/2025	10:00 AM	-	23.94	-	3.3	-
	4/25/2025	9:42 AM	-	24.23	-	1.0	-
	4/26/2025	9:53 AM	-	28.20	-	0.0	-
	4/28/2025	10:29 AM	-	26.93	-	8.6	-
	4/29/2025	10:12 AM	-	26.98	-	6.9	-
	4/30/2025	10:33 AM	-	27.60	-	7.6	-
	5/1/2025	10:10 AM	-	26.95	-	4.2	-
	5/2/2025	9:45 AM	-	30.70	-	0.2	-
	5/3/2025	12:35 PM	-	27.86	-	1.6	-
	5/5/2025	10:16 AM	-	36.07	-	1.0	-
	5/6/2025	10:23 AM	-	36.60	-	2.1	-
	5/7/2025	10:26 AM	-	30.91	-	1.6	-
	5/8/2025	10:09 AM	-	43.84	-	5.8	-
	5/9/2025	10:54 AM	-	30.89	-	1.2	-
	5/10/2025	11:09 AM	-	31.12	-	0.4	-
	5/12/2025	11:53 AM	-	32.55	-	5.7	-
	5/13/2025	11:55 AM	-	34.11	-	3.0	-
	5/14/2025	1:30 PM	-	28.86	-	4.0	-
	5/15/2025	11:25 AM	-	25.69	-	3.1	-
	5/16/2025	1:34 PM	-	25.29	-	2.5	-
	5/17/2025	11:15 AM	-	37.75	-	0.7	-
	5/19/2025	11:38 AM	-	21.50	-	2.0	-
	5/20/2025	10:34 AM	-	23.55	-	12.9	-
	5/21/2025	11:04 AM	-	22.00	-	0.0	-
	5/22/2025	11:10 AM	-	21.15	-	0.0	-
	5/23/2025	10:53 AM	-	24.50	-	0.0	-
	5/24/2025	11:05 AM	-	21.02	-	0.0	-
	5/27/2025	11:30 AM	-	21.88	-	0.5	-
	5/28/2025	11:15 AM	-	23.15	-	0.0	-
	5/29/2025	11:35 AM	-	23.00	-	0.0	-
	5/30/2025	10:40 AM	-	23.58	-	4.6	-
	5/31/2025	10:17 AM	-	22.09	-	0.0	-
	6/2/2025	10:55 AM	-	24.93	-	0.0	-
	6/3/2025	12:54 PM	-	31.02	-	0.3	-
	6/4/2025	11:14 AM	-	28.59	-	1.5	-
	6/5/2025	11:32 AM	-	22.43	-	1.7	-
	6/6/2025	10:41 AM	-	22.61	-	3.1	-
	6/7/2025	10:02 AM	-	22.79	-	1.4	-
	6/9/2025	11:35 AM	-	23.58	-	2.6	-
	6/10/2025	11:55 AM	-	23.82	-	0.2	-
	6/11/2025	11:35 AM	-	32.34	-	0.0	-
	6/12/2025	11:05 AM	-	24.58	-	0.2	-
	6/13/2025	11:12 AM	-	25.12	-	1.3	-
	6/14/2025	10:15 AM	-	33.32	-	0.4	-
	6/16/2025	10:35 AM	-	28.04	-	0.0	-
	6/17/2025	11:00 AM	-	29.70	-	0.0	-
	6/18/2025	11:05 AM	-	25.40	-	0.0	-
	6/19/2025	11:25 AM	-	29.05	-	0.0	-
	6/20/2025	11:10 AM	-	24.89	-	1.6	-
	6/21/2025	10:00 AM	-	25.90	-	0.6	-
	6/23/2025	-	-	26.21	-	2.9	-
	6/24/2025	11:00 AM	-	27.07	-	1.4	-
	6/25/2025	10:46 AM	-	27.21	-	1.2	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Spencer Road	6/26/2025	10:00 AM	-	29.99	-	0.3	-
	6/27/2025	9:55 AM	-	30.69	-	0.9	-
	6/28/2025	10:01 AM	-	28.26	-	1.1	-
	6/30/2025	11:08 AM	-	40.52	-	1.3	-
	7/1/2025	10:35 AM	-	33.18	-	0.4	-
	7/2/2025	11:10 AM	-	30.81	-	5.2	-
	7/3/2025	12:18 PM	-	31.18	-	2.9	-
	7/5/2025	10:40 AM	-	38.42	-	0.0	-
	7/7/2025	10:50 AM	-	31.45	-	1.6	-
	7/8/2025	11:11 AM	-	32.62	-	0.3	-
	7/9/2025	10:30 AM	-	39.32	-	0.4	-
	7/10/2025	11:07 AM	-	33.80	-	0.3	-
	7/11/2025	10:07 AM	-	30.97	-	0.8	-
	7/12/2025	10:40 AM	-	31.29	-	0.5	-
	7/14/2025	10:50 AM	-	34.66	-	4.1	-
	7/21/2025	10:12 AM	-	33.82	-	0.0	-
	7/28/2025	9:53 AM	-	39.25	-	0.0	-
	8/4/2025	11:47 AM	-	40.72	-	0.0	-
	8/11/2025	9:46 AM	-	40.46	-	0.6	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Spencer Road	1/23/2025	-	Not Measured	Not Measured		21.0	LNAPL split sample with PADEP
	1/29/2025	1020	79.31	80.27	0.96	30.5	-
	2/10/2025	-	117.98	118.19	0.21	3.0	Approximately 0.01 gal bailed
	2/12/2025	2:51 PM	68.89	69.35	0.46	-	Bailed ~1 gallon of LNAPL
	2/12/2025	3:08 PM	68.20	68.39	0.19	-	-
	2/13/2025	10:40 AM	60.89	61.12	0.23	43	Bailed 0.5 gallons of LNAPL
	2/13/2025	11:50 AM	63.67	63.73	0.06	-	-
	2/14/2025	9:30 AM	58.69	58.75	0.06	6	Not recoverable with Bailer
	2/15/2025	11:10 AM	67.01	67.06	0.05	23.7	Bailed ~1 gallon of LNAPL / water
	2/15/2025	-	66.29	66.30	0.01	-	Not recoverable with Bailer
	2/17/2025	-	-	32.56	-	25	-
	2/18/2025	-	53.40	53.45	0.05	8.0	Not recoverable with Bailer; 0% LEL
	2/19/2025	12:10 PM	61.69	61.71	0.02	21.0	Not recoverable with Bailer
	2/20/2025	-	49.64	49.65	0.01	20.0	Not recoverable with Bailer
	2/21/2025	-	51.26	51.28	0.02	2.0	Not recoverable with Bailer
	2/22/2025	9:43 AM	52.25	52.26	0.01	15	Not recoverable with Bailer
	2/24/2025	11:40 AM	52.23	52.24	0.01	35	Not recoverable with Bailer
	2/25/2025	-	49.55	49.57	0.02	41	Deployed absorbent sock
	2/26/2025	-	51.96	51.97	0.01	7	Pulled and Replaced sock
	2/27/2025	-	-	47.77	-	41	Pulled and Replaced sock
	2/28/2025	-	-	54.79	-	7	-
	3/1/2025	-	-	52.95	-	8	-
	3/3/2025	-	-	47.76	-	12	Pulled and Replaced sock
	3/4/2025	-	-	49.29	-	3	-
	3/5/2025	-	-	47.14	-	8	Pulled and Replaced sock
	3/6/2025	-	-	52.12	-	2	-
	3/7/2025	-	-	47.10	-	6	-
	3/8/2025	-	-	47.48	-	2	-
	3/10/2025	10:35 AM	-	51.12	-	4	Sock was not replaced (10%)
	3/11/2025	9:55 AM	-	46.73	-	1	Pulled and Replaced sock (40%)
	3/12/2025	8:40 AM	-	44.51	-	9	Sock was removed and not replaced
	3/13/2025	9:35 AM	-	48.62	-	8	-
	3/14/2025	9:40 AM	-	48.28	-	7	-
	3/15/2025	10:37 AM	-	45.41	-	7	-
	3/17/2025	10:06 AM	-	45.62	-	1	-
	3/18/2025	10:28 AM	-	47.90	-	1	-
	3/19/2025	9:52 AM	46.25	46.26	0.01	3	Bailed approximately 0.5 gallons of LNAPL
	3/19/2025	-	-	46.13	-	-	-
	3/20/2025	-	-	44.89	-	1	-
	3/21/2025	10:44 AM	-	45.68	-	0	-
	3/22/2025	9:53 AM	-	46.45	-	4	-
	3/24/2025	10:15 AM	-	45.00	-	13	-
	3/25/2025	9:46 AM	-	44.58	-	3	-
	3/26/2025	10:05 AM	-	45.27	-	10	-
	3/27/2025	10:56 AM	-	42.21	-	3	-
	3/28/2025	10:28 AM	-	43.72	-	4.5	-
	3/29/2025	10:47 AM	-	46.10	-	4.4	-
	3/31/2025	11:10 AM	-	42.63	-	3.8	-
	4/1/2025	11:23 AM	-	44.21	-	3.1	-
	4/2/2025	11:26 AM	-	50.02	-	4.8	-
	4/3/2025	11:25 AM	-	43.76	-	11.3	-
	4/4/2025	10:55 AM	-	43.86	-	5.5	-
	4/5/2025	10:35 AM	-	44.63	-	3.1	-
	4/7/2025	11:06 AM	-	43.44	-	54.9	-
	4/8/2025	10:47 AM	-	41.57	-	10.4	-
	4/9/2025	10:37 AM	-	48.60	-	11.6	-
	4/10/2025	10:09 AM	-	41.39	-	8.0	-
	4/11/2025	10:00 AM	-	43.59	-	11.5	-
	4/12/2025	10:34 AM	-	45.47	-	8.9	-
	4/14/2025	12:17 PM	-	38.18	-	8.9	-
	4/15/2025	10:21 AM	-	40.27	-	6.4	-
	4/16/2025	9:53 AM	-	48.21	-	7.2	-
	4/17/2025	9:55 AM	-	40.42	-	5.9	-
	4/18/2025	11:32 AM	-	45.21	-	8.8	-
	4/19/2025	10:35 AM	-	40.79	-	18.7	-
	4/21/2025	11:29 AM	-	42.12	-	5.0	-
	4/22/2025	10:10 AM	-	42.69	-	5.3	-
	4/23/2025	10:13 AM	-	42.49	-	2.1	-
	4/24/2025	10:14 AM	-	38.30	-	6.4	-
	4/25/2025	9:33 AM	-	43.05	-	2.9	-
	4/26/2025	9:48 AM	-	38.66	-	2.9	-
	4/28/2025	10:23 AM	-	39.47	-	8.3	-
	4/29/2025	10:08 AM	-	40.03	-	14.6	-
	4/30/2025	10:30 AM	-	41.67	-	12.2	-
	5/1/2025	10:05 AM	-	44.59	-	7.0	-
	5/2/2025	9:42 AM	-	40.17	-	6.5	-
	5/3/2025	12:20 PM	-	44.60	-	21.6	-
	5/5/2025	10:10 AM	-	41.30	-	2.9	-
	5/6/2025	10:15 AM	-	41.68	-	2.4	-
	5/7/2025	10:19 AM	-	41.87	-	4.7	-
	5/8/2025	10:16 AM	-	32.02	-	6.9	-
	5/9/2025	10:45 AM	-	48.65	-	3.4	-
	5/10/2025	11:14 AM	-	43.91	-	1.5	-
	5/12/2025	11:40 AM	-	49.65	-	3.2	-
	5/13/2025	11:30 AM	-	47.91	-	7.1	-
	5/14/2025	1:25 PM	-	65.20	-	2.0	-
	5/15/2025	11:32 AM	-	45.17	-	4.3	-
	5/16/2025	1:44 PM	-	43.56	-	1.4	-
	5/17/2025	11:20 AM	-	41.42	-	1.0	-
	5/19/2025	11:45 AM	-	38.84	-	4.5	-
	5/20/2025	10:30 AM	-	39.28	-	7.0	-
	5/21/2025	10:58 AM	-	38.67	-	4.6	-
	5/22/2025	11:05 AM	-	38.25	-	1.2	-
	5/23/2025	10:58 AM	-	40.27	-	12.2	-
	5/24/2025	11:11 AM	-	41.04	-	4.3	-
	5/27/2025	11:25 AM	-	40.55	-	0.5	-
	5/28/2025	11:20 AM	-	38.19	-	0.0	-
	5/29/2025	11:30 AM	-	36.97	-	0.5	-
	5/30/2025	10:35 AM	-	37.37	-	23.3	-
	5/31/2025	10:20 AM	-	41.54	-	0.0	-
	6/2/2025	10:45 AM	-	41.32	-	21.3	-
	6/3/2025	12:48 PM	-	45.88	-	3.3	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Spencer Road	6/4/2025	11:07 AM	-	44.17	-	4.4	-
	6/5/2025	11:26 AM	-	38.58	-	4.7	-
	6/6/2025	10:35 AM	-	31.02	-	1.4	-
	6/7/2025	9:57 AM	-	38.65	-	3.6	-
	6/9/2025	11:25 AM	-	40.85	-	1.0	-
	6/10/2025	11:50 AM	-	38.26	-	0.0	-
	6/11/2025	11:30 AM	-	38.70	-	0.1	-
	6/12/2025	11:00 AM	-	40.91	-	0.2	-
	6/13/2025	11:10 AM	-	42.80	-	8.8	-
	6/14/2025	10:10 AM	-	44.56	-	12.8	-
	6/16/2025	10:20 AM	-	42.83	-	0.0	-
	6/17/2025	10:55 AM	-	39.77	-	0.2	-
	6/18/2025	11:00 AM	-	42.56	-	0.7	-
	6/19/2025	11:20 AM	-	40.97	-	0.8	-
	6/20/2025	11:00 AM	-	41.66	-	0.0	-
	6/21/2025	9:51 AM	-	43.09	-	1.9	-
	6/23/2025	10:50 AM	-	41.45	-	4.1	-
	6/24/2025	10:50 AM	-	48.09	-	3.1	-
	6/25/2025	10:21 AM	-	45.38	-	4.9	-
	6/26/2025	9:45 AM	-	43.07	-	3.9	-
	6/27/2025	9:45 AM	-	41.00	-	0.2	-
	6/28/2025	10:14 AM	-	43.12	-	6.5	-
	6/30/2025	11:00 AM	-	51.73	-	4.8	-
	7/1/2025	10:25 AM	-	45.97	-	2.5	-
	7/2/2025	11:00 AM	-	56.96	-	5.8	-
	7/3/2025	12:10 PM	-	45.07	-	3.4	-
	7/5/2025	10:32 AM	-	44.99	-	2.7	-
	7/7/2025	10:55 AM	-	48.80	-	2.8	-
	7/8/2025	11:05 AM	-	45.47	-	2.5	-
	7/9/2025	10:20 AM	-	49.09	-	2.3	-
	7/10/2025	11:00 AM	-	48.65	-	5.3	-
	7/11/2025	10:03 AM	-	47.48	-	7.7	-
	7/12/2025	10:30 AM	-	45.32	-	1.7	-
	7/14/2025	10:40 AM	-	31.82	-	2.5	-
	7/21/2025	10:07 AM	-	57.95	-	1.5	-
	7/28/2025	9:50 AM	-	48.19	-	0.0	-
	8/4/2025	11:39 AM	-	55.77	-	0.0	-
	8/11/2025	9:48 AM	-	49.86	-	1.5	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
108 Spencer Road	1/28/2025	-	Approximately 55	Not Measured		82.2	Checked with bailer, pale yellow
	1/29/2025	10:00 AM	55.61	62.55	6.94	397.1	-
	2/7/2025	-	63.92	69.60	5.68	81.9	-
	2/10/2025	12:25 PM	64.69	70.28	5.59	94	Pump out 12 gallons LNAPL
	2/11/2025	-	57.65	57.67	0.02	188	0% LEL
	2/12/2025	-	-	62.15	-	73	-
	2/13/2025	-	59.12	59.13	0.01	97	Not recoverable with Bailer
	2/14/2025	9:40 AM	62.79	62.80	0.01	25	Not recoverable with Bailer
	2/15/2025	11:45 AM	-	61.15	-	393.8	-
	2/17/2025	9:45 AM	-	57.00	-	-	-
	2/18/2025	8:10 AM	52.68	52.69	0.01	0.0	Not recoverable with Bailer; 0% LEL
	2/19/2025	12:04 PM	51.83	51.84	0.01	22.0	Not recoverable with Bailer
	2/20/2025	-	-	50.94	-	26.0	-
	2/21/2025	-	50.08	50.11	0.03	31.0	Not recoverable with Bailer
	2/22/2025	9:30 AM	48.99	49.00	0.01	124	Not recoverable with Bailer
	2/24/2025	11:50 AM	48.03	48.05	0.02	69	Not recoverable with Bailer
	2/25/2025	-	47.32	47.35	0.03	38	Deployed absorbent sock
	2/26/2025	-	-	47.78	-	14	Pulled and Replaced sock with 2 new socks
	2/27/2025	-	-	47.60	-	171	Pulled and Replaced 2 socks
	2/28/2025	-	-	47.55	-	5	Pulled and Replaced 2 socks
	3/1/2025	-	-	37.35	-	4	-
	3/3/2025	-	-	48.40	-	49	Pulled and Replaced 2 socks
	3/4/2025	-	-	48.21	-	25	-
	3/5/2025	-	-	47.78	-	14	Pulled and Replaced 2 socks
	3/6/2025	-	-	47.70	-	2	-
	3/7/2025	-	-	48.30	-	8	-
	3/8/2025	-	49.32	49.33	0.01	1	Biosludge on absorbent socks; LNAPL not observed
	3/10/2025	10:45 AM	-	48.53	-	5	Sock not replaced (5%)
	3/11/2025	7:35 AM	47.82	47.83	0.01	93	Socks removed (50%) for packer testing
	3/12/2025	-	-	-	-	-	NM due to packer testing
	3/13/2025	-	-	-	-	-	NM due to packer testing
	3/14/2025	-	-	-	-	-	NM due to packer testing
	3/15/2025	-	-	-	-	-	NM due to packer testing
	3/17/2025	-	-	-	-	-	NM due to packer testing
	3/18/2025	10:17 AM	47.24	47.25	0.01	2	-
	3/19/2025	-	-	-	-	-	NM due to drilling
	3/20/2025	9:40 AM	45.98	45.99	0.01	3	Unable to bail due to transducer
	3/21/2025	-	-	-	-	-	NM due to drilling
	3/22/2025	9:58 AM	44.58	44.60	0.02	98	-
	3/24/2025	9:47 AM	43.80	43.86	0.06	43	Installed sock in the well
	3/25/2025	10:10 AM	-	43.62	-	5	Sock not replaced (25%)
	3/26/2025	10:29 AM	-	43.18	-	32	Sock replaced
	3/27/2025	11:10 AM	-	43.24	-	4	Sock not replaced (0%)
	3/28/2025	11:04 AM	-	42.82	-	23.4	Sock not replaced (25%)
	3/29/2025	11:20 AM	-	42.55	-	24.8	Sock not replaced (25%)
	3/31/2025	11:20 AM	-	42.46	-	0.9	Sock replaced
	4/1/2025	11:27 AM	-	42.31	-	0.2	Sock replaced (75%)
	4/2/2025	11:45 AM	-	42.39	-	1.7	Sock replaced (75%)
	4/3/2025	9:03 AM	-	41.66	-	4.6	Sock removed (10%) and well purged
	4/4/2025	11:02 AM	43.85	43.86	0.01	51.3	-
	4/5/2025	10:43 AM	-	42.50	-	3.9	-
	4/7/2025	11:04 AM	41.54	41.55	0.01	14.1	-
	4/8/2025	10:53 AM	-	41.15	-	7.7	-
	4/9/2025	10:52 AM	41.32	41.33	0.01	21.8	-
	4/10/2025	10:13 AM	40.89	40.91	0.02	38.3	Installed sock in the well
	4/11/2025	10:02 AM	-	40.29	-	76.0	Sock not replaced (50%)
	4/12/2025	10:02 AM	-	40.22	-	20.9	Sock not replaced (50%)
	4/14/2025	11:45 AM	-	39.77	-	10.8	Sock not replaced (50%)
	4/15/2025	10:26 AM	-	39.36	-	4.9	Sock replaced (100%)
	4/16/2025	9:57 AM	-	39.33	-	12.2	Sock not replaced (10%)
	4/17/2025	10:02 AM	-	39.55	-	12.0	Sock not replaced (25%)
	4/18/2025	11:40 AM	-	39.53	-	3.5	Sock not replaced (50%)
	4/19/2025	10:27 AM	-	39.09	-	10.9	Sock not replaced (75%)
	4/21/2025	11:48 AM	-	39.87	-	1.0	Sock not replaced (<5%)
	4/22/2025	10:30 AM	-	39.69	-	4.5	Sock not replaced (<5%)
	4/23/2025	10:31 AM	-	40.30	-	1.5	Sock not replaced (<5%)
	4/24/2025	10:22 AM	-	40.71	-	4.5	Sock not replaced (<5%)
	4/25/2025	9:49 AM	-	40.94	-	4.4	Sock not replaced (<5%)
	4/26/2025	10:07 AM	-	40.89	-	4.8	Sock not replaced (<5%)
	4/28/2025	10:12 AM	-	41.80	-	2.1	Sock replaced (10%)
	4/29/2025	10:23 AM	-	42.11	-	5.9	Sock Removed (0%)
	4/30/2025	10:38 AM	-	41.83	-	11.2	-
	5/1/2025	10:18 AM	-	42.11	-	3.9	-
	5/2/2025	9:55 AM	-	42.19	-	2.6	-
	5/3/2025	12:45 PM	-	42.43	-	0.7	-
	5/5/2025	10:22 AM	-	43.17	-	0.0	-
	5/6/2025	11:16 AM	-	43.29	-	0.1	-
	5/7/2025	10:41 AM	-	44.27	-	0.2	-
	5/8/2025	10:21 AM	-	44.69	-	0.8	-
	5/9/2025	9:16 AM	-	45.10	-	0.8	-
	5/10/2025	11:20 AM	-	43.41	-	0.0	-
	5/12/2025	11:29 AM	-	45.53	-	1.5	-
	5/13/2025	11:20 AM	-	45.69	-	0.3	-
	5/14/2025	11:16 AM	-	41.17	-	0.9	-
	5/15/2025	11:15 AM	-	41.17	-	0.3	-
	5/16/2025	11:38 AM	-	44.98	-	0.2	Sheen observed on surface
	5/17/2025	11:10 AM	-	41.88	-	0.4	-
	5/19/2025	11:30 AM	-	43.82	-	0.0	-
	5/20/2025	10:27 AM	-	43.66	-	0.0	-
	5/21/2025	10:52 AM	-	41.08	-	0.0	-
	5/22/2025	10:59 AM	-	39.89	-	0.0	-
	5/23/2025	10:48 AM	-	39.17	-	0.0	Sheen observed on surface
	5/24/2025	10:59 AM	-	39.00	-	0.0	-
	5/27/2025	11:20 AM	-	38.72	-	0.0	-
	5/28/2025	11:10 AM	-	38.38	-	0.0	-
	5/29/2025	11:25 AM	-	38.34	-	0.0	-
	5/30/2025	10:55 AM	-	38.31	-	0.7	-
	5/31/2025	10:26 AM	-	38.02	-	0.0	-
	6/2/2025	10:58 AM	-	38.78	-	0.0	-
	6/3/2025	12:58 PM	-	38.95	-	0.2	-
	6/4/2025	11:24 AM	-	38.94	-	1.4	-
	6/5/2025	11:36 AM	-	38.73	-	1.6	-
	6/6/2025	10:47 AM	-	38.65	-	6.0	-
	6/7/2025	10:12 AM	-	38.74	-	7.0	-
	6/9/2025	11:28 AM	-	39.81	-	0.0	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
108 Spencer Road	6/10/2025	11:40 AM	-	39.71	-	1.0	-
	6/11/2025	11:25 AM	-	40.26	-	0.3	-
	6/12/2025	10:55 AM	-	41.30	-	0.0	-
	6/13/2025	11:05 AM	-	41.22	-	0.0	-
	6/14/2025	10:20 AM	-	41.32	-	0.8	-
	6/16/2025	11:00 AM	-	41.69	-	0.0	-
	6/17/2025	10:50 AM	-	41.72	-	0.4	-
	6/18/2025	10:55 AM	-	41.69	-	0.0	-
	6/19/2025	11:15 AM	-	41.85	-	0.3	-
	6/20/2025	10:55 AM	-	39.71	-	0.2	-
	6/21/2025	10:30 AM	-	42.23	-	0.0	-
	6/23/2025	11:55 AM	-	42.33	-	0.0	-
	6/24/2025	11:18 AM	-	43.04	-	0.7	-
	6/25/2025	11:00 AM	-	42.95	-	0.5	-
	6/26/2025	10:16 AM	-	25.86	-	1.6	-
	6/27/2025	10:02 AM	-	43.31	-	0.4	-
	6/28/2025	10:26 AM	-	43.95	-	1.0	-
	6/30/2025	11:15 AM	-	44.57	-	0.2	-
	7/1/2025	10:45 AM	-	44.43	-	0.1	-
	7/2/2025	11:25 AM	-	44.53	-	0.6	-
	7/3/2025	12:27 PM	-	44.49	-	0.1	-
	7/5/2025	10:28 AM	-	46.23	-	1.7	-
	7/7/2025	11:03 AM	-	45.17	-	0.2	-
	7/8/2025	11:25 AM	-	45.68	-	0.1	-
	7/9/2025	10:51 AM	-	45.44	-	0.3	-
	7/10/2025	11:20 AM	-	38.22	-	1.2	-
	7/11/2025	10:15 AM	-	45.15	-	0.2	-
	7/12/2025	11:05 AM	-	45.16	-	0.0	-
	7/14/2025	10:52 AM	-	45.79	-	0.0	-
	7/21/2025	10:21 AM	-	45.55	-	0.0	-
	7/28/2025	10:00 AM	-	47.02	-	0.0	-
	7/30/2025	11:00 AM	-	36.55	-	0.1	-
	8/4/2025	11:41 AM	-	48.38	-	0.0	-
	8/11/2025	9:43 AM	-	50.37	-	0.2	-
RED Glenwood Drive	3/27/2025	10:20 AM	25.07	26.11	1.04	-	Approximately 2 gallons of LNAPL bailed
	3/27/2025	1:40 PM	25.65	25.67	0.02	170	Approximately 0.1 gallons of LNAPL bailed
	3/27/2025	2:08 PM	25.26	25.27	0.01	-	-
	3/28/2025	9:53 AM	25.15	25.29	0.14	201	Approximately 0.2 gallons of LNAPL bailed
	3/28/2025	10:03 AM	25.23	25.24	0.01	-	-
	3/28/2025	12:48 PM	25.62	25.64	0.02	260	Approximately 0.03 gallons of LNAPL bailed
	3/28/2025	12:56 PM	25.47	25.48	0.01	-	-
	3/29/2025	10:03 AM	24.88	24.90	0.02	527	Approximately 0.03 gallons of LNAPL bailed
	3/29/2025	-	25.01	25.02	0.01	-	-
	3/29/2025	12:25 PM	24.94	24.96	0.02	213	Approximately 0.03 gallons of LNAPL bailed
	3/29/2025	-	25.05	25.06	0.01	-	-
	3/31/2025	10:15 AM	24.87	24.99	0.12	172.4	Approximately 0.03 gallons of LNAPL bailed
	3/31/2025	10:25 AM	25.02	25.05	0.03	-	-
	3/31/2025	1:18 PM	24.77	24.81	0.04	149.5	-
	4/1/2025	10:24 AM	25.06	25.10	0.04	160.1	Approximately 0.5 gallons of LNAPL bailed
	4/1/2025	10:40 AM	25.43	25.44	0.01	-	-
	4/1/2025	1:25 PM	-	27.64	-	243.1	-
	4/2/2025	10:21 AM	25.19	25.27	0.08	188.1	Approximately 1 gallon of LNAPL bailed
	4/2/2025	10:39 AM	25.35	25.37	0.02	-	-
	4/2/2025	1:19 PM	24.84	24.86	0.02	284.6	-
	4/3/2025	10:16 AM	24.30	24.33	0.03	331.7	Approximately 0.5 gallon of LNAPL/groundwater bailed
	4/3/2025	10:25 AM	24.34	24.35	0.01	-	-
	4/3/2025	1:20 PM	24.49	24.50	0.01	142.0	-
	4/4/2025	10:08 AM	24.63	24.64	0.01	245.3	Unable to recover LNAPL due to minimal thickness
	4/4/2025	1:26 PM	24.33	24.35	0.02	194.4	Unable to recover LNAPL due to minimal thickness
	4/5/2025	9:50 AM	23.80	23.82	0.02	92.3	Unable to recover LNAPL due to minimal thickness
	4/5/2025	1:29 PM	23.89	23.91	0.02	70.6	Unable to recover LNAPL due to minimal thickness
	4/7/2025	9:50 AM	23.44	23.47	0.03	46.3	Approximately 0.25 gallons of LNAPL/groundwater bailed
	4/7/2025	10:00 AM	23.52	23.54	0.02	-	Sock installed
	4/7/2025	1:05 PM	-	23.58	-	-	Sock not replaced (25%)
	4/7/2025	1:10 PM	-	23.58	-	-	-
	4/8/2025	10:04 AM	-	23.52	-	515.3	Sock replaced (35%)
	4/8/2025	10:09 AM	-	23.54	-	-	-
	4/8/2025	12:52 PM	-	23.66	-	523.3	Approximately 0.05 gallons of LNAPL recovered from the sock
	4/8/2025	12:56 PM	-	23.66	-	-	Sock removed
	4/9/2025	9:42 AM	-	24.01	-	377.9	Approximately 0.25 gallons groundwater bailed
	4/9/2025	9:58 AM	-	24.19	-	-	-
	4/9/2025	12:55 PM	-	24.69	-	181.7	Approximately 0.15 gallons of groundwater bailed
	4/9/2025	12:58 PM	-	24.70	-	-	-
	4/10/2025	9:47 AM	24.66	24.69	0.03	346.9	Approximately 0.02 gallons of LNAPL bailed
	4/10/2025	9:54 AM	24.82	24.83	0.01	-	-
	4/10/2025	12:50 PM	24.45	24.46	0.01	265.3	Approximately 0.02 gallons of LNAPL bailed
	4/10/2025	12:55 PM	24.67	24.68	0.01	-	-
	4/11/2025	9:27 AM	24.22	24.23	0.01	397.8	Approximately 0.05 gallons of LNAPL bailed
	4/11/2025	9:33 AM	-	24.25	-	-	-
	4/11/2025	11:50 AM	24.09	24.10	0.01	285.3	Approximately 0.01 gallons of LNAPL bailed
	4/11/2025	11:53 AM	-	24.19	-	-	-
	4/12/2025	9:30 AM	23.81	23.82	0.01	200.5	Approximately 0.02 gallons of LNAPL bailed
	4/12/2025	9:41 AM	-	24.89	-	-	-
	4/12/2025	1:19 PM	-	24.07	-	216.3	Sheen observed on surface
	4/12/2025	1:30 PM	-	25.17	-	-	-
	4/14/2025	10:31 AM	23.42	23.47	0.05	142.0	Approximately 0.07 gallons of LNAPL bailed
	4/14/2025	10:45 AM	-	23.59	-	-	Sheen observed on surface
	4/14/2025	1:18 PM	23.44	23.45	0.01	426.5	-
	4/14/2025	1:28 PM	-	23.53	-	-	Sheen observed on surface
	4/15/2025	9:10 AM	23.05	23.07	0.02	246.0	Approximately 0.03 gallons of LNAPL bailed
	4/15/2025	9:19 AM	-	23.20	-	-	Sheen observed on surface
	4/15/2025	11:10 AM	-	23.61	-	249.8	-
	4/15/2025	11:19 AM	-	23.61	-	-	-
	4/16/2025	9:10 AM	-	23.13	-	386.7	-
	4/16/2025	9:16 AM	-	23.28	-	-	-
	4/16/2025	10:43 AM	-	23.17	-	280.2	-
	4/16/2025	10:54 AM	-	25.11	-	-	-
	4/17/2025	9:13 AM	-	23.72	-	306.9	-
	4/17/2025	9:19 AM	-	23.75	-	-	-
	4/17/2025	11:36 AM	-	23.52	-	323.7	-
	4/17/2025	11:44 AM	-	23.64	-	-	-
	4/18/2025	10:46 AM	26.94	26.95	0.01	218.8	Approximately 0.02 gallons of LNAPL bailed
	4/18/2025	10:53 AM	-	25.73	-	-	Sheen observed on surface
	4/18/2025	12:06 PM	-	24.14	-	282.9	Approximately 0.01 gallons of LNAPL bailed
	4/18/2025	12:12 PM	-	24.37	-	-	-
	4/19/2025	9:52 AM	23.52	23.53	0.01	390.4	Approximately 0.02 gallons of LNAPL bailed
	4/19/2025	9:57 AM	-	23.65	-	-	-
	4/19/2025	11:18 AM	-	23.64	-	369.3	-
	4/19/2025	-	-	23.77	-	-	-
	4/21/2025	10:44 AM	24.67	24.83	0.16	205.3	Approximately 0.25 gallons of LNAPL bailed
	4/21/2025	11:12 AM	24.93	24.94	0.01	-	-
	4/21/2025	1:05 PM	24.52	24.54	0.02	235.6	Approximately 0.1 gallons of LNAPL bailed
	4/21/2025	1:21 PM	24.80	24.81	0.01	-	-
	4/22/2025	9:45 AM	24.21	24.23	0.02	286.3	Approximately 0.04 gallons of LNAPL bailed
	4/22/2025	9:56 AM	24.47	24.48	0.01	-	-
	4/22/2025	1:10 PM	24.22	24.23	0.01	336.4	Approximately 0.03 gallons of LNAPL bailed
	4/22/2025	1:19 PM	-	25.07	-	-	-
	4/23/2025	9:45 AM	25.37	25.40	0.03	126.5	Approximately 0.1 gallons of LNAPL bailed
	4/23/2025	10:00 AM	25.09	25.10	0.01	-	Installed sock in the well
	4/23/2025	1:00 PM	-	25.66	-	188.2	-
	4/24/2025	9:54 AM	-	24.93	-	155.6	Sock replaced (75%)
	4/24/2025	1:04 PM	-	24.96	-	95.7	Sock replaced (70%)
	4/25/2025	9:20 AM	-	30.65	-	40.6	Sock replaced (70%)
	4/25/2025	1:02 PM	25.00	25.02	0.02	117.4	Sock not replaced (0%)
	4/26/2025	9:33 AM	-	25.38	-	92.3	Sock replaced (70%)
	4/26/2025	12:55 PM	-	24.58	-	56.9	Sock relaced (30%)
	4/28/2025	9:47 AM	-	25.36	-	257.0	-
	4/28/2025	12:54 PM	-	25.28	-	200.7	-
	4/29/2025	9:37 AM	-	64.25	-	384.4	Sock Removed (25%), house power washed at time of gauging
	4/29/2025	9:47 AM	42.70	42.75	0.05	-	-
	4/29/2025	1:00 PM	26.05	26.31	0.26	324.0	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Glenwood Drive	4/30/2025	10:00 AM	26.41	26.65	0.24	255.1	Approximately 0.25 gallons of LNAPL bailed
	4/30/2025	10:15 AM	26.49	26.50	0.01	-	-
	4/30/2025	12:55 PM	26.06	26.10	0.04	355.1	Approximately 0.06 gallons of LNAPL bailed
	4/30/2025	1:00 PM	26.08	26.09	0.01	-	-
	5/1/2025	9:57 AM	26.93	26.95	0.02	439.7	-
	5/1/2025	12:50 PM	25.86	25.88	0.02	568.8	-
	5/2/2025	9:33 AM	25.29	25.31	0.02	163.3	-
	5/2/2025	12:50 PM	25.86	25.88	0.02	105.1	-
	5/3/2025	11:35 AM	25.96	26.06	0.10	115.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	12:10 PM	-	26.18	-	72.8	-
	5/3/2025	2:00 PM	25.87	25.88	0.01	248.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	2:20 PM	-	25.94	-	41.8	-
	5/5/2025	9:50 AM	25.97	25.98	0.01	44.0	-
	5/5/2025	1:38 PM	25.94	25.95	0.01	69.0	-
	5/6/2025	10:02 AM	25.95	25.97	0.02	105.0	-
	5/6/2025	12:50 PM	25.70	25.72	0.02	74.0	-
	5/7/2025	9:50 AM	26.77	26.78	0.01	43.8	-
	5/7/2025	12:27 PM	25.82	25.84	0.02	126.0	-
	5/8/2025	9:53 AM	26.85	26.86	0.01	122	-
	5/8/2025	1:08 PM	25.59	25.61	0.02	121	-
	5/9/2025	10:17 AM	25.50	25.53	0.03	103.2	Bailed approximately 0.125 gallons of LNAPL
	5/9/2025	10:25 AM	-	25.69	-	-	-
	5/9/2025	12:53 PM	-	25.71	-	169.3	Sheen observed on surface
	5/10/2025	10:15 AM	25.71	25.72	0.01	-	Bailed approximately <0.40 gallons of LNAPL
	5/10/2025	10:22 AM	-	25.78	-	-	-
	5/10/2025	12:48 PM	25.95	25.96	0.01	-	Bailed approximately 0.01 gallons of LNAPL
	5/10/2025	12:55 PM	-	26.10	-	-	-
	5/12/2025	10:10 AM	26.65	26.77	0.12	108.4	Bailed approximately 0.18 gallons of LNAPL
	5/12/2025	10:44 AM	26.76	26.77	0.01	-	-
	5/12/2025	12:50 PM	26.53	26.55	0.02	280.3	Bailed approximately 0.03 gallons of LNAPL
	5/12/2025	1:00 PM	-	26.64	-	-	Sheen observed on surface
	5/13/2025	10:15 AM	26.10	26.11	0.01	291.6	Bailed approximately 0.02 gallons of LNAPL
	5/13/2025	10:30 AM	-	26.15	-	-	Sheen observed on surface
	5/13/2025	12:35 PM	26.01	26.02	0.01	225.6	Bailed approximately 0.02 gallons of LNAPL
	5/13/2025	12:55 PM	-	26.24	-	-	-
	5/14/2025	10:20 AM	25.61	25.63	0.02	89.4	Bailed approximately 0.03 gallons of LNAPL
	5/14/2025	10:40 AM	-	25.76	-	-	Sheen observed on surface
	5/14/2025	2:00 PM	-	26.28	-	242.1	Only bailed groundwater
	5/14/2025	2:15 PM	-	25.75	-	-	-
	5/15/2025	10:05 AM	-	24.85	-	323.3	-
	5/15/2025	12:35 PM	-	24.76	-	264.2	-
	5/16/2025	10:30 AM	24.24	24.30	0.06	199.5	Bailed approximately 0.09 gallons of LNAPL
	5/16/2025	10:57 AM	25.15	25.16	0.01	-	-
	5/16/2025	2:25 PM	24.24	24.25	0.01	207.4	Bailed approximately 0.02 gallons of LNAPL
	5/16/2025	2:40 PM	-	24.26	-	-	Sheen observed on surface
	5/17/2025	10:10 AM	23.43	23.44	0.01	161.4	Bailed approximately 0.02 gallons of LNAPL
	5/17/2025	10:25 AM	-	24.26	-	-	Sheen observed on surface
	5/17/2025	12:15 PM	-	23.46	-	153.1	Bailed approximately <0.01 gallons of LNAPL
	5/17/2025	10:25 AM	-	23.58	-	-	Sheen observed on surface
	5/19/2025	10:10 AM	23.76	23.80	0.04	287.1	Bailed approximately 0.06 gallons of LNAPL
	5/19/2025	10:45 AM	23.62	23.64	0.02	-	-
	5/19/2025	12:20 PM	23.47	23.50	0.03	286.7	Bailed approximately 0.04 gallons of LNAPL
	5/19/2025	12:25 PM	23.54	23.55	0.01	-	-
	5/20/2025	9:54 AM	23.25	23.27	0.02	298.1	Bailed approximately 0.03 gallons of LNAPL
	5/20/2025	9:59 AM	-	23.36	-	-	Sheen observed on surface
	5/20/2025	11:06 AM	23.19	23.20	0.01	394.6	Bailed approximately 0.02 gallons of LNAPL
	5/20/2025	11:12 AM	-	23.33	-	-	-
	5/21/2025	10:15 AM	23.47	23.48	0.01	289.5	Bailed approximately 0.03 gallons of LNAPL
	5/21/2025	10:25 AM	-	23.46	-	-	-
	5/21/2025	11:45 AM	-	23.63	-	187.3	Bailed approximately <0.01 gallons of LNAPL. Sheen observed on the surface
	5/21/2025	11:55 AM	-	23.64	-	-	-
	5/22/2025	10:10 AM	22.72	22.73	0.01	252.8	Bailed approximately 0.02 gallons of LNAPL
	5/22/2025	10:25 AM	-	22.81	-	-	-
	5/22/2025	11:40 AM	22.89	22.90	0.01	315.2	Bailed approximately 0.02 gallons of LNAPL.
	5/22/2025	11:50 AM	-	23.03	-	-	Sheen observed on surface
	5/23/2025	10:00 AM	22.81	22.82	0.01	203.1	Bailed approximately 0.02 gallons of LNAPL
	5/23/2025	10:17 AM	-	22.87	-	-	-
	5/23/2025	11:36 AM	-	23.09	-	249.1	Bailed approximately 0.01 gallons of LNAPL. Sheen observed on the surface
	5/23/2025	11:50 AM	-	23.02	-	-	Sheen observed on surface
	5/24/2025	9:48 AM	-	22.60	-	90.3	-
	5/24/2025	9:51 AM	-	22.65	-	-	-
	5/24/2025	11:47 AM	-	22.53	-	114.0	-
	5/24/2025	11:52 AM	-	22.59	-	-	-
	5/27/2025	10:50 AM	23.35	23.35	-	28.4	Sock was removed (10%); sheen observed
	5/27/2025	10:54 AM	22.69	22.70	0.01	-	Bailed approximately <0.1 gallons of LNAPL
	5/27/2025	12:10 PM	23.08	23.09	0.01	32.7	Bailed approximately <0.1 gallons of LNAPL
	5/27/2025	12:14 PM	22.25	22.26	0.01	-	Bailed approximately <0.1 gallons of LNAPL
	5/28/2025	10:20 AM	24.55	24.56	0.01	69.1	Bailed approximately 0.1 gallons of LNAPL
	5/28/2025	10:25 AM	-	23.78	-	-	Bailed approximately 0.1 gallons of LNAPL
	5/28/2025	11:45 AM	23.35	23.36	0.01	156.7	-
	5/28/2025	11:50 AM	23.60	23.61	0.01	-	-
	5/29/2025	10:15 AM	22.98	22.99	0.01	64.0	Bailed approximately 0.1 gallons of LNAPL
	5/29/2025	10:20 AM	-	23.32	-	-	-
	5/29/2025	12:20 PM	-	23.03	-	71.6	-
	5/30/2025	9:30 AM	-	23.01	-	167.3	-
	5/30/2025	11:35 AM	-	23.38	-	168.1	-
	5/31/2025	10:05 AM	-	25.36	-	120.4	-
	6/2/2025	9:43 AM	-	23.66	-	166.3	-
	6/2/2025	12:49 PM	-	23.85	-	218.0	-
	6/3/2025	11:41 AM	-	23.25	-	146.7	-
	6/3/2025	3:00 PM	-	23.28	-	152.6	-
	6/4/2025	10:45 AM	-	23.73	-	132.6	-
	6/5/2025	10:26 AM	23.79	23.89	0.10	191.7	Bailed approximately <1 gallon of LNAPL
	6/5/2025	11:02 AM	24.40	24.41	0.01	-	-
	6/5/2025	12:49 AM	24.08	24.12	0.04	263.2	Bailed approximately 0.25 gallons of LNAPL
	6/5/2025	1:02 PM	24.20	24.21	0.01	-	-
	6/6/2025	10:11 AM	24.29	24.31	0.02	65.5	Bailed approximately 0.25 gallons of LNAPL
	6/6/2025	12:02 PM	24.41	24.42	0.01	88.1	-
	6/7/2025	9:45 AM	24.00	24.01	0.01	123.3	-
	6/9/2025	10:36 AM	25.01	25.08	0.07	301	Bailed approximately 0.5 gallons of LNAPL
	6/9/2025	10:55 AM	25.28	25.29	0.01	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
 Glenwood Drive	6/10/2025	11:00 AM	26.85	26.94	0.09	86.7	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	11:20 AM	27.04	27.06	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/11/2025	10:45 AM	25.36	25.42	0.06	294.1	Bailed approximately 0.1 gallons of LNAPL
	6/11/2025	11:05 AM	25.76	25.78	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/12/2025	10:15 AM	25.33	25.39	0.06	128.2	Bailed approximately 0.1 gallons of LNAPL
	6/12/2025	10:30 AM	25.44	25.45	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	10:31 AM	25.20	25.27	0.07	252	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	10:50 AM	25.51	25.52	0.01	-	-
	6/13/2025	12:00 PM	25.43	25.46	0.03	410	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	12:10 PM	25.62	25.63	0.01	-	-
	6/14/2025	9:50 PM	25.10	25.12	0.02	267	Bailed approximately 0.2 gallons of LNAPL
	6/14/2025	10:00 AM	25.19	25.20	0.01	-	-
	6/14/2025	11:15 AM	-	25.12	-	135	-
	6/16/2025	10:00 AM	-	25.20	-	0.0	-
	6/17/2025	10:15 AM	25.29	25.31	0.02	54.1	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	10:25 AM	25.75	25.76	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/18/2025	10:20 AM	25.15	25.16	0.01	333.4	Bailed approximately 0.05 gallons of LNAPL
	6/18/2025	10:30 AM	-	25.35	-	-	-
	6/19/2025	10:29 AM	-	25.19	-	228.1	-
	6/20/2025	10:30 AM	-	25.61	-	238.2	-
	6/21/2025	9:35 AM	-	28.09	-	75.1	-
	6/23/2025	10:06 AM	26.34	26.35	0.01	231.1	-
	6/24/2025	9:55 AM	-	27.79	-	57.1	-
	6/24/2025	10:15 AM	-	27.79	-	57.1	-
	6/25/2025	9:30 AM	26.70	26.75	0.05	59.4	Bailed approximately 0.5 gallons of LNAPL
	6/25/2025	-	26.16	26.17	0.01	-	-
	6/26/2025	9:38 AM	26.19	26.21	0.02	51.1	-
	6/27/2025	8:39 AM	26.94	26.96	0.02	128.2	-
	6/28/2025	9:45 AM	26.61	26.62	0.01	156.4	-
	6/30/2025	10:51 AM	26.48	26.50	0.02	74.5	Unable to recover LNAPL due to minimal thickness
	7/1/2025	10:16 AM	26.67	26.68	0.01	48.5	Unable to recover LNAPL due to minimal thickness
	7/2/2025	10:55 AM	26.37	26.39	0.02	53.5	Unable to recover LNAPL due to minimal thickness
	7/3/2025	11:22 AM	26.38	26.40	0.02	202.8	Unable to recover LNAPL due to minimal thickness
	7/5/2025	9:53 AM	26.25	26.29	0.04	329.7	Approximately 0.05 gallons LNAPL bailed
	7/5/2025	10:05 AM	26.39	26.40	0.01	-	Approximately 0.03 gallons LNAPL bailed
	7/7/2025	9:54 AM	26.00	26.01	0.01	138.8	Unable to recover LNAPL due to minimal thickness
	7/8/2025	10:00 AM	26.27	26.29	0.02	74.3	Unable to recover LNAPL due to minimal thickness
	7/8/2025	11:35 AM	26.47	26.48	0.01	110.9	Unable to recover LNAPL due to minimal thickness
	7/9/2025	10:05 AM	-	26.88	-	179.3	-
	7/10/2025	10:05 AM	-	26.20	-	249.8	-
	7/11/2025	9:40 AM	-	26.54	-	141.7	-
	7/12/2025	10:16 AM	-	26.52	-	64.0	-
	7/14/2025	10:27 AM	-	26.79	-	217.7	-
	7/15/2025	10:03 AM	-	27.37	-	86.8	-
	7/16/2025	9:30 AM	-	27.85	-	19.7	-
	7/17/2025	9:31 AM	-	26.67	-	75.6	-
	7/18/2025	9:31 AM	26.50	26.51	0.01	28.6	Unable to recover LNAPL due to minimal thickness
	7/19/2025	9:30 AM	27.24	27.25	0.01	74.0	Unable to recover LNAPL due to minimal thickness
	7/21/2025	9:55 AM	-	27.51	-	159.5	-
	7/22/2025	9:40 AM	27.30	27.31	0.01	110.9	Unable to recover LNAPL due to minimal thickness
	7/23/2025	10:06 AM	-	27.39	-	179.5	-
	7/24/2025	9:40 AM	-	27.35	-	168.7	-
	7/25/2025	9:47 AM	-	26.99	-	82.4	-
	7/26/2025	9:49 AM	-	27.30	-	83.5	-
	7/28/2025	9:40 AM	-	28.48	-	254.8	-
	7/29/2025	9:34 AM	-	29.40	-	41.0	-
	7/30/2025	9:35 AM	-	29.02	-	118.3	-
	7/31/2025	9:26 AM	-	28.35	-	143.3	-
	8/1/2025	9:52 AM	-	28.29	-	158.2	-
	8/2/2025	9:35 AM	-	28.50	-	104.1	-
	8/4/2025	11:32 AM	-	28.95	-	150.6	-
	8/5/2025	10:10 AM	-	27.65	-	224.7	-
	8/6/2025	10:43 AM	-	27.78	-	111.6	-
	8/7/2025	12:51 PM	-	27.22	-	232.3	-
	8/8/2025	10:37 AM	-	27.16	-	321.5	-
	8/9/2025	10:00 AM	-	27.86	-	110.7	-
	8/11/2025	10:08 AM	-	27.75	-	209.5	-
	8/12/2025	10:38 AM	-	28.19	-	73.9	-
	8/13/2025	9:41 AM	-	31.21	-	59.0	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-1	3/22/2025	10:01 AM	-	43.53	-	62	-
	3/24/2025	9:51 AM	-	42.67	-	144	-
	3/25/2025	10:02 AM	-	42.81	-	88	-
	3/26/2025	10:18 AM	-	42.53	-	128	-
	3/27/2025	11:16 AM	-	42.62	-	93	-
	3/28/2025	10:45 AM	-	42.32	-	184.3	-
	3/29/2025	11:17 AM	-	41.93	-	69.8	-
	3/31/2025	11:35 AM	41.64	41.65	0.01	139.2	-
	4/1/2025	11:44 AM	-	42.14	-	224.9	-
	4/2/2025	12:01 PM	-	41.92	-	140.5	-
	4/3/2025	11:38 AM	-	40.91	-	127.6	-
	4/4/2025	11:10 AM	-	41.09	-	104.2	-
	4/5/2025	10:51 AM	-	40.53	-	149.0	-
	4/7/2025	11:10 AM	-	39.37	-	114.7	-
	4/7/2025	1:28 PM	-	39.33	-	NM	-
	4/8/2025	11:00 AM	-	39.22	-	139.2	-
	4/8/2025	1:07 PM	-	39.16	-	69.9	-
	4/9/2025	11:06 AM	-	39.51	-	58.2	-
	4/9/2025	1:07 PM	-	39.53	-	72.3	-
	4/10/2025	10:20 AM	-	40.55	-	56.7	-
	4/10/2025	1:02 PM	-	39.27	-	52.6	-
	4/11/2025	10:10 AM	-	38.85	-	57.5	-
	4/11/2025	12:01 PM	-	38.85	-	59.8	-
	4/12/2025	10:55 AM	-	38.52	-	53.9	-
	4/12/2025	1:45 PM	-	38.53	-	59.7	-
	4/14/2025	9:18 AM	-	37.25	-	102.4	-
	4/14/2025	12:28 PM	-	37.11	-	67.7	-
	4/15/2025	10:36 AM	-	36.18	-	61.6	-
	4/15/2025	12:03 PM	-	36.10	-	70.4	-
	4/16/2025	9:39 AM	-	35.80	-	41.4	-
	4/16/2025	11:07 AM	-	35.75	-	41.7	-
	4/17/2025	9:42 AM	-	35.49	-	51.5	-
	4/17/2025	11:07 AM	-	35.43	-	51.4	-
	4/18/2025	11:20 AM	-	34.44	-	44.3	-
	4/18/2025	12:23 PM	-	34.61	-	35.2	-
	4/19/2025	10:23 AM	-	33.89	-	36.8	-
	4/19/2025	11:32 PM	-	33.87	-	23.0	-
	4/21/2025	11:43 AM	-	33.54	-	28.3	-
	4/22/2025	10:25 AM	-	33.03	-	12.2	-
	4/23/2025	10:27 AM	-	33.35	-	6.1	-
	4/24/2025	10:20 AM	-	32.98	-	21.0	-
	4/25/2025	9:45 AM	-	32.80	-	12.0	-
	4/26/2025	9:59 AM	-	32.05	-	11.8	-
	4/28/2025	10:08 AM	-	32.53	-	17.8	-
	4/29/2025	10:18 AM	-	32.20	-	44.7	-
	4/30/2025	10:37 AM	-	32.21	-	44.6	-
	5/1/2025	10:15 AM	-	32.11	-	73.9	-
	5/2/2025	9:50 AM	-	34.21	-	72.6	-
	5/3/2025	12:55 PM	-	33.24	-	54.0	-
	5/5/2025	10:30 AM	-	33.22	-	21.5	-
	5/6/2025	11:12 AM	-	32.95	-	20.1	-
	5/7/2025	10:44 AM	-	32.42	-	15.1	-
	5/8/2025	10:25 AM	-	32.73	-	15.3	-
	5/9/2025	9:25 AM	-	32.79	-	12.9	-
	5/10/2025	11:24 AM	-	32.84	-	10.3	-
	5/12/2025	11:19 AM	-	32.77	-	12.8	-
	5/13/2025	11:10 AM	-	32.64	-	11.7	-
	5/14/2025	11:00 AM	-	32.20	-	4.8	-
	5/15/2025	11:05 AM	-	32.20	-	16.3	-
	5/16/2025	11:20 AM	-	28.34	-	6.0	-
	5/17/2025	11:05 AM	-	26.81	-	3.1	-
	5/19/2025	11:25 AM	-	25.76	-	23.6	-
	5/20/2025	10:22 AM	-	25.64	-	4.3	-
	5/21/2025	10:42 AM	-	25.22	-	3.2	-
	5/22/2025	10:54 AM	-	24.58	-	3.2	-
	5/23/2025	10:43 AM	-	24.35	-	4.4	-
	5/24/2025	10:54 AM	-	23.97	-	2.6	-
	5/27/2025	11:15 AM	-	22.52	-	0.0	-
	5/28/2025	11:05 AM	-	22.75	-	0.0	-
	5/29/2025	11:20 AM	-	22.77	-	0.0	-
	5/30/2025	10:50 AM	-	22.59	-	7.5	-
	5/31/2025	10:29 AM	-	22.49	-	0.0	-
	6/2/2025	11:02 AM	-	22.71	-	6.4	-
	6/3/2025	1:04 PM	-	23.23	-	7.8	-
	6/4/2025	11:18 AM	-	22.97	-	12.5	-
	6/6/2025	10:53 AM	-	22.99	-	8.2	-
	6/7/2025	10:07 AM	-	22.96	-	11.4	-
	6/9/2025	11:33 AM	-	23.83	-	2.3	-
	6/10/2025	-	-	23.80	-	0.0	-
	6/11/2025	11:20 AM	-	24.35	-	1.2	-
	6/12/2025	10:50 AM	-	24.84	-	8.2	-
	6/13/2025	11:01 AM	-	25.36	-	4.1	-
	6/14/2025	10:25 AM	-	25.10	-	15.1	-
	6/16/2025	10:48 AM	-	25.19	-	0.0	-
	6/17/2025	10:45 AM	-	24.86	-	0.0	-
	6/18/2025	10:50 AM	-	29.24	-	21.7	-
	6/19/2025	11:10 AM	-	26.70	-	11.7	-
	6/20/2025	10:50 AM	-	25.34	-	20.7	-
	6/21/2025	10:15 AM	-	26.94	-	13.8	-
	6/23/2025	11:06 AM	-	26.47	-	5.3	-
	6/23/2025	12:28 PM	-	26.44	-	5.1	-
	6/23/2025	1:48 PM	-	42.90	-	0.8	-
	6/24/2025	9:45 AM	-	42.89	-	0.2	-
	6/24/2025	10:56 AM	-	42.93	-	0.8	-
	6/24/2025	1:21 PM	-	43.01	-	0.7	-
	6/24/2025	2:32 PM	-	43.03	-	0.7	-
	6/25/2025	9:45 AM	-	42.89	-	0.0	-
	6/25/2025	11:05 AM	-	42.99	-	1.7	-
	6/26/2025	9:52 AM	-	42.99	-	0.0	-
	6/27/2025	10:09 AM	-	26.49	-	3.6	-
	6/28/2025	10:39 AM	-	26.50	-	2.6	-
	6/30/2025	11:10 AM	-	26.52	-	2.4	-
	7/1/2025	11:00 AM	-	27.05	-	3.1	-
	7/2/2025	11:20 AM	-	27.37	-	1.9	-
	7/3/2025	12:23 PM	-	26.63	-	3.5	-
	7/5/2025	10:11 AM	-	26.17	-	0.0	-
	7/7/2025	10:59 AM	-	25.76	-	1.5	-
	7/8/2025	11:18 AM	-	26.10	-	0.9	-
	7/9/2025	10:40 AM	-	25.79	-	1.5	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-1	7/10/2025	11:15 AM	-	28.12	-	1.4	-
	7/11/2025	10:10 AM	-	25.38	-	1.0	-
	7/12/2025	10:56 AM	-	25.94	-	0.6	-
	7/14/2025	10:55 AM	-	27.38	-	1.6	-
	7/17/2025	9:50 AM	-	26.69	-	0.5	-
	7/18/2025	9:49 AM	-	26.47	-	0.7	-
	7/19/2025	10:35 AM	-	27.44	-	0.6	-
	7/21/2025	10:16 AM	-	26.39	-	0.5	-
	7/22/2025	10:00 AM	-	26.26	-	0.7	-
	7/23/2025	10:31 AM	-	27.95	-	0.8	-
	7/24/2025	10:43 AM	-	26.47	-	0.9	-
	7/25/2025	10:36 AM	-	26.80	-	0.7	-
	7/26/2025	10:06 AM	-	26.52	-	5.6	-
	7/28/2025	9:56 AM	-	27.95	-	0.0	-
	7/29/2025	10:19 AM	-	27.28	-	0.7	-
	7/30/2025	11:10 AM	-	27.88	-	0.1	-
	7/31/2025	10:10 AM	-	27.88	-	0.8	-
	8/1/2025	10:45 AM	-	28.09	-	0.2	-
	8/2/2025	10:08 AM	-	28.45	-	0.0	-
	8/4/2025	11:44 AM	-	29.09	-	0.0	-
	8/5/2025	10:20 AM	-	29.25	-	2.9	-
	8/6/2025	10:53 AM	-	31.60	-	0.0	-
	8/7/2025	1:35 PM	-	30.96	-	0.0	-
	8/8/2025	10:45 AM	-	31.47	-	0.0	-
	8/9/2025	10:50 AM	-	31.30	-	0.0	-
	8/11/2025	1:49 PM	-	31.34	-	0.0	-
	8/12/2025	10:12 AM	-	33.59	-	0.2	-
	8/13/2025	9:10 AM	-	32.31	-	0.2	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-2	5/22/2025	3:35 PM	-	19.13	-	18.7	-
	5/23/2025	-	-	19.00	-	163.7	-
	5/24/2025	10:22 AM	-	18.30	-	244.8	Water could be heard trickling in the well
	5/27/2025	10:08 AM	-	19.77	-	31.7	-
	5/28/2025	9:50 AM	-	20.27	-	10.2	-
	5/29/2025	9:45 AM	-	20.70	-	0.0	-
	5/30/2025	9:50 AM	-	19.82	-	4.3	-
	5/31/2025	10:34 AM	-	20.07	-	0.0	-
	6/2/2025	9:52 AM	-	19.51	-	18.7	-
	6/3/2025	11:54 AM	-	19.24	-	14.8	-
	6/4/2025	11:02 AM	-	19.98	-	0.9	Well was developed via surge and purge (approximately 115 gallons of groundwater)
	6/5/2025	9:11 AM	-	20.45	-	16.5	-
	6/5/2025	11:37 AM	22.08	22.19	0.11	-	LNAPL detected after purging approximately 130 gallons of water; bailed approximately 4 gallons of LNAPL
	6/5/2025	12:12 PM	21.59	21.60	0.01	-	Bailed approximately 1.25 gallons of LNAPL
	6/5/2025	1:48 PM	22.59	22.60	0.01	-	Pumped approximately 30 gallons groundwater / 20 gallons LNAPL
	6/5/2025	2:53 PM	-	21.75	-	-	Socks deployed
	6/6/2025	09:15 AM	-	21.48	-	12.7	Socks removed (100% saturated)
	6/6/2025	11:19 AM	26.05	26.07	0.02	-	Pump approximately 175 gallons groundwater, 1 gallon of LNAPL
	6/6/2025	11:45 AM	-	23.16	-	-	-
	6/7/2025	10:25 AM	-	20.79	-	47.6	Socks <15% saturated
	6/9/2025	9:13 AM	*	21.89	*	6.7	* IFP did not detect the LNAPL during gauging Approximately 0.9 feet in bailer; 0.25 gallons bailed; Sock replaced (100% saturated)
	6/9/2025	12:25 PM	*	22.31	*	-	-
	6/10/2025	11:41 AM	23.73	24.03	0.30	-	1.75 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/10/2025	2:00 PM	26.21	26.24	0.03	-	-
	6/11/2025	10:00 AM	22.33	22.45	0.12	-	2.5 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/11/2025	11:36 AM	-	26.30	-	-	-
	6/12/2025	11:05 AM	-	22.10	-	198	2.5 gallons of LNAPL recovered via pumping
	6/12/2025	11:36 AM	-	26.30	-	-	-
	6/13/2025	9:30 AM	22.32	22.37	0.05	308	Groundwater recovery via pumping (225 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/13/2025	11:17 AM	-	26.32	-	-	-
	6/14/2025	10:53 AM	22.35	22.39	0.04	235	Approximately 0.3 gallons of LNAPL hand bailed
	6/16/2025	9:15 AM	22.02	22.15	0.13	594	Groundwater recovery via pumping (200 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/16/2025	-	-	25.30	-	-	-
	6/17/2025	12:53 PM	22.53	23.02	0.49	253	Groundwater recovery via pumping (100 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/17/2025	-	24.47	24.70	0.23	-	-
	6/18/2025	9:45 AM	22.20	22.89	0.69	286	Groundwater recovery via pumping (200 gallons); Approximately 0.69 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/18/2025	-	23.80	23.82	0.02	-	-
	6/19/2025	9:10 AM	22.25	22.30	0.05	45.3	Groundwater recovery via pumping (200 gallons); Approximately 1.6 gallons of LNAPL recovered; Sock replaced (70% saturated)
	6/19/2025	-	24.15	24.17	0.02	-	-
	6/20/2025	9:16 AM	21.39	21.56	0.17	295.5	Groundwater recovery via pumping (200 gallons); Approximately 1.7 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/20/2025	-	25.40	25.41	0.01	-	-
	6/21/2025	10:30 AM	-	23.70	-	120.1	Sock replaced (60% saturated)
	6/23/2025	10:21 AM	22.90	22.93	0.03	-	-
	6/24/2025	9:17 AM	22.73	22.80	0.07	18.3	Bailed approximately 0.5 gallons of LNAPL
	6/24/2025	1:09 PM	22.80	22.85	0.05	260.4	-
	6/24/2025	2:45 PM	22.65	22.70	0.05	78.4	-
	6/25/2025	9:16 AM	22.65	22.68	0.03	70.8	-
	6/25/2025	10:37 AM	22.91	23.00	0.09	61.2	-
	6/25/2025	12:00 PM	22.84	22.95	0.11	68.4	-
	6/26/2025	9:19 AM	22.71	22.87	0.16	68.8	-
	6/27/2025	8:58 AM	22.66	24.50	1.84	105.3	-
	6/28/2025	11:13 AM	22.97	23.98	1.01	114.6	-
	6/30/2025	9:15 AM	22.62	22.90	0.28	71.5	Bailed approximately 0.5 gallons of LNAPL
	6/30/2025	-	-	23.54	-	-	-
	7/1/2025	9:00 AM	23.39	25.40	2.01	358.2	Bailed approximately 0.4 gallons of LNAPL after pump down for geophysics. Replaced sock (80% saturated)
	7/1/2025	-	24.60	24.62	0.02	-	-
	7/1/2025	12:25 PM	25.38	25.40	0.02	362.3	-
	7/2/2025	9:00 AM	23.50	23.65	0.15	285.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (80% saturated)
	7/2/2025	-	26.35	26.36	0.01	-	-
	7/2/2025	1:05 PM	28.42	28.44	0.02	293.6	-
	7/3/2025	9:01 AM	23.69	23.70	0.01	442.5	Bailed approximately 0.1 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	-	23.79	23.80	0.01	-	Passive skimmer installed
	7/5/2025	11:46 AM	-	22.80	-	374.4	-
	7/5/2025	12:27 PM	-	22.83	-	118.3	-
	7/7/2025	10:20 AM	23.02	23.03	0.01	168.0	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	10:25 AM	23.70	23.85	0.15	164.8	Recovered approximately 0.4 gallons of LNAPL via skimmer
	7/9/2025	11:28 AM	23.80	24.45	0.65	207.0	Recovered approximately 0.24 gallons of LNAPL via skimmer
	7/10/2025	10:04 AM	23.24	23.30	0.06	274.7	Recovered approximately 0.64 gallons of LNAPL via skimmer
	7/11/2025	9:12 AM	23.28	23.29	0.01	-	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/11/2025	-	23.34	23.55	0.21	-	Recovered approximately 0.85 gallons of LNAPL via skimmer
	7/12/2025	9:30 AM	23.49	23.69	0.20	205.5	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/14/2025	9:55 AM	24.31	24.33	0.02	139.3	Recovered approximately 0.7 gallons of LNAPL via skimmer
	7/14/2025	12:35 PM	23.93	23.96	0.03	124.8	Recovered approximately 0.06 gallons of LNAPL via skimmer
	7/15/2025	10:15 AM	24.64	24.77	0.13	164.7	Recovered approximately 0.4 gallons of LNAPL via skimmer.
	7/15/2025	12:47 PM	26.31	26.32	0.01	178.5	Recovered 2.5 gallons of LNAPL via pumping
	7/16/2025	10:08 AM	23.65	23.80	0.15	132.2	Recovered approximately 0.05 gallons of LNAPL via skimmer.
	7/16/2025	12:35 PM	27.00	27.03	0.03	154.9	Recovered 2.2 gallons of LNAPL via pumping
	7/17/2025	10:00 AM	23.37	23.80	0.43	151.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/17/2025	12:55 PM	27.85	27.86	0.01	163.5	Recovered 2.52 gallons of LNAPL via pumping
	7/18/2025	10:00 AM	23.84	23.85	0.01	100.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/18/2025	1:13 PM	-	24.35	-	97.6	Recovered 2.3 gallons of LNAPL via pumping
	7/19/2025	10:00 AM	27.94	27.96	0.02	103.4	-
	7/21/2025	10:33 AM	24.81	24.83	0.02	103.3	Recovered approximately 0.06 gallons of LNAPL via skimmer.
	7/21/2025	1:00 PM	-	28.00	-	-	Recovered approximately 0.26 gallons of LNAPL via skimmer.
	7/22/2025	10:06 AM	24.23	24.29	0.06	92.4	Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/22/2025	12:30 PM	-	26.78	-	98.7	-
	7/23/2025	9:00 AM	24.25	24.50	0.25	119.5	Recovered approximately 2.52 gallons of LNAPL via pumping.
	7/23/2025	12:30 PM	24.70	24.75	0.05	-	-
	7/23/2025	12:45 PM	-	25.40	-	122.3	-
	7/24/2025	9:47 AM	-	24.21	-	113.6	Recovered approximately 0.65 gallons of LNAPL via skimmer.
	7/24/2025	1:05 PM	-	27.29	-	-	Recovered approximately 2.5 gallons of LNAPL via pumping.
	7/25/2025	10:03 AM	23.97	24.03	0.06	73.6	Recovered approximately 0.13 gallons of LNAPL via skimmer.
	7/25/2025	10:05 AM	-	24.74	-	-	Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/25/2025	1:00 PM	-	26.30	-	-	-
	7/26/2025	11:10 AM	24.25	24.27	0.02	107.6	Recovered approximately 0.53 gallons of LNAPL via skimmer.
	7/28/2025	10:12 AM	24.19	24.65	0.46	370.4	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2 gallons via pumping.
	7/28/2025	1:15 PM	-	27.01	-	-	-
	7/29/2025	9:44 AM	25.05	25.25	0.20	110.4	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.7 gallons via pumping.
	7/29/2025	1:30 PM	-	26.56	-	111.6	-
	7/30/2025	9:47 AM	25.01	25.29	0.28	36.4	Recovered approximately 0.52 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	7/30/2025	1:06 PM	-	27.92	-	-	-
	7/31/2025	9:40 AM	25.69	25.95	0.26	56.2	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	7/31/2025	1:05 PM	28.70	28.71	0.01	64.6	-
	8/1/2025	10:05 AM	25.79	25.95	0.16	81.1	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.4 gallons via pumping.
	8/1/2025	1:15 PM	-	28.08	-	-	-
	8/2/2025	10:37 AM	25.05	25.60	0.55	269.9	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/4/2025	10:15 AM	25.75	26.00	0.25	305.2	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/4/2025	12:40 PM	27.10	27.11	0.01	-	Recovered approximately 0.9 gallons of LNAPL via pumping
	8/5/2025	9:35 AM	24.88	25.23	0.35	152.3	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/5/2025	11:52 AM	-	26.75	-	-	-
	8/6/2025	9:37 AM	24.30	24.68	0.38	124.2	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/6/2025	12:56 PM	-	26.50	-	-	-
	8/7/2025	9:37 AM	24.51	24.65	0.14	151.0	Recovered approximately 0.39 gallons of LNAPL via skimmer and pumping
	8/7/2025	11:41 AM	26.89	26.91	0.02	-	-
	8/8/2025	9:50 AM	25.00	25.15	0.15	197.8	Recovered approximately 1.10 gallons of LNAPL via skimmer and pumping
	8/8/2025	1:10 PM	-	25.78	-	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-2	8/9/2025	9:40 AM	25.35	25.88	0.53	37.5	Recovered approximately 0.6 gallons of LNAPL via skimmer
	8/9/2025	11:30 AM	25.43	25.51	0.08	-	-
	8/11/2025	10:41 AM	24.84	25.92	1.08	218.3	Recovered approximately 0.97 gallons of LNAPL via skimmer and pumping
	8/11/2025	1:30 PM	-	26.05	-	-	-
	8/12/2025	11:01 AM	26.11	26.14	0.03	115.7	Recovered approximately 1.05 gallons of LNAPL via skimmer and pumping
	8/12/2025	1:45 PM	-	28.84	-	-	-
	8/13/2025	9:50 AM	25.60	25.72	0.12	103.8	Recovered approximately 0.73 gallons of LNAPL via skimmer and pumping
	8/13/2025	1:30 PM	26.61	26.63	0.02	-	-



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-3	5/23/2025	9:10 AM	19.71	19.75	0.04	686	Approximately 1 - 2 gallons of LNAPL purged via pump
	5/24/2025	10:12 AM	19.49	19.49	-	139.3	Sheen observed; bailed approximately 0.01 gallons of LNAPL
	5/27/2025	10:15 AM	25.08	25.10	0.02	120.0	Approximately 0.2 gallons of LNAPL bailed. Sock was removed (60%)
	5/27/2025	12:10 PM	23.03	23.07	0.04	92.4	Approximately 0.2 gallons of LNAPL bailed
	5/28/2025	10:05 AM	20.21	20.36	0.15	568.3	Approximately 0.15 gallons of LNAPL bailed
	5/28/2025	12:05 PM	20.31	20.43	0.12	570.1	Approximately 0.15 gallons of LNAPL bailed
	5/29/2025	10:00 AM	20.02	20.29	0.27	460.5	Approximately 0.2 gallons of LNAPL bailed
	5/29/2025	12:35 PM	20.00	20.31	0.31	810.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	10:15 AM	20.11	20.60	0.49	892.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	11:50 AM	20.05	20.38	0.33	550.9	Approximately 0.2 gallons of LNAPL bailed
	5/31/2025	10:39 AM	20.49	21.07	0.58	1,039	Approximately 2 gallons of LNAPL bailed
	6/2/2025	9:57 AM	20.50	20.90	0.40	492.1	Approximately 0.5 gallons of LNAPL bailed
	6/2/2025	10:32 AM	20.76	20.84	0.08	-	-
	6/3/2025	12:05 PM	20.21	20.28	0.07	533.1	Approximately 0.5 gallons of LNAPL bailed
	6/3/2025	1:40 PM	20.18	20.19	0.01	481.4	Absorbent Sock Deployed
	6/4/2025	12:40 PM	20.98	21.23	0.25	522.7	Sock was removed (100% saturated); well was developed; approximately 110 gallons of groundwater and 1 gallon of LNAPL purged)
	6/4/2025	1:02 PM	24.15	24.16	0.01	133.8	Absorbent Sock Deployed
	6/5/2025	9:16 AM	21.21	21.34	0.13	619.8	Sock was removed (100% saturated)
	6/5/2025	10:10 AM	21.96	21.97	0.01	-	-
	6/5/2025	11:09 AM	21.31	21.32	0.01	-	Grundfos pump used to pump down water level; approximately 1.67 gallons of LNAPL and 200 gallons of groundwater were extracted
	6/6/2025	9:18 AM	21.41	21.52	0.11	233	Socks removed (100% saturated); hand bailed LNAPL 1.75 gallons removed
	6/6/2025	10:36 AM	30.04	30.05	0.01	-	Socks removed (100% saturated); pump approximately 50 gallons groundwater, approximately 20 gallons were LNAPL
	6/7/2025	10:31 AM	-	21.04	-	336.2	Sock removed (100% saturated)
	6/9/2025	9:25 AM	22.40	22.51	0.11	548	Sock removed (100% saturated); approximatley 2 gallons LNAPL bailed
	6/9/2025	12:47 PM	22.97	23.00	0.03	-	-
	6/10/2025	10:00 AM	24.67	24.91	0.24	704	1.75 gallons of LNAPL recovered via pumping; Sock removed (50% saturated); groundwater + LNAPL recovery via pumping (175 gallons)
	6/10/2025	12:42 PM	26.56	26.58	0.02	-	-
	6/11/2025	12:00 PM	-	22.30	-	-	Sock removed (100% saturated); groundwater recovery via pumping (170 gallons)
	6/11/2025	14:45 PM	-	33.05	-	-	-
	6/12/2025	9:45 AM	22.59	22.66	0.07	239	Sock removed (100% saturated); groundwater recovery via pumping (90 gallons); approximately 1.75 gallons of LNAPL
	6/12/2025	11:00 AM	32.08	32.11	0.03	-	-
	6/13/2025	10:45 AM	22.88	22.96	0.08	166	Sock removed (50% saturated); groundwater recovery via pumping (225 gallons); approximately 2.5 gallons of LNAPL
	6/13/2025	2:00 PM	37.54	37.61	0.07	-	-
	6/14/2025	10:45 AM	22.68	22.69	0.01	331	Approximately 0.4 gallons of LNAPL were hand bailed
	6/16/2025	12:30 PM	22.90	23.05	0.15	1119	Sock removed (100% saturated); groundwater recovery via pumping (200 gallons); approximately 0.88 gallons of LNAPL
	6/16/2025	-	31.55	31.57	0.02	-	-
	6/17/2025	9:55 AM	22.50	22.55	0.05	267	Sock removed (80% saturated); groundwater recovery via pumping (185 gallons); approximately 0.8 gallons of LNAPL
	6/17/2025	-	44.11	44.13	0.02	-	-
	6/18/2025	12:23 PM	22.85	23.10	0.25	452	Sock removed (65% saturated); groundwater recovery via pumping (200 gallons); approximately 0.25 gallons of LNAPL
	6/18/2025	-	-	39.95	-	-	-
	6/19/2025	1:00 PM	22.78	23.03	0.25	459.1	Sock removed (40% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/19/2025	-	28.48	28.49	0.01	-	-
	6/20/2025	9:30 AM	22.98	23.04	0.06	251.4	Sock removed (50% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/20/2025	-	27.07	27.09	0.02	-	-
	6/21/2025	10:45 AM	24.29	24.65	0.36	351.1	Sock replaced (50% saturated)
	6/21/2025	12:20 PM	23.66	23.87	0.21	256.4	-
	6/23/2025	10:36 AM	23.01	23.64	0.63	307.4	-
	6/23/2025	12:18 PM	22.93	23.50	0.57	350.3	-
	6/23/2025	2:08 PM	22.86	23.39	0.53	338.3	-
	6/24/2025	9:39 AM	22.59	23.68	1.09	388.0	-
	6/24/2025	10:34 AM	22.60	23.70	1.10	189.3	Approximately 1.0 gallons of LNAPL bailed
	6/26/2025	9:23 AM	22.61	22.87	0.26	614.4	-
	6/26/2025	12:08 PM	23.02	23.35	0.33	45.9	-
	6/26/2025	12:53 PM	23.15	23.42	0.27	179.9	-
	6/26/2025	2:02 PM	23.55	23.86	0.31	50.7	-
	6/27/2025	9:22 AM	22.94	23.29	0.35	508.0	-
	6/28/2025	11:40 AM	22.91	23.00	0.09	298.3	-
	6/28/2025	12:20 PM	21.85	22.07	0.22	287.1	-
	6/30/2025	8:55 AM	22.97	23.19	0.22	247.1	Bailed approximately 0.25 gallons of LNAPL
	6/30/2025	-	-	23.35	-	-	-
	6/30/2025	12:35 PM	-	25.02	-	502.5	-
	7/1/2025	-	23.81	23.83	0.02	309.2	-
	7/1/2025	12:05 PM	25.22	25.24	0.02	286.4	-
	7/2/2025	11:30 AM	23.22	23.40	0.18	578.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (65% saturated)
	7/2/2025	-	29.26	29.28	0.02	-	-
	7/2/2025	1:25 PM	28.70	28.71	0.01	472.1	-
	7/3/2025	10:00 AM	23.30	23.49	0.19	538.9	Bailed approximately 0.06 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	-	23.58	23.60	0.02	-	Passive skimmer installed
	7/5/2025	11:20 AM	23.61	23.75	0.14	489.1	Bailed approximately 0.16 gallons of LNAPL
	7/5/2025	11:38 AM	24.10	24.11	0.01	-	Bailed approximately 0.04 gallons of LNAPL
	7/5/2025	12:36 PM	-	24.14	-	215.4	-
	7/7/2025	10:08 AM	-	23.31	-	292.1	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	10:45 AM	22.58	23.02	0.44	281.7	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/9/2025	11:50 AM	22.90	23.60	0.70	524.4	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/10/2025	10:25 AM	23.04	23.33	0.29	513.5	Recovered approximately 0.16 gallons of LNAPL via skimmer
	7/11/2025	10:30 AM	23.62	24.13	0.51	-	Recovered approximately 0.05 gallons of LNAPL via skimmer
	7/11/2025	12:15 PM	22.94	23.56	0.62	-	Bailed approximately 0.05 gallons of LNAPL
	7/12/2025	9:45 AM	22.90	23.20	0.30	425.1	Recovered approximately 0.5 gallons of LNAPL via skimmer
	7/14/2025	10:04 AM	23.32	23.58	0.26	401.2	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/14/2025	12:45 AM	23.24	23.50	0.26	418.4	Recovered approximately 0.03 gallons of LNAPL via skimmer
	7/15/2025	10:35 AM	23.45	23.63	0.18	306.7	Recovered approximately 0.09 gallons of LNAPL via skimmer. Recovered 2 gallons of LNAPL via pumping
	7/15/2025	2:30 PM	29.98	30.00	0.02	323.1	-
	7/16/2025	9:48 AM	23.74	23.75	0.01	337.2	Recovered approximately 0.05 gallons of LNAPL via skimmer. Recovered 2 gallons of LNAPL via pumping
	7/16/2025	2:30 PM	-	29.40	-	325.6	-
	7/17/2025	12:30 PM	24.30	24.39	0.09	260.2	Recovered approximately 0.07 gallons of LNAPL via skimmer. Recovered 2.0 gallons of LNAPL via pumping
	7/17/2025	12:55 PM	-	31.93	-	258.4	-
	7/18/2025	10:15 AM	24.15	24.20	0.05	286.8	Recovered approximately 0.01 gallons of LNAPL via skimmer. Recovered approximately 1.8 gallons of LNAPL via pumping
	7/18/2025	2:30 PM	-	29.21	-	269.1	-
	7/19/2025	10:20 AM	24.58	24.60	0.02	296.6	No recovery in skimmer; insufficient volume to recovery LNAPL with bailing



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-3	7/21/2025	11:05 AM	24.32	24.60	0.28	254.2	Recovered approximately 0.1 gallons of LNAPL via skimmer. Recovered approximately 1.5 gallons of LNAPL via pumping
	7/21/2025	2:30 PM	-	25.40	-	-	-
	7/22/2025	10:21 AM	23.95	23.96	0.01	235.6	Recovered approximately 0.26 gallons of LNAPL via skimmer. Recovered approximately 1.6 gallons of LNAPL via pumping
	7/22/2025	2:29 PM	-	27.85	-	224.5	-
	7/23/2025	9:15 AM	24.05	24.10	0.05	242.0	Recovered approximately 0.05 gallons of LNAPL via hand bailing.
	7/23/2025	1:13 PM	-	24.31	-	-	-
	7/24/2025	10:16 AM	-	25.02	-	116.4	Recovered approximately 0.13 gallons of LNAPL via skimmer; Recovered approximately 0.5 gallons of LNAPL via pumping
	7/24/2025	2:35 PM	-	28.65	-	-	-
	7/25/2025	10:15 AM	-	23.98	-	166.7	Recovered approximately 0.08 gallons of LNAPL via skimmer; Recovered approximately 1.1 gallons of LNAPL via pumping
	7/25/2025	10:16 AM	-	24.30	-	-	-
	7/25/2025	2:30 PM	-	26.70	-	-	-
	7/26/2025	10:45 AM	-	24.30	-	197.4	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/28/2025	10:28 AM	-	24.11	-	67.7	Recovered approximately 0.4 gallons of LNAPL via skimmer; and 1 gallon via pumping
	7/28/2025	2:21 PM	-	29.50	-	0.0	-
	7/29/2025	10:00 AM	-	24.76	-	274.5	Recovered approximately 0.1 gallons of LNAPL via skimmer; and 0.5 gallon via pumping
	7/29/2025	2:30 PM	-	26.38	-	255.1	-
	7/30/2025	10:02 AM	24.60	24.62	0.02	161.1	Recovered approximately 0.70 gallons of LNAPL via pumping
	7/30/2025	2:30 PM	-	28.47	-	-	-
	7/31/2025	9:54 AM	25.15	25.16	0.01	192.0	Recovered approximately 0.50 gallons of LNAPL via pumping
	7/31/2025	2:30 PM	-	30.19	-	177.3	-
	8/1/2025	10:17 AM	-	25.01	-	238.7	Recovered approximately 0.30 gallons of LNAPL via pumping
	8/1/2025	2:15 PM	-	29.44	-	-	-
	8/2/2025	10:25 AM	24.55	24.57	0.02	274.3	-
	8/4/2025	12:50 PM	25.10	25.33	0.23	370.4	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/4/2025	1:45 PM	-	26.10	-	-	-
	8/5/2025	12:02 PM	24.44	24.45	0.01	221.0	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/5/2025	1:15 PM	-	27.35	-	-	-
	8/6/2025	11:03 AM	23.98	23.99	0.01	432.6	Recovered approximately <0.1 gallons of LNAPL via skimmer
	8/7/2025	10:47 AM	23.91	23.97	0.06	366.5	Recovered approximately 0.03 gallons of LNAPL via skimmer
	8/7/2025	12:36 PM	-	27.49	-	-	-
	8/8/2025	12:20 PM	22.05	22.06	0.01	206.2	-
	8/9/2025	10:20 AM	24.80	24.85	0.05	318.2	Recovered approximately 0.3 gallons of LNAPL via skimmer
	8/9/2025	1:33 PM	-	24.94	-	-	-
	8/11/2025	11:18 AM	24.40	24.46	0.06	194.2	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/11/2025	11:35 AM	24.80	24.81	0.01	-	-
	8/12/2025	11:05 AM	24.80	24.81	0.01	225	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/12/2025	11:15 AM	24.96	24.96	0.00	-	-
	8/13/2025	9:55 AM	24.80	24.81	0.01	231	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing



Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-4	5/23/2025	9:00 AM	-	13.48	-	59	-
	5/24/2025	10:03 AM	-	12.83	-	25.8	-
	5/27/2025	10:25 AM	-	15.39	-	0.0	-
	5/28/2025	10:40 AM	-	13.17	-	4.1	-
	5/29/2025	10:35 AM	-	12.74	-	1.7	-
	5/30/2025	9:55 AM	-	12.37	-	6.2	-
	5/31/2025	11:10 AM	-	12.24	-	0.0	-
	6/2/2025	10:39 AM	-	11.90	-	8.4	-
	6/3/2025	12:02 PM	-	11.95	-	11.8	-
	6/4/2025	9:18 AM	-	12.14	-	0.0	Well was developed via surge and purge (approximately 60 gallons of groundwater)
	6/5/2025	9:09 AM	-	13.51	-	103.2	Well was purged (approximately 55 gallons of groundwater) and a sample collected after purging
	6/6/2025	9:09 AM	-	13.87	-	47.1	-
	6/7/2025	10:20 AM	-	13.25	-	63.9	-
	6/9/2025	9:30 AM	-	13.98	-	24.9	Sock 50% saturated (silty appearance)
	6/10/2025	9:53 AM	-	13.73	-	15.8	-
	6/11/2025	10:10 AM	-	12.53	-	3.2	-
	6/12/2025	10:00 AM	-	12.56	-	2.7	-
	6/13/2025	10:43 AM	-	12.77	-	11.2	-
	6/14/2025	10:59 AM	-	13.08	-	24.5	-
	6/16/2025	10:02 AM	-	12.79	-	24.0	-
	6/17/2025	9:28 AM	-	11.30	-	4.7	-
	6/18/2025	10:00 AM	-	13.19	-	4.8	-
	6/19/2025	10:04 AM	-	13.32	-	5.8	-
	6/20/2025	12:15 PM	-	13.20	-	3.0	-
	6/21/2025	11:00 AM	-	14.12	-	4.8	-
	6/23/2025	10:34 AM	-	13.35	-	3.7	-
	6/23/2025	12:22 PM	-	13.39	-	2.8	-
	6/23/2025	2:29 PM	-	13.38	-	7.1	-
	6/24/2025	9:36 AM	-	13.49	-	8.1	-
	6/24/2025	10:50 AM	-	13.55	-	3.7	-
	6/24/2025	1:12 PM	-	13.51	-	0.7	-
	6/24/2025	2:39 PM	-	13.53	-	9.9	-
	6/25/2025	9:11 AM	-	13.51	-	58.6	-
	6/25/2025	10:28 AM	-	13.61	-	35.9	-
	6/25/2025	11:55 AM	-	13.59	-	15.1	-
	6/26/2025	9:59 AM	-	13.72	-	28.6	-
	6/26/2025	10:52 AM	-	13.89	-	20.4	-
	6/26/2025	12:02 PM	-	13.91	-	14.1	-
	6/26/2025	12:59 PM	-	13.94	-	12.2	-
	6/26/2025	2:05 PM	-	13.91	-	54.0	-
	6/26/2025	2:59 PM	-	13.98	-	83.9	-
	6/26/2025	3:57 PM	-	13.84	-	64.9	-
	6/27/2025	10:23 AM	-	14.06	-	0.8	-
	6/28/2025	12:00 PM	-	14.42	-	13.8	-
	6/30/2025	8:40 AM	-	15.08	-	7.0	-
	7/1/2025	11:15 AM	-	21.11	-	12.5	-
	7/2/2025	12:00 PM	-	18.42	-	7.6	-
	7/3/2025	12:00 PM	-	16.39	-	15.6	-
	7/5/2025	11:07 AM	-	16.50	-	11.4	-
	7/7/2025	10:41 AM	-	16.53	-	3.3	-
	7/8/2025	10:58 AM	-	17.03	-	4.9	-
	7/9/2025	11:01 AM	-	17.21	-	4.1	-
	7/10/2025	10:45 AM	-	16.47	-	2.5	-
	7/11/2025	9:54 AM	-	17.25	-	3.5	-
	7/12/2025	10:02 AM	-	16.74	-	3.1	-
	7/14/2025	10:11 AM	-	17.31	-	3.3	-
	7/15/2025	10:10 AM	-	17.05	-	3.3	-
	7/16/2025	9:37 AM	-	16.51	-	1.9	-
	7/17/2025	9:40 AM	-	15.05	-	1.2	-
	7/18/2025	9:42 AM	-	14.93	-	3.0	-
	7/19/2025	9:45 AM	-	15.64	-	2.3	-
	7/21/2025	10:00 AM	-	17.60	-	1.5	-
	7/22/2025	9:50 AM	-	18.41	-	1.8	-
	7/23/2025	10:22 AM	-	17.93	-	3.4	-
	7/24/2025	10:12 AM	-	17.51	-	3.4	-
	7/25/2025	9:52 AM	-	16.95	-	5.5	-
	7/26/2025	10:38 AM	-	17.11	-	3.4	-
	7/28/2025	10:23 AM	-	14.09	-	0.0	-
	7/29/2025	9:39 AM	-	17.82	-	3.6	-
	7/30/2025	9:40 AM	-	17.75	-	3.5	-
	7/31/2025	9:32 AM	-	19.30	-	2.7	-
	8/1/2025	10:00 AM	-	18.27	-	1.3	-
	8/2/2025	10:18 AM	-	17.75	-	0.0	-
	8/4/2025	11:58 AM	-	17.90	-	0.0	-
	8/5/2025	10:27 AM	-	17.83	-	72.6	-
	8/6/2025	10:41 AM	-	17.54	-	2.0	-
	8/7/2025	11:57 AM	-	17.52	-	2.6	-
	8/8/2025	1:42 PM	-	17.31	-	0.0	-
	8/9/2025	10:10 AM	-	18.15	-	0.0	-
	8/11/2025	11:41 AM	-	18.49	-	1.0	-
	8/12/2025	10:36 AM	-	19.02	-	0.5	-
	8/13/2025	9:45 AM	-	19.50	-	0.3	-

Notes:
ft. = feet
LNAPL = Light Non-Aqueous Phase Liquid
LEL - Lower Explosive Limit
NA = Not Applicable
Well head screening is completed with a photoionization detector (PID).