

Sunoco Pipeline LP

Remedial Action Progress Report #2

Twin Oaks to Newark 14" Diameter Pipeline Release

Glenwood Drive, Washington Crossing, PA 18977

Upper Makefield Township

Bucks County, PA

September 10, 2025





Remedial Action Progress Report #2

Twin Oaks to Newark Pipeline 14" Pipeline
Release
Glenwood Drive, Washington Crossing
Sunoco Pipeline LP
Upper Makefield Township, Bucks County, PA

Prepared for:
Sunoco Pipeline LP
525 Fritztown Road
Sinking Spring, PA 19608

Prepared by:
Groundwater & Environmental Services, Inc.
410 Eagleview Blvd, Suite 110
Exton, PA 19341
TEL: 800-220-3068
www.gesonline.com


Date:
September 10, 2025

A handwritten signature in blue ink, appearing to read "Stephanie R. Grillo", written over a horizontal line.

Stephanie R. Grillo
Principal Project Manager

A handwritten signature in black ink, appearing to read "Gregory J. Rosenzweig", written over a horizontal line.

Gregory J. Rosenzweig, P.G.
Senior Geologist



By affixing my seal to this document, I am certifying that to the best of my knowledge the information is true and correct. I further certify that I am licensed to practice geology in the Commonwealth of Pennsylvania and that it is within my professional expertise to verify the correctness of the information.



Table of Contents

1	General	1
2	Investigation Timeline	1
3	Documents Submitted to DEP	4
4	Site Topography, Geology, and Hydrogeology	5
4.1	Topography and Regional Geology	5
4.2	Regional Hydrogeology	6
4.3	Groundwater Elevations	6
5	Site Characterization Activities and Results	7
5.1	Potable Well Sampling	7
5.2	Soil Investigation	7
5.3	Geophysics	8
5.4	Surface Water Visual Assessment.....	9
5.5	Vapor Intrusion Characterization	10
5.5.1	Indoor Air.....	10
5.5.2	Sub-Slab Soil Gas	10
5.6	Passive Soil Gas	11
5.7	Packer and Pumping Testing.....	11
5.8	Recovery Well Installation	12
5.9	Monitoring Well Installation.....	12
5.10	Groundwater Sampling.....	13
5.11	Liquid Level Gauging / Extent of Light Non-Aqueous Phase Liquid	13
5.11.1	Private Water Wells	13
5.11.2	Recovery Wells.....	14
5.11.3	Monitoring Wells	14
6	Interim Remedial Action Implementation and Results	14
6.1	Soil	14
6.2	Groundwater.....	15
7	Public Involvement Activities	15
8	Planned Site Characterization Work and Remedial Actions	16



Figures

Figure 1 – Site Location Map

Figure 2 – Potable Well Analytical Results Summary Map

Figure 3 – Site Map

Tables

Table 1 – Potable Well Analytical Results Summary

Table 2 – Packer Test Analytical Data Summary

Table 3 – Soil Analytical Results Summary

Table 4 – Groundwater Analytical Results Summary

Table 5 – Liquid Level Gauging Data Summary

Table 6 – Monitoring Well Liquid Level Gauging Data Summary

Appendices

Appendix A – Surface Water Sample Location Map and Visual Assessment

Appendix B – Well Logs

1 General

In accordance with paragraph 2.b.v. of the Pennsylvania Department of Environmental Protection's ("DEP") March 6, 2025 Administrative Order (the "Order"), Groundwater & Environmental Services, Inc. ("GES"), on behalf of Sunoco Pipeline LP ("SPLP"), has prepared this *Remedial Action Progress Report #2* for Glenwood Drive, Washington Crossing, PA 18977 for the Twin Oaks to Newark 14" Diameter Pipeline Release.

In January 2025, SPLP identified a release of petroleum hydrocarbons (jet fuel) from a 14-inch diameter pipeline located near the intersection of Glenwood Drive and Walker Road, Upper Makefield Township, Bucks County, Pennsylvania (the "Release Location"). The Site is situated in a rural residential area in Upper Makefield Township, Bucks County, Pennsylvania (the "Site"). A Site Location Map is included as **Figure 1**. The pipeline was subsequently exposed for repairs. During the initial rapid response, light non-aqueous phase liquid ("LNAPL") from the release was detected in groundwater and Site investigation and remediation efforts were initiated.

This report includes a summary of information previously provided to the DEP in meetings, daily and weekly reports, the Interim Remedial Action Plan, and other documents that have been submitted to DEP. In accordance with paragraph 2.b.v. of the Order, the first Remedial Action Progress Report was submitted on June 12, 2025. This Remedial Action Progress Report #2 provides an update on the characterization activities and results, remedial action implementation and results, public involvement activities, planned site characterization work, and remedial actions completed to date.

2 Investigation Timeline

SPLP has performed the following site characterization and sampling activities to date:

- Week of January 20-27, 2025 – Photoionization detector ("PID") monitor/probe readings taken to evaluate the presence of volatile organic compounds ("VOCs") along the pipeline right-of-way ("ROW").
- January 23, 2025 – Potable water sampling at eight (8) properties on Spencer Road, Glenwood Drive, and Walker Road; a LNAPL sample was also collected from one (1) property on Spencer Road.
- January 24-31, 2025 – Potable water samples collected at a total of thirty (30) properties in the Mt. Eyre neighborhood (with 33 samples collected).
- January 24, 2025 to Present - Potable water sampling on a near-daily basis in accordance with the Sampling and Analysis Plan.
- January 29, 2025 – LNAPL collected from two (2) wells on Spencer Drive.
- January 29, 2025 to Present - Routine (up to daily) gauging and bailing of LNAPL from recovery wells and residential wells.
- January 30, 2025 – Pipeline excavated at a location on Bruce Road and Glenwood Drive.

- January 31, 2025 – Continued excavation of pipeline along Glenwood Drive and discovery of release.
- February 2, 2025 – Completion of repair of affected section of pipeline, and excavation of impacted soils at the Release Location.
- February 3, 2025 – Ground Penetrating Radar (“GPR”) scanning used to confirm pipeline locations.
- February 3, 2025 – Direct push soil borings conducted at eight (8) locations along Glenwood Drive.
- February 4, 2025 – Post-excavation soil sampling performed.
- February 5, 2025 – Testing of product recovery potential at one (1) property on Glenwood Drive.
- February 6, 2024 – Mapping and review of photolinears/topographic linears.
- February 10, 2025 – Performed downhole geophysical logging of potable well at one (1) property on Glenwood Drive.
- February 11, 2025 – Additional post-excavation soil sampling performed.
- February 17-18 – Performed downhole geophysical logging of former potable well at one (1) property on Spencer Road.
- February 20-March 7, 2025 – Electric Resistivity Imaging (“ERI”) performed to map locations of fractures in the Mt. Eyre neighborhood.
- February 21, 2025 to Present – Visual assessment of local surface waters (twice daily from 2/21/25-4/11/25; once daily 4/12/25-5/31/25; weekly 6/1/25 to present).
- February 25 - March 14, 2025 – Passive soil gas sampling performed to delineate the presence of VOCs at 22 properties in the Mt. Eyre neighborhood.
- February 25-26 and March 15-16, 2025 – First round of indoor air sampling performed at six (6) residences on Glenwood Drive, Walker Road, and Spencer Road.
- February 28, 2025 – Subsurface utility location surveys performed along Spencer Road in connection with the location and installation of a recovery well.
- March 4-7, 2025 – Additional ERI performed to map locations of fractures in Mt. Eyre neighborhood.
- March 11-17, 2025 – Packer testing performed at one (1) property on Spencer Road to obtain analytical and flow data of groundwater zones.
- March 14, 2025 – Additional subsurface utility location surveys performed along Glenwood Drive for the location and installation of a recovery well.
- March 16, 2025 to Present – Weekly surface water sampling. The frequency will be reduced to monthly in September 2025.

- March 18-21, 2025 – Installed recovery well at one (1) property on Spencer Road.
- March 24, 27, 28, 2025 – Water sampling at external wells at three (3) properties in Mt. Eyre Manor neighborhood.
- April 3, 2025 – Ultraviolet (“UV”) geophysical logging performed at one (1) property on Spencer Road.
- April 8-9 and 21-22, 2025 – Second round of indoor air sampling performed at six (6) residents on Glenwood Drive, Walker Road, and Spencer Road.
- April 14, 2025 to May 23, 2025 – Well casing measurements and survey of residential wells and recovery wells.
- May 7, 2025 – ERI performed on open space Township property.
- May 19-23, 2025 – Installed three (3) recovery wells in Glenwood Drive.
- June 4, 2025 – Development of three (3) recovery wells in Glenwood Drive.
- June 5-6 – Pumping at RW-2 and RW-3 for product recovery.
- June 10-11, 2025 – Borehole geophysical logging at three (3) recovery wells in Glenwood Drive.
- June 12, 2025 - Sub-slab soil gas sampling was initiated at six (6) properties. Subsequent sampling was conducted at additional properties in July and August 2025, and is ongoing.
- June 12, 2025 – Seismic refraction survey on Township open space property.
- June 21-25, 2025 – Installation of four (4) monitoring wells in Glenwood drive (MW-4S, MW-4D, MW-5S, and MW-5D).
- June 23-26, 2025 - Packer testing and pumping testing at recovery wells RW-2 and RW-3.
- June 27, 2025 - UV geophysical logging performed at one (1) property on Walker Road.
- June 30, 2025-July 1, 2025 – Additional borehole geophysical logging at three (3) recovery wells in Glenwood Drive.
- July 7, 2025 – Installation of two (2) LNAPL skimmer recovery systems in two (2) recovery wells (RW-2 and RW-3) in Glenwood Drive.
- July 28, 2025 - August 1, 2025 – Installation of six (6) monitoring wells (MW-1S, MW-1D, MW-2S, MW-2D, MW-3S, and MW-3D) in the township open space property west of Glenwood Drive.
- August 4-8, 2025 – Installation of six (6) monitoring wells (MW-6S, MW-6D, MW-7S, MW-7D, MW-8S, and MW-8D) in Glenwood Drive, Walker Road, and Spencer Road.
- August 25 - 29, 2025 – Installation of four (4) monitoring wells (MW-9S, MW-9D, MW-10S, and MW-10D) in Spencer Road.

3 Documents Submitted to DEP

SPLP has made the following submittals to DEP to date:

- *Notice of Intent to Remediate* – February 13, 2025; revised March 17, 2025
- *Potable Well Water Sampling and Analysis Plan* – February 16, 2025; revised February 28, 2025, March 8, 2025
- *Visual Assessment Plan* – February 20, 2025; revised March 6, 2025 and May 1, 2025
- *Indoor Air Sampling and Analysis Plan* – February 21, 2025
- *Waste Management Plan* – March 4, 2025; revised July 1, 2025, July 18, 2025, and July 24, 2025
- *Response to Notice of Violation* – March 5, 2025
- *Borehole Logging Survey* – March 6, 2025
- *Daily Reports* – March 7, 2025 to present
- *Air and Noise Monitoring Plan for Recovery Well Installation* – March 8, 2025; revised April 3, 2025 and April 21, 2025
- *Sampling and Analysis Plan for Well Water Split Sampling* – March 13, 2025; revised April 1, 2025
- *Traffic Plan* – March 13, 2025; revised April 3, 2025
- *Recovery Well Installation Work Plan – Spencer Road* – March 14, 2025
- *Proposed Implementation Schedule* – March 14, 2025; revised April 10, 2025
- *Water Sampling Laboratory Reports* – March 14, 2025 on weekly basis to present
- *Surface Water Sampling and Analysis Plan* – March 15, 2025; revised May 5, 2025
- *Interim Remedial Action Plan* – March 19, 2025; updated by letter dated April 9, 2025
- *External Well Water Sampling and Analysis Plan* – March 20, 2025
- *Public Involvement Plan* - March 21, 2025; revised April 29, 2025 and June 2, 2025
- *Preliminary Risk and Hazard Estimates (Round 1 of Air Sampling)* – March 24, 2025
- *Electrical Resistivity Imaging Report* – March 26, 2025
- *Response to March 6, 2025 Administrative Order* – March 31, 2025
- *UV Logging Plan* – April 2, 2025
- *Subsurface Utility Survey Plan* – April 2, 2025
- *Vapor Intrusion Progress Report* – April 2, 2025; revised June 13, 2025
- *Well Casing Measurement and Survey Plan* – April 9, 2025
- *Well Water Sampling and Analysis Plan* - April 10, 2025
- *Passive Soil Gas Summary Report* - April 11, 2025
- *Site Characterization Work Plan* – April 18, 2025; revised June 27, 2025
- *Recovery Well Installation Work Plan – Glenwood Drive* – April 22, 2025; revised May 6, 2025
- *Phase 1, Round 1 Indoor Air Sampling Results* – May 5, 2025

- *Phase 1, Round 2 Indoor Air sampling results* – May 5, 2025
- *Preliminary Risk and Hazard Estimates (Round 2 of Air Sampling)* – May 6, 2025
- *Downhole Packer Test Report* – May 7, 2025
- *Potable Water Sampling and Analysis Plan* – May 30, 2025; revised July 24, 2025
- *Sub-Slab Soil Gas Sampling and Analysis Plan* – June 2, 2025
- *Remedial Action Progress Report (RAPR)* – June 12, 2025; revised Figure 3 on June 13, 2025
- *Borehole Logging Survey (RW-2, RW-3, RW-4)* – June 13, 2025
- *Soil Analytical Data Summary for Glenwood Drive* - July 9, 2025
- *Sub-slab Soil Gas Sampling Results (Phase 1, Round 1)* - July 11, 2025
- *Surface Water Inspection Results* - July 11, 2025
- *Borehole Geophysical Logging Survey (Glenwood Drive Recovery Wells)* – July 14, 2025
- *Borehole Logging Survey (Residential Well – Walker Road)* – July 15, 2025
- *Residential Well Replacement Work Plan (Walker Road)* - July 15, 2025
- *Weekly Status Progress Reports (MWs)* – July 16, 2025, July 23, 2025, July 30, 2025, August 6, 2025, and August 13, 2025
- *Air and Noise Monitoring Plan for Recovery Well and Monitoring Well Installation* - July 17, 2025
- *Monitoring Well Installation Work Plan* - July 18, 2025
- *Monitoring Well Installation Work Plan (Phase 2)* - July 24, 2025
- *Electrical Resistivity Imaging and Seismic Refraction Report* – July 30, 2025; revised August 7, 2025
- *Phase 2, Round 1 Sub-Slab Soil Gas Sampling Results* - July 30, 2025
- *Preliminary risk and hazard estimates (Phase 2, Round 1 sub-slab sampling)* – August 9, 2025; updated September 3, 2025
- *Monitoring Well Installation Work Plan (Phase 3)* – August 18, 2025
- *Packer and Pumping Test Report (RW-2 and RW-3)* – August 25, 2025
- *Monitoring Well Installation Work Plan (Phase 3 – Walker Road)* – August 25, 2025
- *Phase 1, Round 2 Sub-Slab Soil Gas Sampling Results* - August 27, 2025
- *Interim Site Characterization Report (ISCR)* - September 2, 2025

4 Site Topography, Geology, and Hydrogeology

4.1 Topography and Regional Geology

Topography in this area is a gently rolling landscape to the west of the Delaware Canal and the Delaware River. The Release Location is approximately 4,100 feet (0.78 miles) west of the Delaware Canal and 5,600 feet (just over one mile) west of the Delaware River.

The bedrock underlying the area consists of the Triassic-aged Lockatong Formation. Literature on regional geologic conditions describes the Lockatong Formation as a dark-gray to black argillite (hardened mudstone) having some zones of black shale and locally thin layers of impure limestone and calcareous shale (Geyer and Wilshusen, 1982 and Greenman, 1955).

The upper beds of gray argillite are extensively interbedded with dark red argillite. The rocks are evenly bedded and very fine grained; coarse-grained sediments are almost totally lacking except in the lower beds which are transitional with the underlying Stockton lithofacies (Greenman, 1955). The reference section for the Lockatong Formation is along the Delaware River between Point Pleasant and Lumberville, Bucks County, Pennsylvania, approximately 15 miles northwest of the Release Location (Geyer and Wilshusen, 1982).

The bedrock in this region generally strikes northeast-southwest and dips to the northwest at about 12 degrees. This regional structure is interrupted by faults, and further deformed by transverse folds, reflecting the complex tectonic history of the basin (Morin et al., 2000). Although no mapped fractures or faults are present in the immediate vicinity of the Release Location, a syncline (valley-shaped bedrock structures) is mapped approximately five and a half miles to the west (Pennsylvania DCNR, 2025).

Within the Lockatong Formation, bedding is described as moderately developed, flaggy to thick, with joints forming a blocky pattern. These joints are typically closely spaced, steeply dipping, and open, which facilitates secondary porosity (Geyer and Wilshusen, 1982).

According to USGS literature the predominant fracture strike is north 50 degrees east, approximately parallel to bedding, with shallow fractures dipping 10 degrees northwest (Lewis, 1992). Deeper fractures have similar strike, but have nearly vertical dip (Morin et al., 2000).

4.2 Regional Hydrogeology

As detailed in the ISCR, regional groundwater flow is expected to be generally eastward, influenced by the presence of the Delaware River, the dominant groundwater discharge feature in the area.

The hydrogeologic behavior of the Lockatong Formation is similar to that of crystalline bedrock, with low primary porosity and groundwater movement occurring primarily through fractures and joints that have developed due to faulting, jointing, and weathering processes. Groundwater is present under water-table conditions within these secondary openings (Greenman, 1955).

4.3 Groundwater Elevations

Ongoing gauging of domestic water supply wells, recovery wells, and monitoring wells indicates that the depth to water in the water supply wells is variable based on water usage (e.g., pumping of the well). Recently measured depths to water in the water supply wells generally range from approximately 21 feet to 128 feet below ground surface, and in the recovery wells generally range from approximately 12 feet to 43 feet below ground surface. Depths to groundwater measured in shallow monitoring wells ranged from about 3.5 to 30 feet (MW-5S and MW-7S, respectively).

Depths to groundwater measured in the deep monitoring wells ranged from about 18.5 to greater than 65 feet (MW-3D and MW-8D, respectively). Observed variations in the depth to water may be attributed to topography, construction, seasonality, and operation of the well. Groundwater was not encountered during the interim remedial excavation of impacted soils or direct-push activities described below.

Based on recovery well installations, soil borings, and monitoring well installations performed to date, top of bedrock depths are estimated to be between three (3) and eleven (11) feet below ground surface. The water table is generally located in the bedrock or weathered bedrock within the investigation area. Groundwater flow occurs primarily within the saturated fractures in the bedrock.

5 Site Characterization Activities and Results

5.1 Potable Well Sampling

SPLP initially offered to perform potable water sampling at all residences within approximately one (1) mile of the release location upon the landowner's request. Since May 30, 2025, potable well water monitoring and sampling has been focused on domestic potable wells within the Mt. Eyre Manor neighborhood topographic watershed plus a 500-foot buffer. The potable sampling has been conducted in accordance with the Potable Water Sampling and Analysis Plan.

As of the daily report submitted to the Department on September 5, 2025, SPLP has performed 1,329 water sampling events at 363 individual properties. Of the water sampling performed through September 5, 2025, only eight (8) locations have ever had results with either VOCs above DEP Residential Medium Specific Concentrations (MSCs) or LNAPL present. All eight (8) of these properties have had a point-of-entry-treatment ("POET") system in place since April 7, 2025. As of the date of this report, there are only four (4) properties that currently have results with either VOCs above the MSCs or LNAPL present. Updates on residential water sampling activities will continue to be provided to the Department on a daily basis (Monday through Saturday) in accordance with Paragraph 1.e of the Order. SPLP is also providing the Department with copies of each laboratory analysis package for the water sampling that has been performed in accordance with paragraphs 1.f-g. of the Order.

The Potable Well Analytical Results Summary is presented as **Table 1**. The cumulative results are presented as **Figure 2**, Potable Well Analytical Results Summary Map.

5.2 Soil Investigation

As detailed in the first RAPR and in the ISCR, beginning the week of January 20, 2025, and continuing through the week of January 27, 2025, SPLP inspected the pipeline right-of-way (ROW), located the pipeline center line, and used a T-bar that was inserted to the top and down both sides of the pipeline to create holes through which a PID monitor/probe was inserted to monitor for the presence of VOCs. This screening process was used to investigate the potential

release from the pipeline. The soil screening was completed in over 1,000 locations and included both vegetated and paved areas of the pipeline right of way.

The pipeline was excavated along Glenwood Drive and the release was discovered on January 31, 2025. On February 2, 2025, SPLP removed impacted soils in the immediate vicinity of the Release Location and subsequently (between February 3, 2025, and February 11, 2025) excavated an adjoining area along the pipeline. Along with the initial excavation activities, on February 3, 2025, eight reconnaissance soil borings (SB-1 through SB-8) were installed along Glenwood Drive along the pipeline path. Direct-push drilling technology was used to advance the soil borings, and the borings were extended to direct-push refusal (interpreted to be weathered bedrock), which was encountered at depths ranging from four to nine feet below ground surface. The borings were screened with a PID for the potential presence of VOCs.

The excavation extended from ground surface, beneath the pipeline, and to or into weathered bedrock (approximately seven feet below grade). Sixteen post-excavation soil samples were collected at the extent of the soil excavation around the pipeline release.

SPLP conducted additional soil sampling around the perimeter of the remedial excavation to confirm the post-excavation sampling results. On June 17, 2025, fourteen (14) soil borings (SS-1 through SS-14) were installed in the pipeline right-of-way at a property along Glenwood Drive. This work was performed in accordance with the Soil Characterization Work Plan. The borings were advanced using Geoprobe® direct push drilling technology and the borings were extended to refusal, which was encountered at depths ranging from five (5) to eight (8) feet below ground surface. The soil was field screened with a PID for the potential presence of VOCs.

The soil analytical data indicated that none of the analyzed constituents were detected at concentrations above the applicable DEP Residential MSCs. However, the laboratory method detection limit ("MDL") for 1,2-dibromoethane for samples from three of the borings (SS-10, SS-12, and SS-14) were above the Residential MSCs. The Soil Analytical Results Summary is presented as **Table 3**.

5.3 Geophysics

As detailed in the first RAPR and in the ISCR, the first geophysics/remote sensing performed by RETTEW was an aerial and satellite data photo/topo linear analysis. This work defined a dominant SSW-NNE geologic grain, with a secondary SW-NE pattern.

Borehole geophysical logging and imaging of the former potable well at one property on Spencer Road and the potable well at the Release Location confirmed the preferred joint or fracture orientations from the remote sensing analysis. The location for Recovery Well 1 (RW-1) was selected partially based on the remote sensing analysis. Upon completion of drilling of RW-1, the former potable well at the property on Spencer Road and RW-1 were logged with an ultraviolet (UV) televiewer which identified fluorescence consistent with LNAPL seeping into the wells at discrete intervals from the bottom of casing (25-30 feet) down to 65-70 feet below grade surface.

As detailed in the *Electrical Resistivity Imaging Report*, five ERI profiles (Profiles 1-5) were initially recorded. Connecting anomalies on individual profiles with those on adjacent profiles produced an inferred set of fracture zones with orientations consistent with the borehole logging and remote sensing analysis. Given that the proposed new recovery well locations in Glenwood Drive (RW-2, RW-3, RW-4) near the Release Location were west of the westernmost resistivity profile (Profile 1), on May 7, 2025 a sixth ERI profile (Profile 0) was recorded on Upper Makefield Township property west of the properties fronting on Glenwood Drive. Anomalies on Profile 0 fell at locations that required minimal adjustment of the inferred fracture/joint traces drawn from the first five profiles. The combined resistivity results were used to locate RW-2, RW-3 and RW-4.

Between June 10, 2025, and July 1, 2025, RETTEW completed borehole geophysical logging of recovery wells RW-2, RW-3, and RW-4 located in Glenwood Drive to locate and characterize fractures and potential water-bearing zones and to determine which specific fractures might be producing LNAPL. The geophysical logging of these wells included optical televiewer (OPTV) with UV imaging, acoustic televiewer, mechanical caliper, fluid temperature, fluid conductivity, and natural gamma logging. Details of the geophysical logging and results are included in the July 14, 2025 Borehole Geophysical Logging Survey report submitted to the DEP.

On June 27, 2025, RETTEW completed borehole geophysical logging of the potable well at one property on Walker Road to determine which specific fractures might be producing LNAPL observed in the well. The geophysical logging of this well included OPTV with UV imaging. Results of the geophysical logging indicate a zone from 37 feet to 41 feet as a likely zone bearing LNAPL. Details of the geophysical logging and results are included in the July 15, 2025 Borehole Logging Survey report submitted to the DEP.

5.4 Surface Water Visual Assessment

As detailed in the first RAPR and in the ISCR, SPLP developed a Visual Assessment Plan (February 20, 2025), and since February 21, 2025, SPLP's environmental consultant has performed visual, olfactory, and PID assessments of surface waterbodies near the Release Location, including in the Delaware Canal and the Delaware River, at publicly accessible locations. Surveys were conducted twice daily from February 21 to April 11, 2025, then once daily through May 31, 2025, and continue on a weekly schedule from June 1, 2025, through the date of this report. To date, no differences have been observed between upstream and downstream visual assessment locations. See **Appendix A**.

In addition, SPLP developed and is implementing a Surface Water Sampling and Analysis Plan (March 15, 2025; revised May 5, 2025), pursuant to which SPLP's environmental consultant has collected surface water samples at selected locations along the Delaware Canal and the Delaware River at publicly accessible locations. Surface water samples have been collected weekly from six locations (including two upstream/background locations) since March 16, 2025, and continue on a monthly schedule since September 2025, in accordance with the Surface Water Sampling and Analysis Plan. To date, there have been no exceedances of the USEPA Region III Biological Technical Assistance Group (BTAG) Freshwater Screening Benchmarks in any of the surface water samples collected. Results are provided by SPLP under separate cover.

5.5 Vapor Intrusion Characterization

5.5.1 Indoor Air

As detailed in the first RAPR and in the ISCR, SPLP developed the Indoor Air Sampling and Analysis Plan, which was submitted to the DEP and the Pennsylvania Department of Health for review and comment. Pursuant to the Indoor Air Sampling and Analysis Plan, SPLP's environmental consultants performed an initial round of indoor air sampling at six (6) properties in the Mt. Eyre neighborhood on February 25- 26, 2025, and March 15-16, 2025. SPLP performed a second round of indoor air sampling at each of the six (6) properties on April 8-9 and 21-22, 2025.

The results of the indoor air sampling were provided directly to each particular landowner, with copies provided to the DEP, and summarized in the Vapor Intrusion Progress Report. To supplement the indoor air sampling results obtained from the sampling described above, sub-slab soil gas sampling was performed at the six residences where indoor air sampling was performed.

5.5.2 Sub-Slab Soil Gas

As detailed in the ISCR, to supplement the results of indoor air sampling conducted at six (6) residences, sub-slab soil gas samples were collected at the same residences where indoor air sampling was performed.

Sub-slab soil gas samples were collected from stainless steel implants installed through the basement slabs of the residences. Two sub-slab soil gas samples were collected from each residence. Samples were collected in 2.7-liter evacuated stainless steel canisters over an approximately 15-minute sampling period. The first round of sub-slab soil gas samples were collected on June 12, 2025 and July 2, 2025 and the second round of samples were collected on August 15-16, 2025.

Based on the criteria in the Vapor Intrusion Progress Report, thirteen (13) additional residences were identified by SPLP for vapor intrusion evaluation. Sub-slab soil gas samples were collected at ten of these properties as described above and in accordance with the Sub-Slab Soil Gas Sampling and Analysis Plan. Access for sampling has not yet been obtained from the property owner at one location and at two locations the physical conditions in the basement did not allow for sub-slab soil gas sampling.

The first round of sub-slab soil gas samples at these additional residences were collected on July 18-22, 2025, and August 14, 2025 and the second round of sub-slab soil gas samples at these additional residences are planned for at least 45 days after the initial round. Sub-slab soil gas samples were analyzed for Short List VOCs, hexane, and cyclohexane via USEPA Method TO-15. The analytical results were presented in the ISCR.

5.6 Passive Soil Gas

As detailed in the first RAPR, the ISCR, and as presented in the Passive Soil Gas Summary Report, passive soil gas analysis was used to assist in the identification of areas where petroleum compounds may exist in the subsurface. A total of 46 passive soil gas collectors were installed within the investigation area. The collectors were deployed on February 25, 2025, February 28, 2025, March 3, 2025, March 6, 2025, and March 7, 2025 and were retrieved on March 7 and March 14, 2025. The DEP Sub-Slab Soil Gas Residential SHS VI Screening Values were the selected screening criteria for this data set. None of the target concentrations were detected above the applicable screening values.

5.7 Packer and Pumping Testing

As detailed in the initial RAPR, the ISCR, and as presented in the Downhole Packer Test Report, packer testing was initially conducted at the former potable well located on Spencer Road, beginning on March 11, 2025. Nine zones were tested with pumping times that ranged from 17 minutes to 74 minutes. Overall drawdown in each zone ranged from 8.6 feet of water to 49.5 feet of water. Average pumping rates varied from 0.15 to 0.50 gallons per minute (gpm) with an average rate of 0.27 gpm. Benzene concentrations exceeded the applicable DEP MSC of 5 micrograms per liter ($\mu\text{g/L}$) in all nine zone samples. Benzene concentrations ranged from 7.4 $\mu\text{g/L}$ to 17 $\mu\text{g/L}$ and showed minimal fluctuation in concentration overall.

As presented in the Recovery Well Packer and Pumping Test Report (GES, August 25, 2025), packer testing and pumping testing activities were conducted in two 6-inch diameter active recovery wells (RW-2 and RW-3) located in Glenwood Drive, beginning on June 23, 2025. The following summarizes the testing and results of the six (6) interval zones:

Total pumping time for each of the six (6) interval zones tested ranged from 22 minutes to 68 minutes, with an average pumping time of 39 minutes per zone.

- Overall drawdown (change in pressure head) recorded from the central transducer in each zone ranged from 1.11 feet of water to 13.2 feet of water.
- Average pumping rates varied from 0.80 to 1.20 gpm with an average rate of 1.07 gpm.
- Specific capacity values ranged from 0.06 gpm/ft to 0.1 gpm/ft, which are very low but not uncommon for a bedrock aquifer with poor primary porosity.

Analytical data (**Table 2**) from the packer test indicates the following:

- Three (3) of the six (6) interval zones were sampled. Three zones were not sampled due to the presence of LNAPL.
- Eight (8) of the 12 analyzed constituents were detected among the three (3) zone samples. MTBE, 1,2-Dichloroethane (ethylene dichloride or EDC), 1,2-dibromoethane (EDB) and dissolved lead were non-detect in all samples.

- Benzene exceeded the applicable MSC of 5 micrograms per liter ($\mu\text{g/L}$) in all three zone samples. Benzene concentrations ranged from 100 $\mu\text{g/L}$ to 290 $\mu\text{g/L}$.
- Naphthalene exceeded the applicable MSC of 100 micrograms per liter ($\mu\text{g/L}$) in all three zone samples. Naphthalene concentrations ranged from 120 $\mu\text{g/L}$ to 460 $\mu\text{g/L}$.
- 1,2,4-Trimethylbenzene (TMB) exceeded the applicable MSC of 130 micrograms per liter ($\mu\text{g/L}$) in all three zone samples. 1,2,4-TMB concentrations ranged from 530 $\mu\text{g/L}$ to 1,100 $\mu\text{g/L}$.
- 1,3,5-TMB exceeded the applicable MSC of 130 micrograms per liter ($\mu\text{g/L}$) in all three zone samples. 1,3,5-TMB concentrations ranged from 210 $\mu\text{g/L}$ to 350 $\mu\text{g/L}$.
- The remaining four detected constituents (toluene, ethylbenzene, total xylenes, and isopropylbenzene) were below applicable MSCs.

5.8 Recovery Well Installation

As discussed in the initial RAPR (GES, June 12, 2025) and the ISCR (Verdantas, September 2, 2025), during the week of March 17, 2025, recovery well RW-1 was installed at a property on Spencer Road. During the week of May 19, 2025, recovery wells RW-2, RW-3, and RW-4 were installed in Glenwood Drive. All recovery wells were installed by Pennsylvania-licensed driller Parratt-Wolff, Inc., overseen by a qualified GES scientist under the supervision of a Pennsylvania-licensed Professional Geologist and SPLP. These wells were installed to assess and address residual impacts of jet fuel in groundwater. All soils and drill cuttings were screened with a PID for the presence or absence of VOCs. Soils were logged in accordance with the Unified Soil Classification System ("USCS"). Recovery wells RW-1 through RW-4 were installed as 6-inch open rock boreholes to depths below ground surface of 71.5 feet, 63 feet, 65 feet, and 60 feet, respectively, with 5-inch steel casing installed into bedrock. Competent bedrock was encountered in recovery wells RW-1 through RW-4 at depths below ground surface of 24 feet, 8 feet, 3 feet, and 5 feet, respectively. Soil samples were collected during the recovery well installations. None of the target parameters were detected above the applicable DEP Residential MSCs. The soil analytical data are presented in **Table 3**.

5.9 Monitoring Well Installation

Between July 21-25, 2025, monitoring wells MW-4S, MW-4D, MW-5S, and MW-5D were installed in Glenwood Drive. Between July 28, 2025 and August 1, 2025, monitoring wells MW-1S, MW-1D, MW-2S, MW-2D, MW-3S, and MW-3D were installed in the township property west of Glenwood Drive. Between August 4-9, 2025, monitoring wells MW-6S, MW-6D, MW-7S, MW-7D, MW-8S, and MW-8D were installed in Glenwood Drive, Walker Road, and Spencer Road. Between August 25-29, 2025, monitoring wells MW-9S, MW-9D, MW-10S, and MW-10D were installed in Spencer Road. All monitoring wells were installed by Pennsylvania-licensed driller Summit Drilling, LLC., overseen by a qualified GES scientist under the supervision of a Pennsylvania-licensed Professional Geologist and SPLP.

Soils and drill cuttings were screened with a PID for the presence or absence of VOCs. Monitoring wells MW-1S through MW-10S were installed as 2-inch diameter schedule 40 PVC wells to depths below ground surface ranging from 35 feet to 40 feet with screened intervals ranging from 20 feet to 30 feet beginning at the bottom of the well. Monitoring wells MW-1D through MW-10D were installed as 2-inch diameter schedule 40 PVC wells to depths below ground surface of 75 feet with screened intervals ranging from 20 feet to 30 feet beginning at the bottom of the well. Well logs are included as **Appendix B**.

5.10 Groundwater Sampling

As discussed in the first RAPR and the ISCR, on March 24, 2025 and May 1, 2025, groundwater quality samples were collected from recovery well RW-1 by a three-volume purge methodology and collected using a disposable bailer. On May 9, 2025, groundwater quality samples were collected from the former potable well on Spencer Road at depths below top of well casing of 45 feet, 108 feet, and 257 feet using disposable HydraSleeves. A summary of the groundwater analytical results is presented as **Table 4**.

On August 11, 2025, groundwater quality samples were collected from wells RW-1, MW-4S, MW-4D, MW-5S, and MW-5D. On August 18, 2025, groundwater quality samples were collected from wells MW-1S, MW-1D, MW-2S, MW-2D, MW-3S, and MW-3D. On August 25, 2025, groundwater quality samples were collected from wells MW-6S, MW-6D, MW-7S, MW-7D, MW-8S, and MW-8D. Each monitoring well was purged by a minimum three-volume purge methodology and collected using a disposable bailer. All purge water was containerized. All samples were analyzed for VOCs via United States Environmental Protection Agency (US EPA) Method 8260, 1,2-dibromoethane via US EPA Method 8011, and Dissolved Lead via US EPA Method 6020. All twelve (12) constituents were not detected above the applicable MSCs. A summary of the groundwater analytical results is presented as **Table 4**.

5.11 Liquid Level Gauging / Extent of Light Non-Aqueous Phase Liquid

5.11.1 Private Water Wells

LNAPL has been historically observed in private water supply wells. These historical observations include the following:

- Two (2) private water supply wells on Glenwood Drive, including the Release Location and a property northeast of the Release Location;
- One (1) property on Walker Road, adjoining and to the east of the Release Location; and
- Two (2) properties on Spencer Road, approximately 1,000 feet east-northeast of the Release Location.

At an additional property on Spencer Road, LNAPL was observed on January 29, 2025; however, the LNAPL observed at this location did not appear to be jet fuel (it appeared to be a different substance), and has not been observed again since that date. Currently, LNAPL is intermittently

observed at one (1) property on Walker Road, adjoining and to the east of the Release Location LNAPL has not been observed at any other private water supply wells. **Figure 2** depicts the locations of private water supply wells and LNAPL observations.

5.11.2 Recovery Wells

On March 31, 2025, LNAPL was detected at recovery well RW-1 (0.01 feet) but has not been observed again since that date.

On May 23, 2025, LNAPL was first detected at recovery well RW-3 (0.04 feet). On June 5, 2025, LNAPL was first detected at recovery well RW-2 (0.11 feet).

Recovery wells RW-1, RW-2, RW-3, and RW-4 are also part of the gauging network. A summary of the gauging and bailing/removal of LNAPL at the private water wells and recovery wells has been provided to the DEP on a daily basis and will continue to be reported to the DEP in the daily reports that are submitted in accordance with Paragraph 1.e of the Order. Liquid level data and LNAPL thicknesses for these wells are summarized in **Table 5**.

Through September 5, 2025, SPLP has removed approximately 380.94 gallons of LNAPL from the wells discussed above (potable and recovery wells).

5.11.3 Monitoring Wells

As of September 5, 2025, LNAPL has not been detected in any of the monitoring wells on site since their date of installation. Monitoring well gauging data are summarized in **Table 6**.

6 Interim Remedial Action Implementation and Results

As discussed in the first RAPR and the ISCR, SPLP previously submitted an Interim Remedial Action Plan which was approved by DEP on May 9, 2025. This document summarized soil interim remedial measures, groundwater interim remedial measures, surface water interim remedial measures, and vapor intrusion interim remedial measures.

6.1 Soil

As noted in Section 5.2, upon discovering the release on January 31, 2025, SPLP performed targeted soil excavation and corresponding limited soil characterization (i.e., visual observations and screening using a PID instrument) in the immediate area of the release location at one (1) property on Glenwood Drive. On February 2, 2025, SPLP removed impacted soils in the immediate vicinity of the release location and subsequently excavated an additional area laterally down the pipeline. A total of 276 tons of soil were removed for off-site disposal.

6.2 Groundwater

To date, SPLP has implemented the following interim remedial measures to address potential impacts to groundwater and to protect human health and the environment:

- Providing bottled water to residents;
- Sampling potable water at residences upon landowner's request, with 1,329 individual sampling events performed as of September 5, 2025;
- Performing visual observations for the presence or absence of LNAPL in residential wells at 363 individual residential well locations;
- Screening wellheads with PID monitors at accessible individual residential well locations;
- Gauging and removing LNAPL from residential wells at properties where LNAPL is (or was previously) present;
- Installing or reimbursing landowners for POET systems on residential wells; as of September 5, 2025, 191 POET systems are installed (including pre-existing POET systems); and,
- Installing monitoring wells at six (6) locations on Spencer Road, six (6) locations on Glenwood Drive, two (2) locations on Walker Road, and six (6) locations in the Township property west of Glenwood Drive.

7 Public Involvement Activities

Following the pipeline release, SPLP established a dedicated hotline (1-877-397-3383), email (uppermakefieldresponse@energytransfer.com), and website (<https://uppermakefield.incidentupdates.com>), which provides the public with information regarding SPLP's investigation, response, and remediation efforts. These updates have also been shared with Upper Makefield Township staff to post to the Township's website. Hard copies of updates are also available at the Township building. Since February 2025, SPLP representatives have participated in five (5) in-person public meetings with Upper Makefield Township representatives, and SPLP has also hosted three (3) teletownhalls to provide updates and answer questions from the public. SPLP also hosted one (1) virtual townhall via Zoom on July 31, 2025. SPLP is hosting an in-person public meeting on September 15, 2025 to obtain comments on the ISCR.

SPLP representatives continue to meet weekly with Upper Makefield Township staff to provide updates on work in the field and address community concerns. SPLP representatives also continue to make themselves available for individual meetings with residents upon request. In addition, SPLP has established a local community support center at its Bucks Pump Station located at 1798 Dolington Road, Yardley, PA. The center is staffed during normal business hours and is available as an additional resource for residents.

In accordance with paragraph 2.d of the Order, on March 21, 2025, SPLP submitted a draft Public Involvement Plan (PIP) to the Department and Upper Makefield Township for review and

comment. DEP issued a deficiency letter dated April 15, 2025, which requested that SPLP make certain modifications to the draft PIP. On April 29, 2025, SPLP submitted a response to DEP's deficiency letter, together with a revised version of the PIP. The Department provided additional comments on the draft PIP, to which SPLP responded on June 2, 2025. DEP approved the revised PIP by letter dated June 6, 2025.

In accordance with the PIP, SPLP has created specific sections on the dedicated incident response website where SPLP has posted site investigation documents and submissions made to DEP for public review. SPLP has also created a dedicated email address through which members of the public can submit comments on SPLP's Act 2 submittals - UpperMakefieldAct2@energytransfer.com. SPLP has also created a dedicated distribution list, through which SPLP has provided direct notice to the public in advance of field activities that involve anticipated road closures, large excavations, or well drilling activities. SPLP has also provided direct notice to residents in the community in advance of certain activities using hard copy letters, delivered door-to-door. Updates on site activities have also been periodically posted to SPLP's incident response website and shared with Upper Makefield Township for their own publication.


8 Planned Site Characterization Work and Remedial Actions

Below are the planned site characterization activities and remedial actions that are anticipated to occur within the next 90-day reporting period:

- Sub-slab soil gas sampling in multiple residential properties;
- Ongoing LNAPL recovery;
- Continued potable water sampling;
- Additional POET installations/reimbursements as needed;
- Surface Water Visual Assessments;
- Continued groundwater sampling;
- Installation of transducers in all monitoring wells; and,
- Planning and installation of additional monitoring wells on private property.



Figures



Sources:
USGS 7.5 Minute Series
Topographic Quadrangle, 1975
Pennington, Pennsylvania
Contour Interval = 20-feet



Site Location Map

**Sunoco Pipeline
Upper Makefield Township,
Washington Crossing, PA**

Drawn
J.B.
Designed
S.G.
Approved
X.X.




Date
06/04/25
Figure
1

Scale In Feet (Approximate)

0 2,000



REDACTED





Tables

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)		
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5		
REDACTED	Kitchen Sink			02/08/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0096	0.27 J		
				02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	0.27 J	
	Pressure Tank			02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	2.4		
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET- Influent			05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				07/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET- Midfluent			03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET- Effluent			07/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				07/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Post Holding Tank #1 Post Holding Tank #2 Laundry Room Sink				02/18/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
					02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.35 J	
					04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
					05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
		POET-Influent			06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
					08/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
		POET-Midfluent			05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J	
					06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Effluent			08/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.96 J	
					06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
					08/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Influent			04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				Midfluent	04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
				Effluent	04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Pressure Tank Kitchen Sink POET-Influent POET-Midfluent POET-Effluent				02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	3.4	
					02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.8	
		Kitchen Sink			06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.4	
					03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Influent			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
					06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
		POET-Midfluent			07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.5	
					07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
		POET-Effluent			07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
					07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
		Kitchen Sink POET - Influent POET - Midfluent POET - Effluent	Kitchen Sink			02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
						02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.17 J
	POET - Influent				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
03/22/2025					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/20/2025	ND<0.19	15	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET - Midfluent				03/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET - Effluent			03/15/2025	ND<0.19	ND<0.19	ND<0.13	0.65 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			03/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Kitchen Sink POET - Influent POET - Midfluent POET - Effluent	Kitchen Sink			02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.82			
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J		
	POET - Influent			08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J		
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J		
	POET - Midfluent			08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J		
	POET - Effluent			08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)		
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5		
REDACTED			Kitchen Sink	02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.13 J		
			Pressure Tank (Basement)	02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.45 J		
			Kitchen	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Influent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Midfluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Effluent	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			Outside Spigot	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		0.11 J	ND<0.0094	0.19 J	
				02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10		0.19 J	ND<0.0094	0.36 J
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15		0.15 J	ND<0.005	0.4 J
				05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15		0.41 J	ND<0.005	0.7 J
				08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.14 J	
				03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J		
			POET - Influent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J		
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.6		
				05/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J		
				08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Midfluent	05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Effluent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J		
				08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			Kitchen Sink	02/07/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.42 J		
				02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.19 J		
			POET - Influent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				08/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET - Midfluent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		06/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		08/18/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		POET - Effluent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			08/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		Kitchen Sink	02/12/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12			
		02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	ND<0.12			
		POET-Influent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			08/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		POET-Midfluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			08/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		POET-Effluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13							

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Second Kitchen	02/10/2025 02/26/2025	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.20	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.0095 ND<0.0095	ND<0.12 0.17 J	
			Pressure Tank (Influent)	03/20/2025 04/24/2025 06/02/2025 08/04/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	1.4 2.4 ND<0.3 4.0	
			POET-Influent														
			POET - Midfluent	03/20/2025 04/24/2025 06/02/2025 08/04/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			Smaller Kitchen Sink (Effluent)	03/20/2025 04/24/2025 06/02/2025 08/04/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			Kitchen Sink (Effluent)														
			Kitchen Sink	02/11/2025 02/27/2025	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.20	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.0093 ND<0.0095	ND<0.12 ND<0.12
			POET-Influent	03/19/2025 04/14/2025 05/15/2025 07/08/2025 09/02/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	03/19/2025 04/14/2025 05/15/2025 07/08/2025 09/02/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	03/19/2025 04/14/2025 05/15/2025 07/08/2025 09/02/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			Kitchen Sink	02/08/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Influent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Midfluent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Effluent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/11/2025 02/22/2025	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.20	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.0094 ND<0.0094	ND<0.12 ND<0.12
			POET-Influent	03/11/2025 04/10/2025 05/06/2025 06/04/2025 08/05/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	03/11/2025 04/10/2025 05/06/2025 06/04/2025 08/05/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	03/11/2025 04/10/2025 05/06/2025 06/04/2025 08/05/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			Outside Spigot	02/08/2025 02/26/2025 03/01/2025 03/27/2025	ND<0.50 ND<0.10 ND<0.19 ND<0.19	ND<0.50 ND<0.10 ND<0.19 ND<0.19	ND<0.50 ND<0.10 ND<0.13 ND<0.13	ND<0.50 ND<0.10 ND<0.13 ND<0.19	ND<0.50 ND<0.10 ND<0.13 ND<0.13	ND<0.50 ND<0.10 ND<0.13 ND<0.13	ND<0.50 ND<0.20 ND<0.14 ND<0.14	ND<0.50 ND<0.10 ND<0.13 ND<0.13	ND<0.50 ND<0.10 ND<0.15 ND<0.15	ND<0.50 ND<0.10 ND<0.15 ND<0.15	ND<0.50 ND<0.10 ND<0.15 ND<0.15	ND<0.0094 ND<0.0094 ND<0.005 ND<0.005	ND<0.12 0.29 J 0.4 J 0.8 J
			POET-Influent	04/11/2025 05/09/2025 07/02/2025 08/20/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	04/11/2025 05/09/2025 07/02/2025 08/20/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	04/11/2025 05/09/2025 07/02/2025 08/20/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Kitchen Sink	02/03/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
			02/21/2025	0.52	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	0.31 J	0.46 J	ND<0.10	ND<0.0094	ND<0.12		
			POET-Influent	02/28/2025	0.18 J	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/10/2025	0.42 J	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.41 J	0.30 J	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/07/2025	0.23 J	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/27/2025	0.69	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.30 J	0.34 J	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Outside Spigot	09/28/2023	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	-	-	-
			01/28/2025	0.92	6.6	ND<0.50	100	ND<0.50	1.0	84	47	23	ND<0.50	ND<0.0094	0.017 J		
			POET-Influent	02/19/2025	0.13 J	0.27 J	0.72	29	ND<0.10	1.7	47	2.1	1.3	ND<0.10	ND<0.0094	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	0.44 J	13	ND<0.10	0.94	30	0.32 J	0.22 J	ND<0.10	ND<0.0094	0.13 J	
				03/20/2025	ND<0.19	ND<0.19	0.29 J	4.2 J	ND<0.13	1.3	19	2.8	1.4	ND<0.15	ND<0.005	ND<0.3	
				03/27/2025	ND<0.19	ND<0.19	0.18 J	4.4	ND<0.13	0.98	18	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	0.13 J	8.2	ND<0.13	0.70	12	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	6.5	ND<0.13	0.52	11	ND<0.13	ND<0.15	ND<0.15	-	-	
				05/07/2025	0.21 J	ND<0.19	ND<0.13	5.1	ND<0.13	0.53	11	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/01/2025	ND<0.19	ND<0.19	ND<0.13	1.5	ND<0.13	ND<0.13	2.1	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/18/2025	ND<0.19	ND<0.19	ND<0.13	0.61	ND<0.13	ND<0.13	0.66	0.21 J	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.50	ND<0.0095	ND<0.12
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.50	ND<0.0093	ND<0.12
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	-	-	
				05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.50	ND<0.0094	ND<0.12			
	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.50	ND<0.0095	ND<0.12			
	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.45 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.42 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.43 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	-	-				
	05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	08/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Kitchen Sink	05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Bottom of Saltwater Pool	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Bathroom Sink	09/28/2023	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	-	-	-				
Upstairs Bathroom Sink	01/30/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12				
POET-Influent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Midfluent	08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Effluent	08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Effluent	08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naph- thalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (µg/L)	1,2 Dibromo- ethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Utility Sink	02/11/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12
			Kitchen Sink	02/24/2025	0.63	ND<0.10	ND<0.10	0.63	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			POET - Influent	03/31/2025	28	25	0.64	250	ND<0.13	0.17 J	48	130	70	ND<0.15	ND<0.005	ND<0.3
				06/04/2025	17	2.0	0.21 J	62	ND<0.13	1.4	50	2.5	1.0	ND<0.15	ND<0.005	ND<0.3
				08/01/2025	14	0.48 J	ND<0.13	42	ND<0.13	0.74	34	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Midfluent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Effluent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	01/28/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	0.47 J
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			POET-Influent	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.31 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	01/28/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.15 J
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.15 J
			POET-Influent	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Basement Sink	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	01/23/2025	12	ND<0.50	ND<0.50	0.29	ND<0.50	ND<0.50	1.3	ND<0.50	ND<0.50	ND<0.50	ND<0.0091	ND<0.12
				01/30/2025	12	ND<0.50	ND<0.50	0.19	ND<0.50	ND<0.50	1.3	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.25 J
			Post-Treatment	02/12/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			POET-Influent	02/25/2025	14	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	2.0	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/25/2025	8.8	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	1.2	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/06/2025	3.6	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/25/2025	1.3	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.89	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	08/22/2025	0.42 J	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.42 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	06/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pool Water	05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pool Water	08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	Utility Sink		01/29/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12	
			02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.0095	ND<0.3
	Laundry Room Sink		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Influent		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink		01/23/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0092	ND<0.12	
	POET-Influent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Bladder Tank Pressure Tank		01/28/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0092	0.16 J	
			02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
POET-Influent		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent		03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink (Effluent)		02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
		03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Effluent		03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Pressure Tank		01/23/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0091	0.19 J	
		03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		06/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent		06/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.0	
		08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink (First Floor)		02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
		04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		06/18/2025	ND<0.19	0.49 J	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	0.36 J	ND<0.15	ND<0.005	ND<0.3	
		08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
Upstairs Bathroom Sink																	
Kitchen Sink		01/23/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	ND<0.12	
		02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)		
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5		
REDACTED			Bladder Tank Basement (Influent)	01/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.63		
				02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.36 J		
			POET-Influent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink (Effluent)	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
				POET-Effluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/09/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/11/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	01/31/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
			Kitchen Sink (First Floor)	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			POET-Influent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Influent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
08/08/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Kitchen Sink (Effluent)	02/03/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12				
	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12				
	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Basement Sink (Effluent)	06/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Kitchen Sink	02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12				
	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12				
	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Pressure Tank (Influent)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.5				
	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	1.3				
	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.9 J				
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	3.5				
POET-Influent	07/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	2.4				
	08/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Midfluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	08/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Effluent	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	08/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3				

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	Front Spigot	02/07/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.28 J
		02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.36 J	
		04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Pressure Tank (Influent)	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.93	
		02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	5.3	
		04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.6		
		04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.90		
		05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.2		
	Laundry Room Sink	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.42 J		
	POET-Midfluent	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Basement Sink (Effluent)	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.5		
		05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.0 J		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.0		
	Kitchen Sink	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
		03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Influent	07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Midfluent	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Effluent	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Pressure Tank	01/31/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	0.41 J	
		03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		06/05/2025	ND<0.19	1.7	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET - Influent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
03/27/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
04/24/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
06/05/2025		ND<0.19	1.7	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
08/04/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET - Midfluent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET - Effluent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Kitchen Sink	02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.46 J			
Pressure Tank	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.30 J			
POET-Influent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Midfluent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Effluent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Bladder Tank	01/28/2025 02/21/2025	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 0.16 J	ND<0.50 ND<0.10	ND<0.50 ND<0.20	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.50 ND<0.10	ND<0.0094 ND<0.0094	ND<0.12 0.13 J	
			POET-Influent	02/28/2025 03/24/2025 04/21/2025 05/19/2025 07/11/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 0.22 J 0.16 J ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0096 ND<0.005 ND<0.005 ND<0.005 ND<0.005	0.14 J ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	02/28/2025 03/24/2025 04/21/2025 05/19/2025 07/11/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0095 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.12 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	02/28/2025 03/24/2025 04/21/2025 05/19/2025 07/11/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0095 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.12 ND<0.3 ND<0.3 ND<0.3 ND<0.3	
			Utility Sink	01/29/2025 02/21/2025 03/12/2025	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.20 0.31 J	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.15	ND<0.50 ND<0.10 ND<0.15	ND<0.50 ND<0.10 ND<0.15	ND<0.0095 ND<0.0095 ND<0.005	0.59 1.6 ND<0.3
			POET-Influent	04/02/2025 05/13/2025 07/16/2025 08/27/2025 08/29/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	0.39 J ND<0.13 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3
			POET-Midfluent	03/12/2025 04/02/2025 05/13/2025 07/16/2025 08/27/2025 08/29/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3
			POET-Effluent	03/12/2025 04/02/2025 05/13/2025 07/16/2025 08/27/2025 08/29/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3
			Bladder Tank	01/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.12 J	ND<0.10	ND<0.20		ND<0.10		ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50		ND<0.50		ND<0.50	ND<0.0094	ND<0.12
			POET-Influent	02/20/2025 03/26/2025 04/21/2025 05/21/2025 07/09/2025 08/13/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0094 ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	0.15 J ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3
			POET-Midfluent	02/20/2025 03/26/2025 04/21/2025 05/21/2025 07/09/2025 08/13/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0095 ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.12 ND<0.3 ND<0.3 ND<0.3 ND<0.3 1.6
			POET-Effluent	02/20/2025 03/26/2025 04/21/2025 05/21/2025 07/09/2025 08/13/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.0095 ND<0.005 ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.12 ND<0.3 ND<0.3 ND<0.3 ND<0.3 ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Bladder Tank	01/24/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	1.7	
			POET -Influent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.12 J	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.50	ND<0.0093	3.1	
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET -Midfluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.005	ND<0.3
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET - Effluent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.50	ND<0.0093	0.13 J
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Bladder Tank	01/23/2025	15	6.7	2.7	49	ND<0.50	1.3	19	48	39	ND<0.50	ND<0.0092	5.2	
			Kitchen Sink	01/31/2025	8.9	3.7	1.7	25	ND<0.50	0.94	7.3	29	22	ND<0.50	ND<0.0093	0.23 J	
			POET-Influent	02/15/2025	25	6.7	4.1	44	0.12 J	1.9	20	49	34	ND<0.50	ND<0.0095	ND<0.12	
				02/24/2025	28	4.6	4.6	42	0.14 J	2.1	22	55	41	ND<0.50	ND<0.0094	0.15 J	
				03/24/2025	15	2.3	3.8	19	ND<0.13	2.0	18	77	48	0.40 J	ND<0.005	ND<0.3	
				05/19/2025	5.6	1.4	2.3	13	ND<0.13	1.5	14	68	40	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	7.0	1.4	2.1	14	ND<0.13	1.3	13	54	30	ND<0.15	ND<0.005	ND<0.3	
				08/13/2025	15	2.2	2.7	13	ND<0.13	1.3	14	46	23	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.50	ND<0.0094	0.17 J	
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.50	ND<0.0094	ND<0.12	
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Bladder Tank	01/23/2025	20	51	32	640	ND<0.50	7.6	120	310	120	ND<0.50	ND<0.0093	0.23 J		
		Post Treatment	02/07/2025	0.35 J	2.3	1.2	46	ND<0.50	0.26 J	29	19	11	ND<0.50	ND<0.0094	0.75		
					This well was taken out of service on February 17, 2025												
		Bladder Tank	01/23/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	1.4	
		Basement	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.11 J	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
		Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.12 J	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.29 J	
		POET -Influent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Midfluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.005	ND<0.3	
			04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.005	ND<0.3	
			04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DFP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	Kitchen Sink		01/24/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
			02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12	
	POET-Influent		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/27/2025	0.24 J	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Midfluent		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Effluent		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Kitchen Sink		01/24/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.22 J
		POET-Influent		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Midfluent		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Effluent		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Supply Tank Spigot		02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.20 J
	Pressure Tank		02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0096	1.3
	Kitchen Sink		01/27/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Influent		04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	5.5	ND<0.19	ND<0.13	0.78	ND<0.13	ND<0.13	1.6	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.23 J	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Midfluent		04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Effluent		04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink		02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J	
		03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink		02/14/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12	
		02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
		03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Influent		04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Midfluent		04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Effluent		04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	Kitchen Sink		02/04/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.29 J	
			02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J		
			03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.0095	ND<0.3		
	Pressure Tank (Influent).		04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		0.25 J	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J		
			06/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J		
	POET-Midfluent		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Kitchen Sink (Effluent)		04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Pressure Tank		02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	ND<0.12
		POET-Influent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		POET-Midfluent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		POET-Effluent		03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Pressure Tank		02/03/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	41
		Kitchen Sink		03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	3.9
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		POET-Influent		03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		POET-Midfluent		03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		POET-Effluent		03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Pressure Tank (Influent)		02/05/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0093	0.66
POET-Influent			02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	0.95	
			03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	0.7 J	
			03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Midfluent			03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent			03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14		ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink (Effluent)			02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0093	0.55	
			03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Kitchen Sink	02/05/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12	
			POET-Influent	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	0.14 J
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/04/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			POET-Influent	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/04/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink (Effluent)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	0.12 J
			Pre-Treatment (Basement)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	1.1
			POET-Influent	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Pressure Tank (Influent)	02/03/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0093	0.68	
			02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15				
			POET - Influent	04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET - Midfluent		02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink (Effluent)	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			06/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	Bathroom Sink	02/04/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	2.1
		02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.38 J
	Pressure Tank (Influent)	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Influent	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Midfluent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Effluent	08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Kitchen Sink - Effluent	04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Kitchen Sink	08/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		02/04/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
	POET-Influent	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent	05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		07/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink	07/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		02/10/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
	POET-Influent	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.22 J
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent	07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Influent	07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent	07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Influent	07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		02/07/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12
POET-Midfluent	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
POET-Effluent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink	05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J	
POET-Influent	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
POET-Midfluent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent	05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
POET-Influent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent	05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
POET-Influent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent	05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15				

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	Pressure Tank (Influent)	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Influent	06/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Midfluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	06/25/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Effluent	08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/27/2025	ND<0.19	0.66	0.28 J	0.66 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	2.0	ND<0.005	ND<0.3		
		04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Kitchen Sink	06/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		08/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Pressure Tank (Influent)	01/27/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	0.12		
			04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	4.6	
	POET-Influent		07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.7	
			04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET-Midfluent	07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink Outside Spigot	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	ND<0.12		
	03/03/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Influent		03/20/2025	ND<0.19	58	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			03/26/2025	ND<0.19	1.7	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Midfluent	07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Effluent	05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Kitchen Sink	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
POET-Influent	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Midfluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Effluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	Kitchen Sink	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.13 J	
		02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.16 J	
	POET-Influent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Effluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		08/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink	01/23/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.17 J	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	0.31 J	
	POET - Influent	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.16 J	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.17 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.15 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.17 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.4 J
		07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET - Midfluent	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET - Effluent	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
		03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Pressure Tank	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0092	0.34 J	
	POET-Influent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	1.2
		03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.14 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
05/19/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
07/14/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Outside Spigot - Untreated	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.40 J	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.32 J		
Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.47 J	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
Pressure Tank	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	1.2	ND<0.10	ND<0.20	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.3	
POET-Influent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.16 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.28 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.24 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.46 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.31 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L) 5	Toluene (µg/L) 1,000	Ethyl-benzene (µg/L) 700	Total Xylenes (µg/L) 10,000	MTBE (µg/L) 20	Isopropyl Benzene (µg/L) 840	Naph- thalene (µg/L) 100	1,2,4-Trimethyl- benzene (µg/L) 130	1,3,5-Trimethyl- benzene (µg/L) 130	1,2-Dichloro- ethane (µg/L) 5	1,2 Dibromo- ethane (µg/L) 0.05	Dissolved Lead (µg/L) 5
DEP MSCs for a Residential, Used Aquifer																
REDACTED			Kitchen Sink	02/08/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	0.16 J	ND<0.50	0.23 J	1.1	0.71	ND<0.50	ND<0.0094	ND<0.12
				02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.27 J	ND<0.10	ND<0.20	1.2	0.69	ND<0.10	ND<0.0095	ND<0.12
			POET-Influent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.18 J	ND<0.13	ND<0.14	0.27 J	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	0.17 J	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Bathroom Sink	09/26/2023	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	-	-	-
				01/31/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Pressure Tank (Influent)	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.16 J
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	4.0
			Kitchen Sink (post charcoal treatment)	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.1
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			POET-Influent	03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/27/2025	0.21 J	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Outside Spigot	09/25/2023	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	-	-	-
			Outside Spigot (Pre-Treatment)	01/31/2025	39	7.9	49	230	0.2	18	160	ND<0.50	180	ND<0.50	ND<0.0094	ND<0.12	
			Kitchen Sink (Post-Treatment)	01/31/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.63	
			POET-Influent	02/14/2025	92	80	41	310	0.33 J	13	110	280	120	ND<0.10	ND<0.0095	ND<0.12	
				02/24/2025	58	9.4	ND<0.10	250	0.42 J	ND<0.10	140	450	200	ND<0.10	ND<0.0094	ND<0.12	
				03/21/2025	150	36	17	390	0.30 J	9.8	120	480	210	4.3	ND<0.005	ND<0.3	
				04/23/2025	39	5.5	7.5	200	0.64	3.6	82	240	98	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	8.0	1.8	5.8	84	ND<0.13	3.6	110	280	160	ND<0.15	ND<0.005	ND<0.3	
				06/19/2025	32	19	5.7	120	0.39 J	1.3	28	95	86	0.76	ND<0.005	ND<0.3	
				07/03/2025	13	310	10	280	ND<0.13	3.2	34	190	150	0.16 J	ND<0.005	ND<0.3	
				07/24/2025	0.98	11	3.4	80	0.51	1.2	20	72	99	ND<0.15	ND<0.005	ND<0.3	
				09/02/2025	ND<0.19	ND<0.19	0.24 J	2.7	ND<0.13	0.21 J	2.7	14	68	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	0.17 J	0.17 J	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12	
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Effluent - Upstairs Bathroom	07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	13.6	
			Kitchen Sink	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	0.17 J	
			Pressure Tank (Influent)	01/31/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	ND<0.12	
				03/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
				06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent	03/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Pressure Tank (Influent)	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.52			
	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12				
	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	08/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	Kitchen Sink (Effluent)	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
		05/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
07/02/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Laundry Room Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12				
	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
Kitchen Sink	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Influent	05/05/2025	ND<0.19	ND<0.19	0.19 J	0.89 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Midfluent	05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
POET-Effluent	05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	07/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Kitchen Sink	01/31/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	ND<0.12	
			POET-Influent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			POET-Midfluent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
				03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	NA		ND<0.3	
			POET-Effluent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
				03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
			09/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			Kitchen Sink	02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.26 J	
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.13 J	
				POET-Influent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/10/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	0.38 J	
				02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				Basement (Influent)	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	2.8	
				Influent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.7
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.6	
			Pressure Tank (Influent)	05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	4.2	
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	6.2	
		POET-Influent	08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.3		
		POET-Midfluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.0		
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.9 J		
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Wellhead with Bailer	02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.78		
		Influent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J		
		Midfluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Effluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Utility Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
			Pressure Tank (Influent)	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	0.78	
			Utility Sink (Effluent)	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.36 J	
			POET-Influent	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				06/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.18 J
				03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
			POET-Influent	04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.3 J	
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
			POET-Midfluent	04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pre-Carbon Treatment	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.52
			Influent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.14 J
				Effluent	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Irrigation Well	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	6.5
			Kitchen Sink	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.20 J
				02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12
			Influent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		Midfluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Effluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink Kitchen Sink (First Floor)	02/07/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Influent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Effluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Pressure Tank	02/08/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
		Spigot in Basement	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Influent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Midfluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L) 5	Toluene (µg/L) 1,000	Ethyl-benzene (µg/L) 700	Total Xylenes (µg/L) 10,000	MTBE (µg/L) 20	Isopropyl Benzene (µg/L) 840	Naph- thalene (µg/L) 100	1,2,4-Trimethyl- benzene (µg/L) 130	1,3,5-Trimethyl- benzene (µg/L) 130	1,2-Dichloro- ethane (µg/L) 5	1,2 Dibromo- ethane (µg/L) 0.05	Dissolved Lead (µg/L) 5
DEP MSCs for a Residential, Used Aquifer																
REDACTED			Kitchen Sink *bypassed carbon	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	ND<0.12
			Pressure Tank	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.0
			Influent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Backyard Spigot	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.14 J
			Outside Spigot (next to front door)	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.0 J
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Influent	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.6
			POET - Midfluent	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Effluent	06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	5.6
			Kitchen Sink	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank (Influent)	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0092	ND<0.12
				03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Utility Sink	02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0096	0.33 J
				02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.54
			POET-Influent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Kitchen Sink	02/04/2025 03/07/2025	ND<0.50 ND<0.19	ND<0.50 ND<0.19	ND<0.50 ND<0.13	ND<0.50 ND<0.19	ND<0.50 ND<0.13	ND<0.50 ND<0.13	ND<0.50 ND<0.14	ND<0.50 ND<0.13	ND<0.50 ND<0.15	ND<0.50 ND<0.15	ND<0.0093 ND<0.005	ND<0.12 ND<0.3	
			POET - Influent	03/20/2025 06/16/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3	
			POET - Midfluent	03/20/2025 06/16/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3	
			POET - Effluent	03/20/2025 06/16/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3	
			Kitchen Sink	02/07/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			POET-Influent	03/22/2025 05/16/2025 07/01/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	03/22/2025 05/16/2025 07/01/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	03/22/2025 05/16/2025 07/01/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			Pressure Tank	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	24
			POET-Influent	02/28/2025 03/24/2025 05/13/2025 07/31/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15	ND<0.0095 ND<0.005 ND<0.005 ND<0.005	1.7 ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	03/24/2025 05/13/2025 07/31/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	03/24/2025 05/13/2025 07/31/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			Bathroom Sink Next to Kitchen	02/14/2025 02/21/2025 04/11/2025	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.20 ND<0.14	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.15	ND<0.50 ND<0.10 ND<0.15	ND<0.0094 ND<0.0097 ND<0.005	ND<0.12 0.16 J ND<0.3
			Kitchen Sink	02/05/2025 03/01/2025	ND<0.50 ND<0.19	ND<0.50 ND<0.19	ND<0.50 ND<0.13	ND<0.50 ND<0.19	ND<0.50 ND<0.13	ND<0.50 ND<0.13	ND<0.50 ND<0.14	ND<0.50 ND<0.13	ND<0.50 ND<0.15	ND<0.50 ND<0.15	ND<0.50 ND<0.15	ND<0.0094 ND<0.005	0.25 J ND<0.3
			POET-Influent	03/13/2025 05/14/2025 07/14/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	03/13/2025 05/14/2025 07/14/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Effluent	03/13/2025 05/14/2025 07/14/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			Pressure Tank (Influent)	02/04/2025 02/28/2025 03/15/2025	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.19	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.20 ND<0.14	ND<0.50 ND<0.10 ND<0.13	ND<0.50 ND<0.10 ND<0.15	ND<0.50 ND<0.10 ND<0.15	ND<0.50 ND<0.10 ND<0.15	ND<0.0094 ND<0.0095 ND<0.005	0.66 J 2.2 ND<0.3
			POET-Influent	04/12/2025 05/21/2025 08/12/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			POET-Midfluent	04/12/2025 05/21/2025 08/12/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3	
			Kitchen Sink (Effluent)	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.17 J
			POET-Effluent	03/15/2025 04/12/2025 05/21/2025 08/12/2025	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3 ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2 Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Bathroom Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	0.45 J	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.2	
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J	
			POET-Influent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
				08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
			POET-Midfluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/08/2025	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	ND<0.005	ND<0.3
			Pressure Tank	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
			POET-Influent	05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.13 J	
			POET-Influent	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Laundry Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
				07/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
			Kitchen Sink	04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Influent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12		
			03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Influent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Midfluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)		
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5		
REDACTED			Kitchen Sink	02/11/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12		
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
				07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			Kitchen Sink	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	1.0	
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.9	
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.1	
				POET-Influent	05/10/2025	ND<0.19	ND<0.19	0.18 J	0.77	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
					07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.7
			POET-Midfluent	05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/13/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				POET-Influent	05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				POET-Midfluent	05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			08/19/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	ND<0.12
				02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pressure Tank	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	2.3
			POET - Influent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Midfluent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Effluent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/10/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.86
				02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			POET-Influent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.957 J
04/08/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
05/01/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
05/28/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
08/25/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Midfluent	03/10/2025	ND<0.19	0.29 J	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Effluent	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	Kitchen Sink		02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			02/14/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0096	ND<0.12
	Pressure Tank (Influent)		02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	2.0
	POET-Influent		03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	6.7
			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	3.1
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	3.0
	POET-Midfluent		02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	1.3
			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink (Effluent)		02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
	POET-Effluent		03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	4.5
			04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.7 J
			06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink		02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.23 J
	Basement (Influent)		02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
	POET-Influent		03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Basement (Midfluent)		02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent		04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen (Effluent)		02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
	POET-Effluent		03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			07/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Pressure Tank		02/05/2025	0.85	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.80
	Influent		02/18/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	ND<0.12
	Pressure Tank (Influent)		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	POET-Midfluent		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent		03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		08/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
Kitchen Sink		02/04/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
Pressure Tank (Influent)		02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.73	
Kitchen Sink (Effluent)		02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
POET-Influent		03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Midfluent		03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
POET-Effluent		03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer																
					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	Kitchen Sink	02/11/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	17.6		
															05/29/2025	ND<0.19
		08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	4.9		
															03/26/2025	ND<0.19
		05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
															08/20/2025	ND<0.19
		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
															05/29/2025	ND<0.19
		08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
															03/26/2025	ND<0.19
	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														08/20/2025	ND<0.19	ND<0.19
	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														05/29/2025	ND<0.19	ND<0.19
	08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														03/26/2025	ND<0.19	ND<0.19
	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														08/20/2025	ND<0.19	ND<0.19
	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														05/29/2025	ND<0.19	ND<0.19
	08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														03/26/2025	ND<0.19	ND<0.19
	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														08/20/2025	ND<0.19	ND<0.19
	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														05/29/2025	ND<0.19	ND<0.19
	08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														03/26/2025	ND<0.19	ND<0.19
	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														08/20/2025	ND<0.19	ND<0.19
	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														05/29/2025	ND<0.19	ND<0.19
	08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														03/26/2025	ND<0.19	ND<0.19
	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														08/20/2025	ND<0.19	ND<0.19
	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
														05/29/2025	ND<0.19	ND<0.19
08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													03/26/2025	ND<0.19	ND<0.19	ND<0.13
05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													08/20/2025	ND<0.19	ND<0.19	ND<0.13
03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													05/29/2025	ND<0.19	ND<0.19	ND<0.13
08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													03/26/2025	ND<0.19	ND<0.19	ND<0.13
05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													08/20/2025	ND<0.19	ND<0.19	ND<0.13
03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													05/29/2025	ND<0.19	ND<0.19	ND<0.13
08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													03/26/2025	ND<0.19	ND<0.19	ND<0.13
05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													08/20/2025	ND<0.19	ND<0.19	ND<0.13
03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													05/29/2025	ND<0.19	ND<0.19	ND<0.13
08/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
													03/26/2025	ND<0.19	ND<0.19	ND<0.13

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer																
REDACTED			Kitchen Sink	02/03/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0095	0.65
			Bladder Tank (Basement)	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			POET-Influent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/10/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.12
			Pressure Tank (Influent)	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				POET-Influent	03/19/2025	ND<0.19	0.23 J	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			04/22/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/21/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		04/22/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/21/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Outside Spigot - Influent	02/12/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	1.3	
			02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.7	
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J	
		Back Yard Spigot	04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
		Outside Rear Spigot	07/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J	
		Kitchen Sink - Effluent	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2-Dichloro-ethane (µg/L)	1,2-Dibromo-ethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Kitchen Sink	02/08/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Pre -Water Softener	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Pressure Tank	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	0.23 J	ND<0.15	ND<0.15	ND<0.0094	ND<0.3
			Pressure Tank (Influent) - Main Well (Well 1)	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent (Well 1)	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent (Combined)	08/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank (Influent) - Back-up Well (Well 2, Old Well)	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			POET-Influent (Well 2)	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent - Main Well (Well 1, New Well)	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent - Back-up Well (Well 2, Old Well)	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent (Combined)	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent - Main Well (Well 1, New Well)	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent - Back-up Well (Well 2, Old Well)	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent (Combined)	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/14/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Outside Spigot Next to Front Outside Spigot	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.60
				03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/06/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.20	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		Effluent	04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/14/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
			02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.20	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0093	0.37 J	
		POET-Influent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Midfluent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Effluent (Sink)	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			08/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/05/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	0.16 J	
			03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
		Kitchen Sink (First Floor)	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
		POET - Influent	06/16/2025	ND<0.19	ND<0.19	0.55	2.2	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET - Midfluent	06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET - Effluent	06/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.20	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Kitchen Sink	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.4	
			POET-Influent	04/29/2025	ND<0.19	ND<0.19	0.19 J	0.70	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				07/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET - Influent	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET - Midfluent	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET - Effluent	05/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.24 J	
				03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/17/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J	
				03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/15/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12	
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink (First Floor)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	220	
			Pressure Tank (Influent)	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J	
				04/04/2025	ND<0.19	4.6	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				Kitchen Sink (Effluent)	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					04/04/2025	ND<0.19	0.31 J	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			05/12/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	0.42 J	ND<0.005	ND<0.3	
			05/23/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	0.45 J	ND<0.005	ND<0.3	
			Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/04/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		05/23/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
		Kitchen Sink (Effluent)	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
			03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Basement Pre-Treatment	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.44 J		
			03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.4		
		Kitchen Sink (Effluent)	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink	02/07/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	ND<0.12		
			03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink	04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Influent	05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Midfluent	05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Effluent	05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			07/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naph- thalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (µg/L)	1,2 Dibromo- ethane (µg/L)	Dissolved Lead (µg/L)
DWP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
[REDACTED]	[REDACTED]	[REDACTED]	Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12
			Pre-Treatment Pressure Tank Kitchen Sink	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Spigot	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.001	1.6
			Kitchen Sink	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Bathroom Sink	07/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.8
			Kitchen Sink	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	2.2
				03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.6
			Outside Spigot - Back Deck	02/27/2025	ND<0.10	0.12 J	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.40 J
			Kitchen Sink	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot Adjacent to Outside Spigot Under Deck	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.50 J
				03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kennel Main House	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Influent	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.23 J
			Kitchen Sink	02/07/2025	0.18 J	120	ND<0.50	ND<0.50	ND<0.50	0.12 J	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
				02/18/2025	0.14 J	80	ND<0.10	ND<0.10	ND<0.10	0.11 J	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	2.3
				03/25/2025	ND<0.19	40	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/02/2025	ND<0.19	13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				08/25/2025	ND<0.19	4.1	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.13 J
				03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
				04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Basement Bathroom Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.20 J
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank (Influent)	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/24/2025	ND<0.19	ND<0.19	0.17 J	0.50	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naph- thalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (µg/L)	1,2 Dibromo- ethane (µg/L)	Dissolved Lead (µg/L)
DWP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED	REDACTED	REDACTED	Kitchen Sink	02/07/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0092	0.22 J
				02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J
				04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Basement Kitchen Sink	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.24 J
				03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Laundry Room Utility Sink	02/18/2025	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.50	ND<0.0094	ND<0.12
			Kitchen Sink	03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Island Sink	05/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.17 J
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.7
			Influent	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pre-Treatment Pressure Tank (Influent)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0098	ND<0.12
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Basement Sink (Effluent)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (First Floor)	05/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Northwest Side of Pond	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Well (Outfall Pipe)	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Bathroom Sink (First Floor)	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink Kitchen Sink	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J
			Midfluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink POET-Influent POET-Midfluent POET-Effluent	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink POET-Influent POET-Midfluent POET-Effluent	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink Influent Midfluent Effluent	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L) 5	Toluene (µg/L) 1,000	Ethyl-benzene (µg/L) 700	Total Xylenes (µg/L) 10,000	MTBE (µg/L) 20	Isopropyl Benzene (µg/L) 840	Naph- thalene (µg/L) 100	1,2,4-Trimethyl- benzene (µg/L) 130	1,3,5-Trimethyl- benzene (µg/L) 130	1,2-Dichloro- ethane (µg/L) 5	1,2 Dibromo- ethane (µg/L) 0.05	Dissolved Lead (µg/L) 5
DEP MSCs for a Residential, Used Aquifer																
REDACTED			Kitchen Sink (First Floor)	03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/10/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent (Carbon Filter)	04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.8
			POET-Influent	05/08/2025	ND<0.19	ND<0.19	0.21 J	0.87 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			POET-Effluent	05/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	06/24/2025	ND<0.19	ND<0.19	0.22 J	0.65	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	06/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/10/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Influent (Pressure Tank)	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
				05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J
			POET-Midfluent	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent (Sink)	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Kitchen Sink	04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Influent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink (First Floor)	03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	Pressure Tank	02/17/2025	03/07/2025	04/09/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	4.2	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	9.7	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	POET - Influent	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	POET - Midfluent	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	POET - Effluent	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	Kitchen Sink	02/19/2025	03/05/2025	04/04/2025	05/30/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
						ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
						ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
						ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	Kitchen Sink	02/14/2025	03/12/2025	04/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Kitchen Sink	02/19/2025	03/10/2025	04/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Basement Spigot	05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
			ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	Influent Kitchen Sink (Effluent)	03/21/2025	03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	4.2	
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J		
	Kitchen Sink	02/06/2025	03/04/2025	03/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.41 J	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Kitchen Sink	02/13/2025	03/17/2025	06/06/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Office Downstairs Kitchen Sink	02/14/2025	03/07/2025	04/03/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
					ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
	Kitchen Sink	03/07/2025	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Basement (Pre-Treatment)	02/20/2025	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Kitchen Sink (Effluent)	03/10/2025	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	Pressure Tank	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
ND<0.19					ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
Kitchen Sink	02/10/2025	03/04/2025	03/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12		
				ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED	10000	10000	Pressure Tank	02/07/2025	0.44 J	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.21 J	
			Utility Sink	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
			POET-Influent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					POET-Midfluent	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			04/23/2025	ND<0.19		ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/19/2025	ND<0.19		ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				POET-Effluent		03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			04/23/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/19/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					Basement Sink (Effluent)	05/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			Kitchen Sink	02/14/2025		ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					Influent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
				Midfluent		03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			Effluent		03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				Kitchen Sink	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12
			03/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent			04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
				Midfluent	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					Effluent	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
				Kitchen Sink		02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095
			03/08/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095
			03/18/2025			ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				Influent		03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			Midfluent			03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
				Effluent	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink		02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				Influent		04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			Midfluent		04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
					Effluent	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
				Kitchen Sink		03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005
			Outside Spigot		02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
03/05/2025	ND<0.19	ND<0.19		ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
	03/31/2025	ND<0.19		ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Pressure Tank		02/13/2025		ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.32 J		
	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3				
		04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	Kitchen Sink		02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12		
03/07/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J				
		04/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Influent			05/10/2025	ND<0.19	ND<0.19	0.55	2.5	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
	POET-Midfluent	05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Effluent		05/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Pre-Treatment Pressure Tank	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.14 J	
				03/03/2025	ND<0.19	14	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.3	
			Influent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Midfluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Effluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.51 J	
				02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.48 J	
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J
			POET-Midfluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.9 J
			POET-Effluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.5
			Pre-Treatment Pressure Tank	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	0.16 J
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
				05/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	05/15/2025	ND<0.19	ND<0.19	0.22 J		1.0 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/06/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Influent	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12
				03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank Bathroom Sink	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			Influent	05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Basement Bathroom / Laundry Room Sink	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
		Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.15 J	
		Basement Sink	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Downstairs Sink	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Influent	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	0.20 J	
		Influent (Carbon Filter)	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink (Effluent)	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			POET Influent	02/11/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.38 J	
			Pressure Tank	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J	
			POET Influent	02/11/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.3
			Pressure Tank	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.7 J
			POET Influent	02/11/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Top Spigot	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Sink Near Kitchen	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.24 J
			Utility Sink (Basement)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.13 J
			Laundry Room Sink	03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Laundry Sink	04/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.5 J
			Kitchen Sink	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.16 J
				03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (System Bypassed)	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.19 J
			Outside Spigot (Influent)	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Pressure Tank	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	02/12/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	0.52
				03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.5 J
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	0.6 J
			Pressure Tank	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.4
			Kitchen Sink (Effluent)	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pre-Treatment Pressure Tank	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.3
			Laundry Room Sink	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pre-Treatment Pressure Tank	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Basement Sink	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pre-Treatment Pressure Tank	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	2.3	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	3.2	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.2	
		Sink - Post Treatment (Non-RO Treatment)	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.13 J	
		Post-Treatment - RO Spigot at	02/20/2025	ND<0.10	ND<0.10	ND<0.10	0.24 J	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12	
		POET-Influent	03/28/2025	ND<0.19	16	ND<0.13	ND<0.19	2.9	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/25/2025	ND<0.19	1.9	ND<0.13	ND<0.19	2.8	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	0.37 J	ND<0.13	ND<0.19	3.5	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Midfluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Effluent	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			04/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Basement Bathroom Sink Influent (Pressure Tank)	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Effluent (Basement Bathroom)	03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.9 J
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			POET - Influent	04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Midfluent	04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Effluent	04/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank Spigot	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			First Floor Kitchen Sink (Effluent)	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Influent	06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Midfluent	06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET - Effluent	06/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot (South Side of House)	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Outside Spigot	03/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	0.3 J	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Influent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Midfluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.8
				03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.9
				03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.9
			POET-Influent	05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.7
				07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.9
			POET-Midfluent	05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			POET-Effluent	05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
	07/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Spigot Near Blue Pressure	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	1.6			
POET-Influent	03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Midfluent	03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J			
	05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET-Effluent	03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Kitchen Sink	02/12/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	ND<0.12			
	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.014	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET - Influent	03/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.5			
	06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.9 J			
	08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.2			
POET - Midfluent	03/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
POET - Effluent	03/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	06/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	08/29/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Pre-Treatment Pressure Tank	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			Kitchen Sink	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.34 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Influent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Midfluent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			POET-Effluent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink (First Floor)	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Spigot Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.7
				02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.16 J
			Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pressure Tank (Influent)	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.6	
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.1	
			Basement Spigot (Effluent)	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.2	
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J	
			Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.2
			Kitchen Sink	03/27/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Basement Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank (Influent)	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.8
			Basement Bathroom Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank (Influent)	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.5
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.3 J	
			Kitchen Sink (Effluent)	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pre-Treatment	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Spigot Near Supply Tank	03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank (Influent)	04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Bathroom Sink (Effluent)	03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Bathroom Sink (Basement)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pre-Treatment	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.12 J
			Kitchen Sink	03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank (Influent)	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.9 J	
			Midfluent	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Basement Sink (Effluent)	04/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink Island	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Outside Spigot	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	ND<0.12	
			03/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.12 J	
			03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.7		
		Bladder Tank	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.2		
			05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.7		
			06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	6.6		
		Refrigerator	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			05/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
			06/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (µg/L)	1,2-Dibromoethane (µg/L)	Dissolved Lead (µg/L)	
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
REDACTED			Filtered Drinking Water Faucet	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
			Kitchen Sink	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank (Influent)	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.3	
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.6	
			Kitchen Sink (Effluent)	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10		ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Pressure Tank	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Basement Sink	04/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				Kitchen Sink	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	0.6 J
			Midfluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
					03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
					04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank	02/14/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
					03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Influent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3
		Kitchen Sink (Effluent)	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Influent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.31 J	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Midfluent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Effluent	04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
				05/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			03/26/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3		
		POET-Influent	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Midfluent	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		POET-Effluent	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
			03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Influent	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Midfluent	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Effluent	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J	
		Influent - Pressure Tank	06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	3.0	
		Effluent - Kitchen Sink	06/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13		ND<0.15	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L) 5	Toluene (µg/L) 1,000	Ethyl-benzene (µg/L) 700	Total Xylenes (µg/L) 10,000	MTBE (µg/L) 20	Isopropyl Benzene (µg/L) 840	Naph- thalene (µg/L) 100	1,2,4-Trimethyl- benzene (µg/L) 130	1,3,5-Trimethyl- benzene (µg/L) 130	1,2-Dichloro- ethane (µg/L) 5	1,2 Dibromo- ethane (µg/L) 0.05	Dissolved Lead (µg/L) 5
DEP MSCs for a Residential, Used Aquifer																
REDACTED			Pressure Tank	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/19/2025 03/14/2025	ND<0.10 ND<0.19	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.13	ND<0.20 ND<0.13	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0094 ND<0.005	ND<0.12 ND<0.3
			Kitchen Sink	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.15 J
			Kitchen Sink	02/17/2025 03/08/2025	ND<0.10 ND<0.19	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.13	ND<0.20 ND<0.14	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0095 ND<0.005	ND<0.12 ND<0.3
			Kitchen Sink	02/17/2025	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Pressure Tank	02/17/2025 03/05/2025	ND<0.10 ND<0.19	ND<0.20 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.13	ND<0.20 ND<0.14	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0094 ND<0.005	2.5 0.8 J
			Kitchen Sink	02/25/2025 03/24/2025	ND<0.10 ND<0.19	ND<0.20 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.13	ND<0.20 ND<0.14	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0094 ND<0.005	0.38 J ND<0.3
			Port closest to well in the basement.	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	1.2
			Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/27/2025 03/20/2025 04/15/2025	ND<0.10 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.13	ND<0.10 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15	ND<0.0094 ND<0.005 ND<0.005	0.14 J ND<0.3 ND<0.3
			Kitchen Sink	02/17/2025 03/05/2025 04/01/2025 05/29/2025	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.19 ND<0.19 ND<0.19	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.20 ND<0.14 ND<0.14 ND<0.14	ND<0.10 ND<0.13 ND<0.13 ND<0.13	ND<0.10 ND<0.15 ND<0.15 ND<0.15	ND<0.10 ND<0.15 ND<0.15 ND<0.15	ND<0.0094 ND<0.005 ND<0.005 ND<0.005	ND<0.12 1.0 0.4 J 0.8 J
			Upstairs Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.12 J
			Kitchen Sink	03/05/2025 03/27/2025 05/29/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	0.6 J ND<0.3 0.8 J
			Kitchen Sink	03/12/2025 04/23/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3
			Kitchen Sink	03/04/2025 03/26/2025 04/25/2025	ND<0.19 ND<0.19 ND<0.19	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.19 ND<0.19 ND<0.19	ND<0.13 ND<0.13 ND<0.13	ND<0.13 ND<0.13 ND<0.13	ND<0.14 ND<0.14 ND<0.14	ND<0.13 ND<0.13 ND<0.13	ND<0.15 ND<0.15 ND<0.15	ND<0.15 ND<0.15 ND<0.15	ND<0.005 ND<0.005 ND<0.005	ND<0.3 ND<0.3 ND<0.3
			Pressure Tank	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/04/2025 04/01/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3
			Pressure Tank	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0097	ND<0.12
			Kitchen Sink	03/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank (Influent)	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/20/2025 03/07/2025	ND<0.10 ND<0.19	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.13	ND<0.20 ND<0.14	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0094 ND<0.005	ND<0.12 ND<0.3
			Main House Well - Kitchen Sink	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Main House POET-Influent	08/25/2025	ND<0.19	ND<0.19	ND<0.13	0.40 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Main House POET-Midfluent	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Main House POET-Effluent	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Guest House	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Guest House Well - Kitchen Sink	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.5 J
			Guest House POET-Influent	08/25/2025	ND<0.19	ND<0.19	0.44 J	1.7 J	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Guest House POET-Midfluent	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Guest House POET-Effluent	08/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	03/18/2025 04/16/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene	Toluene	Ethyl-benzene	Total Xylenes	MTBE	Isopropyl Benzene	Naph- thalene	1,2,4-Trimethyl- benzene	1,3,5-Trimethyl- benzene	1,2-Dichloro- ethane	1,2 Dibromo- ethane	Dissolved Lead
					(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Spigot attached to Barn	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Backyard Spigot Attached to House Influent	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
				03/13/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Midfluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Effluent	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank (Influent)	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	3.5
				03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.3
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.8
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	3.5
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.4
			Midfluent	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.052	3.0
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent) Bar Sink (Effluent) Kitchen Sink (Effluent)	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/23/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/30/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/17/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank Utility Sink (basement) POET - Influent POET - Midfluent POET - Effluent	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/14/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				06/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0093	0.43 J
				03/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.1
				03/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Kitchen Sink Kitchen Sink (First Floor)	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/02/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Outside Spigot Kitchen Sink	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
				03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Utility Sink	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				04/03/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
Kitchen Sink	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.61			
	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.0 J			
	04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J			
Bathroom Sink Outside Spigot	02/15/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12			
	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Outside Spigot - Warehouse Outside Spigot - House Outside Spigot	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.71			
	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.7 J			
	04/22/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	1.2			
Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12			
	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Laundry Room Sink	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12			
	03/25/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Kitchen Sink POET-Influent POET-Midfluent POET-Effluent	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12			
	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/21/2025	ND<0.19	ND<0.19	0.21 J	0.73	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	05/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
Kitchen Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12			
	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			
	04/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3			

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naph- thalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (µg/L)	1,2-Dibromo- ethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Pressure Tank Spigot Kitchen Sink	03/08/2025 04/08/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	0.8 J ND<0.3
			Kitchen Sink (non-RO) Laundry Room Sink	03/20/2025 04/15/2025	ND<0.19 ND<0.19	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.19 ND<0.19	ND<0.13 ND<0.13	ND<0.13 ND<0.13	ND<0.14 ND<0.14	ND<0.13 ND<0.13	ND<0.15 ND<0.15	ND<0.15 ND<0.15	ND<0.005 ND<0.005	ND<0.3 ND<0.3
			Garage Spigot	02/28/2025 04/14/2025	ND<0.10 ND<0.19	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 ND<0.19	ND<0.10 ND<0.13	ND<0.10 0.24 J	ND<0.20 ND<0.14	ND<0.10 ND<0.13	ND<0.10 ND<0.15	ND<0.10 ND<0.15	ND<0.0095 ND<0.005	ND<0.12 ND<0.3
		05/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Outside Spigot	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
		03/18/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		04/14/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		05/06/2025		ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
			Bladder Tank	02/27/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	1.4
			Influent	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Effluent	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (First Floor)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/17/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.19 J
			Kitchen Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pressure Tank	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	1.2
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	03/19/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.16 J
			Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/25/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.55
			Kitchen Sink	02/24/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.18 J
			Kitchen Sink	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	02/18/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Kitchen Sink	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (First Floor)	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pre-Treatment Basement	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Kitchen Sink	02/26/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pressure Tank	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
			Pressure Tank	03/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	7.2
			Bathroom Sink	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.39 J
		Bathroom Sink	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink - (Cottage)	02/21/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
		Kitchen Sink	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12	
		Kitchen Sink	03/31/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	03/12/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Kitchen Sink	04/21/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Pressure Tank	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12	
		Kitchen Sink	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3	
		Pressure Tank	04/24/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.005	ND<0.3	

Table 1
Potable Well Analytical Results Summary

Sample Address	Well Depth (feet)	Pump Depth (feet)	Sample Location	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naph- thalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (µg/L)	1,2 Dibromo- ethane (µg/L)	Dissolved Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer					5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
REDACTED			Kitchen Sink-1 Apartment (Effluent1)	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.55
				03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink-2 House (Effluent2)	02/28/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0096	0.18 J
				03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Basement (Influent)	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.8 J
			Pressure Tank (Influent)	03/27/2025	0.72	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	0.35 J	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.6 J
			Kitchen Sink (Effluent)	03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/04/2005	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/11/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/28/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Utility Sink in Garage Utility Sink in Garage	02/22/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	0.34 J
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.017 J
				03/10/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/16/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				07/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	2.9
			Kitchen Sink	02/20/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0094	ND<0.12
			Pressure Tank	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/20/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				05/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (First Floor)	03/06/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	0.4 J
			Kitchen Sink	03/15/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink (Effluent)	03/18/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Pressure Tank Kitchen Sink	02/19/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	ND<0.12
				03/05/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Spigot Kitchen Sink Influent Midfluent Effluent	02/13/2025	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.10	ND<0.20	ND<0.10	ND<0.10	ND<0.10	ND<0.0095	0.52
				03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				04/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
				03/01/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	03/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Well 15	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Well 9	03/07/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Kitchen Sink	04/09/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3
			Utility Sink (near Kitchen)	04/08/2025	ND<0.19	ND<0.19	ND<0.13	ND<0.19	ND<0.13	ND<0.13	ND<0.14	ND<0.13	ND<0.15	ND<0.15	ND<0.005	ND<0.3

Notes:
DEP = Pennsylvania Department of Environmental Protection
MSCs = Medium-Specific Concentrations per 25 Pa. Code Chapter 250
µg/L = Micrograms/Liter
ND<# = Not Detected (# is method detection limit)
NA = Not Available or Not Analyzed
MDL = Method Detection Limit
RL = Reporting Limit
PID = Photoionization Detector
ppm = Parts Per Million
J = Approximate value; result is < RL and ≥ MDL
* = See laboratory report for qualifiers
Bold = Exceeds the DEP MSC for a Used, Residential Aquifer < 2,500 mg/L total dissolved solids
Volatiles analyzed via EPA Method 524.2
EDB analyzed via EPA Method 8011 through 2/28/2025; samples collected beginning 3/1/2025 analyzed via EPA Method 504
Dissolved Lead analyzed via EPA Method 200.8



Table 2
Packer Test Analytical Data Summary

Well	Sample Interval (ft bgs)	Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl- benzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethyl- benzene (µg/L)	1,3,5-Trimethyl- benzene (µg/L)	1,2-Dichloro- ethane (EDC) (µg/L)	1,2 Dibromo- ethane (EDB) (µg/L)	Lead (µg/L)	Total VOCs
DEP MSCs for a Residential, Used Aquifer			5	1,000	700	10,000	20	840	100	130	130	5	0.05	5	
RW-2	0-33 (Zone 1)	06/23/2025	Not sampled due to LNAPL												
	31-49 (Zone 2)	06/23/2025	Not sampled due to LNAPL and pump cavitation												
	48-63 (Zone 3)	06/24/2025	290	500	220	1,400	ND <1.7	42	460	1100	350	ND <1.3	ND <0.005	ND <0.3	4362.4
RW-3	0-33 (Zone 4)	06/24/2025	Not sampled due to LNAPL												
	30-48 (Zone 5)	06/25/2025	100	200	43	720	ND <0.66	16	120	540	210	ND <0.53	ND <0.005	ND <0.3	1949.5
	47-65 (Zone 6)	06/24/2025	100	200	56	830	ND <0.66	15	130	530	230	ND <0.53	ND <0.005	ND <0.3	2091.5

Notes:
ft bgs = Feet Below Grade Surface
J = Approximate value; result is < Reporting Limit (RL) and ≥ Method Detection Limit (MDL)
DEP = Pennsylvania Department of Environmental Protection
MSCs = Medium-Specific Concentrations per 25 Pa. Code Chapter 250
µg/L = Micrograms/Liter
Volatiles Analyzed via EPA Method 524.2
Bold = Exceeds the DEP MSC for a Used, Residential Aquifer < 2,500 mg/L total dissolved solids
NS = Not Sampled

Table 3
Soil Analytical Data Summary

Sampling Event	Sample ID	Approximate Depth (feet)	Sample Date	PID Reading	Benzene (µg/kg)	Toluene (µg/kg)	Ethylbenzene (µg/kg)	Total Xylenes (µg/kg)	MTBE (µg/kg)	Isopropyl benzene (µg/kg)	Naphthalene (µg/kg)	1,2,4-Trimethyl benzene (µg/kg)	1,3,5-Trimethyl benzene (µg/kg)	1,2-Dichloro-ethane (µg/kg)	1,2-Dibromo-ethane (µg/kg)	Lead (µg/kg)
PADEP Act 2 MSCs for Unsaturated and Saturated Soils in a Residential, Used Aquifer (Soil to Groundwater)					500	100,000	70,000	1,000,000	2,000	600,000/84,000	25,000/10,000	73,000/13,000	23,000/13,000	500	5	450,000/45,000
PADEP Residential Direct Contact Numeric Value (0-15 feet)					57,000	10,000,000	180,000	1,900,000	1,700,000	7,600,000	13,000	1,100,000	1,100,000	17,000	740	500,000
PADEP Residential Soil Statewide Health Standards Vapor Intrusion Screening Values (SV _{soil})					130	44,000	46,000	990,000	280	600,000	25,000	73,000	23,000	100	320	Not Sufficiently Volatile
Post-excavation sampling (REDACTED Glenwood Drive)	PE-1	7	2/4/2025	333.1	ND<640	15,000	19,000	160,000	ND<760	16,000	87,000	290,000	110,000	ND<760	ND<760	25,000
	PE-2	5	2/4/2025	12.6	ND<0.98	ND<1.2	ND<1.2	7.6 J	ND<0.98	ND<1.8	ND<2.5	21	12	ND<0.74	ND<0.86	36,000
	PE-3	4	2/4/2025	0.5	ND<34	ND<41	ND<27	ND<96	ND<41	ND<41	ND<140	ND<41	ND<34	ND<41	ND<41	40,000
	PE-4	7	2/4/2025	115.4	ND<290	ND<340	ND<230	ND<800	ND<340	ND<340	ND<1,100	1,100 J	600 J	ND<340	ND<340	22,000
	PE-5	3.5	2/4/2025	4.1	ND<31	ND<37	ND<25	ND<87	ND<37	ND<37	ND<120	ND<37	45 J	ND<37	ND<37	15,000
	PE-6	5	2/4/2025	3.2	ND<34	ND<41	ND<27	ND<96	ND<41	ND<41	ND<140	ND<41	ND<34	ND<41	ND<41	24,000
	PE-7	7	2/4/2025	273.2	ND<320	1,900 J	5,400	51,000	ND<390	5,500	5,400	120,000	53,000	ND<390	ND<390	28,000
	PE-8	3.5	2/4/2025	12.2	ND<30	ND<36	ND<24	ND<83	ND<36	ND<36	ND<120	ND<36	ND<30	ND<36	ND<36	20,000
	PE-9	7	2/11/2025	378.4	ND<320	ND<390	410 J	7,800	ND<390	ND<390	ND<1,300	4,700	2,400 J	ND<390	ND<390	19,000
	PE-10	7	2/11/2025	281.5	ND<290	500 J	520 J	8,900	ND<350	ND<350	ND<1,200	5,700	3,100	ND<350	ND<350	20,000
	PE-11	7	2/11/2025	617.1	ND<330	ND<390	390 J	11,000	ND<390	ND<390	ND<1,300	8,200	4,800	ND<390	ND<390	21,000
	PE-12	7	2/11/2025	455.8	ND<310	ND<370	ND<250	4,600	ND<370	ND<370	ND<1,200	3,200	1,600 J	ND<370	ND<370	19,000
	PE-13	7	2/11/2025	308.0	ND<340	ND<410	ND<270	ND<960	ND<410	ND<410	ND<1,400	1,500 J	780 J	ND<410	ND<410	21,000
	PE-14	7	2/11/2025	778.0	ND<340	1,300 J	750 J	14,000	ND<410	ND<410	ND<1,400	7,400	6,200	ND<410	ND<410	24,000
	PE-15	7	2/11/2025	190.1	ND<350	ND<420	ND<280	ND<980	ND<420	ND<420	ND<1,400	2,300 J	1,100 J	ND<420	ND<420	20,000
	PE-16	7	2/11/2025	217.8	ND<340	ND<410	ND<270	3,000 J	ND<410	ND<410	ND<1,400	3,700	2,400 J	ND<410	ND<410	20,000
Well Installation	RW-1	1-2	3/18/2025	0.0	ND<0.19	ND<0.61	ND<0.16	ND<0.33	ND<0.23	ND<0.12	ND<0.73	ND<0.38	ND<0.22	ND<0.29	ND<0.33	ND<60
	RW-1	4-5	3/18/2025	0.0	ND<0.20	ND<0.64	ND<0.17	ND<0.34	ND<0.24	ND<0.13	ND<0.77	ND<0.40	ND<0.23	ND<0.30	ND<0.35	14,000
	RW-1	10-11	3/19/2025	0.0	0.25 J	ND<0.53	ND<0.14	ND<0.28	ND<0.20	ND<0.10	ND<0.63	ND<0.32	ND<0.19	ND<0.25	ND<0.28	14,000
	RW-2	7-8	5/20/2025	414	ND<0.26	ND<0.84	ND<0.22	ND<0.45	ND<0.31	ND<0.17	ND<1.0	ND<0.52	ND<0.30	ND<0.40	ND<0.45	21,000
	RW-3	2-3	5/19/2025	0.0	ND<0.18	ND<0.57	0.29 J	2.7 J	ND<0.21	0.68 J	68	43	16	ND<0.27	ND<0.31	29,000
	RW-4	4-5	5/19/2025	0.0	ND<0.21	ND<0.68	ND<0.18	ND<0.37	ND<0.25	ND<0.14	ND<0.82	ND<0.40	ND<0.24	ND<0.32	ND<0.37	12,000

Table 3
Soil Analytical Data Summary

Sampling Event	Sample ID	Approximate Depth (feet)	Sample Date	PID Reading	Benzene (µg/kg)	Toluene (µg/kg)	Ethylbenzene (µg/kg)	Total Xylenes (µg/kg)	MTBE (µg/kg)	Isopropyl benzene (µg/kg)	Naphthalene (µg/kg)	1,2,4-Trimethyl benzene (µg/kg)	1,3,5-Trimethyl benzene (µg/kg)	1,2-Dichloro-ethane (µg/kg)	1,2-Dibromo-ethane (µg/kg)	Lead (µg/kg)
PADEP Act 2 MSCs for Unsaturated and Saturated Soils in a Residential, Used Aquifer (Soil to Groundwater)					500	100,000	70,000	1,000,000	2,000	600,000/84,000	25,000/10,000	73,000/13,000	23,000/13,000	500	5	450,000/45,000
PADEP Residential Direct Contact Numeric Value (0-15 feet)					57,000	10,000,000	180,000	1,900,000	1,700,000	7,600,000	13,000	1,100,000	1,100,000	17,000	740	500,000
PADEP Residential Soil Statewide Health Standards Vapor Intrusion Screening Values (SV _{soil})					130	44,000	46,000	990,000	280	600,000	25,000	73,000	23,000	100	320	Not Sufficiently Volatile
Soil Characterization (Glenwood Drive)	SS-1	7-8	6/17/2025	0.0	ND<0.18	ND<0.58	ND<0.15	ND<0.31	ND<0.21	ND<0.12	ND<0.69	ND<0.35	ND<0.20	ND<0.27	ND<0.31	12,000
	SS-2	5-6	6/17/2025	32.7	ND<0.20	ND<0.66	ND<0.17	ND<0.35	ND<0.24	ND<0.13	ND<0.79	ND<0.41	ND<0.24	ND<0.31	ND<0.36	22,000
	SS-3	5-6	6/17/2025	2.0	ND<0.23	ND<0.74	0.25 J	17	ND<0.28	1.1 J	16	50	41	ND<0.35	ND<0.40	43,000
	SS-4	4-5	6/17/2025	29.8	ND<0.18	ND<0.59	ND<0.15	ND<0.32	ND<0.22	ND<0.12	1.2 J	0.41 J	1.4 J	ND<0.28	ND<0.32	15,000
	SS-5	7-7.5	6/17/2025	323.2	ND<0.18	8.4	3.9	300	ND<0.22	2.4	7.3	180	240	ND<0.28	ND<0.32	8,700
	SS-6	6-6.5	6/17/2025	85.7	ND<0.19	1.2	2.2	150	ND<0.23	12	170	6,600	2,600	ND<0.29	ND<0.33	26,000
	SS-7	7-8	6/17/2025	109.7	ND<0.17	ND<0.56	0.49 J	33	ND<0.21	3.8	12	140	98	ND<0.26	ND<0.30	21,000
	SS-8	7-8	6/17/2025	0.0	ND<0.19	ND<0.62	ND<0.16	ND<0.33	ND<0.23	ND<0.12	ND<0.74	0.78 J	1.2 J	ND<0.29	ND<0.33	18,000
	SS-9	5-6	6/17/2025	0.0	ND<0.20	ND<0.67	ND<0.17	ND<0.36	ND<0.25	ND<0.14	ND<0.81	ND<0.41	ND<0.24	ND<0.32	ND<0.36	19,000
	SS-10	7-8	6/17/2025	349.2	ND<11	ND<35	ND<9.1	280	ND<13	15 J	200 J	1,200	960	ND<16	ND<19	20,000
	SS-11	3-4	6/17/2025	0.0	ND<0.19	ND<0.62	ND<0.16	ND<0.34	ND<0.23	ND<0.12	ND<0.75	ND<0.38	ND<0.22	ND<0.30	ND<0.34	22,000
	SS-12	6-7	6/17/2025	0.9	ND<17	ND<55	ND<14	37 J	ND<20	25 J	2,300	5,500	2,100	ND<26	ND<30	12,000
	SS-13	7-8	6/17/2025	38.4	ND<0.17	ND<0.56	ND<0.14	ND<0.30	ND<0.21	ND<0.11	ND<0.67	1.2 J	1.5 J	ND<0.26	ND<0.30	22,000
	SS-14	7-8	6/17/2025	33.1	ND<10	ND<33	28 J	650	ND<12	130	420	3,700	2,600	ND<16	ND<18	21,000

Notes:

PADEP Act 2 MSCs = Medium Specific Concentrations (MSCs) for Organic Regulated Substances in Soil as found in Appendix A, Table 3b of the Pennsylvania Land Recycling Program (Pennsylvania Code, Title 25, Chapter 250)

ND: Not detected (# is method detection limit)

Bold: exceeds the MSCs for unsaturated soil in a non-residential, used aquifer

Shaded: Exceeds the MSCs Residential Direct Contact Numeric Value

Italics: Method Detection Limit MSC Exceedance of applicable standards / values

J: laboratory estimated value

µg/kg: Micrograms per kilogram

MTBE: Methyl *tert*-butyl ether



Table 4
Groundwater Analytical Results Summary

Well ID / Location	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	Ground-water Elevation (feet)	Product Adj. Groundw ater Elevation (feet)	Sample Depth	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (EDC) (µg/L)	1,2-Dibromoethane (EDB) (µg/L)	Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer								fbtoc	5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
RW-1	03/24/2025	208.27	42.67	-	-	165.60	-	-	2.0	0.35 J	0.70	14	ND<0.13	0.67	2.1	12	13	ND<0.15	ND<0.005	ND<0.3
	05/01/2025	208.27	32.11	-	-	176.16	-	-	0.52	ND<0.19	ND<0.13	1.7	ND<0.13	0.51	3.2	4.0	2.3	ND<0.15	ND<0.005	ND<0.3
	06/17/2025	208.27	24.86	-	-	183.41	-	-	1.6	ND<0.20	0.30 J	3.1 J	ND<0.17	1.1	14	21	8.2	ND<0.13	ND<0.005	ND<0.34
	08/11/2025	208.27	31.34	-	-	176.93	-	-	3.0	ND<0.20	0.42 J	1.6	ND<0.17	1.3	15	22	6.6	ND<0.13	ND<0.005	ND<0.34
RW-2	06/05/2025	221.25	20.45	-	-	200.80	-	-	No sample collected - LNAPL observed in bailer post-purge of 3-well volumes											
	06/24/2025	221.25	-	-	-	-	-	48-63	290	500	220	1,400	ND<1.7	42	460	1,100	350	ND<1.3	ND<0.005	ND<0.34
	07/30/2025	221.25	27.92	-	-	193.33	-	-	42	78	39	310	ND<0.33	8.6	200	390	130	ND<0.26	ND<0.005	ND<0.34
RW-3	06/05/2025	222.38	21.34	21.21	0.13	201.04	201.142	-	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	06/25/2025	222.38	-	-	-	-	-	30-48	100	200	43	720	ND<0.66	16	120	540	210	ND<0.53	ND<0.005	ND<0.34
	06/24/2025	222.38	-	-	-	-	-	47-65	100	200	56	830	ND<0.66	15	130	530	230	ND<0.53	ND<0.005	ND<0.34
	07/30/2025	222.38	28.47	-	-	193.91	-	-	140	260	39	780	ND<0.42	7.8	150	400	190	ND<0.33	ND<0.005	ND<0.34
RW-4	06/05/2025	223.34	13.51	-	-	209.83	-	-	0.73	0.20	0.99	14	ND<0.17	0.60	2.3	16	13	ND<0.13	ND<0.19	ND<0.34
	07/30/2025	223.34	17.75	-	-	205.59	-	-	4.6	ND<0.20	ND<0.17	5.9 J	ND<0.17	0.49 J	8.4	3.1	1.5 J	ND<0.13	ND<0.005	ND<0.34
108 Spencer Road	05/09/2025	210.18	45.10	-	-	165.08	-	45.1	8.9	0.47 J	0.92	8.0	0.18 J	0.36 J	8.7	5.9	16	0.24 J	ND<0.005	ND<0.3
	05/09/2025	210.18	45.10	-	-	165.08	-	108	2.3	0.34 J	0.48 J	2.3	ND<0.13	0.44 J	8.5	9.0	11	ND<0.15	ND<0.005	ND<0.3
	05/09/2025	210.18	45.10	-	-	165.08	-	257	3.6	0.42 J	0.59	3.9	0.14 J	0.37 J	9.7	7.3	18	ND<0.15	ND<0.005	ND<0.3
	07/30/2025	210.18	36.55	-	-	173.63	-	-	13	1.0	3.2	32	ND<0.13	1.6	24	60	30	ND<0.15	ND<0.005	ND<0.3
MW-1S	08/18/2025	225.20	23.51	-	-	201.69	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-1D	08/18/2025	225.55	29.59	-	-	195.96	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	0.27 J	0.75 J	0.44 J	ND<0.13	ND<0.005	ND<0.34
MW-2S	08/18/2025	223.96	26.75	-	-	197.21	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-2D	08/18/2025	224.31	28.74	-	-	195.57	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-3S	08/18/2025	225.66	8.21	-	-	217.45	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-3D	08/18/2025	225.39	20.21	-	-	205.18	-	-	ND<0.16	0.32 J	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34



Table 4
Groundwater Analytical Results Summary

Well ID / Location	Date	Top of Casing Elevation (feet)	Depth to Water (feet)	Depth to LNAPL (feet)	LNAPL Thickness (feet)	Ground-water Elevation (feet)	Product Adj. Groundw ater Elevation (feet)	Sample Depth	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	MTBE (µg/L)	Isopropyl Benzene (µg/L)	Naphthalene (µg/L)	1,2,4-Trimethylbenzene (µg/L)	1,3,5-Trimethylbenzene (µg/L)	1,2-Dichloroethane (EDC) (µg/L)	1,2-Dibromoethane (EDB) (µg/L)	Lead (µg/L)
DEP MSCs for a Residential, Used Aquifer								fbtoc	5	1,000	700	10,000	20	840	100	130	130	5	0.05	5
MW-4S	08/11/2025	196.67	21.86	-	-	174.81	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-4D	08/11/2025	196.63	29.06	-	-	167.57	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-5S	08/11/2025	213.69	4.33	-	-	209.36	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-5D	08/11/2025	213.62	37.88	-	-	175.74	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-6S	08/25/2025	215.18	23.70	-	-	191.48	-	-	0.84	ND<0.20	1.2	1.1 J	0.25 J	11	9.2	7.9	0.50 J	ND<0.13	ND<0.005	ND<0.34
MW-6D	08/25/2025	215.29	29.05	-	-	186.24	-	-	ND<0.64	ND<0.81	ND<0.67	ND<1.3	ND<0.66	1.9 J	4.5	ND<0.76	ND<0.87	ND<0.53	ND<0.005	ND<0.34
MW-7S	08/25/2025	205.67	33.27	-	-	172.40	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-7D	08/25/2025	205.47	35.82	-	-	169.65	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-8S	08/25/2025	224.25	8.38	-	-	215.87	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34
MW-8D	08/25/2025	224.17	42.65	-	-	181.52	-	-	ND<0.16	ND<0.20	ND<0.17	ND<0.33	ND<0.17	ND<0.19	ND<0.22	ND<0.19	ND<0.22	ND<0.13	ND<0.005	ND<0.34

Notes:
Product Adjusted Groundwater Elevation was calculated with the specific gravity midpoint of Jet A fuel (0.80)
- = Not calculated/not measured
fbtoc = feet below top of casing
DEP = Pennsylvania Department of Environmental Protection
MSCs = Medium-Specific Concentrations per 25 Pa. Code Chapter 250
µg/L = Micrograms/Liter
ND<# = Not Detected (# is method detection limit)
LNAPL = Light Non-Aqueous Phase Liquid
MTBE = Methyl tert-Butyl Ether
NS = Not Sampled
108 Spencer Road was sampled on 5/9/2025 via Hydrasleeves at designated intervals



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Glenwood Drive	1/28/2025	0918	Not measured	Not Measured	-	23.6	Could not get bailer past ~25 feet hitting obstruction.
	1/29/2025	-	Unable to measure	Unable to measure	-	38.5	Pump or obstruction at ~25 feet below top of casing.
	2/3/2025	-	29.05	34.12	5.07	117	Pump set at 100 feet below top of casing
	2/5/2025	9:45 AM	28.32	33.37	5.05	61.7	Pump out 8.2 gallons LNAPL
	2/6/2025	-	29.27	29.38	0.11	-	-
	2/7/2025	-	29.17	29.21	0.04	93.1	-
	2/8/2025	-	29.08	29.15	0.07	-	-
	2/8/2025	-	29.14	29.31	0.17	-	-
	2/9/2025	11:44 AM	29.08	29.16	0.08	72.9	-
	2/9/2025	12:30 PM	30.46	30.51	0.05	-	-
	2/10/2025	9:30 AM	28.75	28.80	0.05	-	-
	2/11/2025	-	28.41	28.42	0.01	42	0% LEL
	2/12/2025	1:55 PM	27.93	27.95	0.02	28	Not recoverable with Bailer
	2/13/2025	8:45 AM	27.65	27.67	0.02	50	Not recoverable with Bailer
	2/14/2025	9:00 AM	27.81	27.83	0.02	6	Not recoverable with Bailer
	2/15/2025	10:55 AM	-	24.44	-	30.5	-
	2/17/2025	-	26.77	26.79	0.02	8.0	Not recoverable with Bailer
	2/18/2025	10:00 AM	26.70	26.72	0.02	12.0	-
	2/19/2025	11:35 AM	28.08	28.09	0.01	28.0	Not recoverable with Bailer
	2/20/2025	-	26.34	26.36	0.02	6.0	Not recoverable with Bailer
	2/21/2025	-	26.38	26.40	0.02	6.0	Not recoverable with Bailer
	2/22/2025	9:52 AM	26.27	26.29	0.02	12.0	Not recoverable with Bailer
	2/24/2025	-	26.53	26.55	0.02	47	Not recoverable with Bailer
	2/25/2025	-	26.30	26.32	0.02	30	Deployed absorbent sock
	2/26/2025	9:15 AM	26.52	26.53	0.01	7	Pulled and Replaced sock
	2/27/2025	9:25 AM	-	26.41	-	22	Pulled and Replaced sock
	2/28/2025	10:00 AM	-	26.81	-	3.0	Pulled and Replaced sock
	3/1/2025	11:05 AM	-	26.57	-	4	-
	3/3/2025	9:45 AM	-	27.49	-	5	Pulled and Replaced sock
	3/4/2025	-	-	27.19	-	7	Pulled and Replaced sock
	3/5/2025	-	-	27.14	-	3	-
	3/6/2025	-	-	27.11	-	2	-
	3/7/2025	-	-	26.42	-	1	-
	3/8/2025	-	-	26.10	-	0	-
	3/10/2025	10:00 AM	-	25.95	-	3	Pulled and Replaced sock (50%)
	3/11/2025	9:45 AM	-	26.21	-	1	Did not replace sock (<5%)
	3/12/2025	9:45 AM	-	26.15	-	1	Did not replace sock (<5%)
	3/13/2025	9:20 AM	-	26.38	-	3	Did not replace sock (<5%)
	3/14/2025	9:30 AM	-	26.62	-	3	Did not replace sock (10%)
	3/15/2025	11:29 AM	-	26.80	-	1	Pulled and Replaced sock
	3/17/2025	9:50 AM	-	26.96	-	3	Did not replace sock (<5%)
	3/18/2025	10:05 AM	-	26.49	-	0	Did not replace sock (<5%)
	3/19/2025	9:36 AM	-	26.35	-	2	Did not replace sock (<5%)
	3/20/2025	9:30 AM	-	25.95	-	1	Did not replace sock (<5%)
	3/21/2025	9:35 AM	-	25.74	-	1	Did not replace sock (<10%)
	3/22/2025	9:30 AM	-	26.79	-	2	Pulled and replaced Sock (10%)
	3/24/2025	11:08 AM	-	25.25	-	1	Did not replace sock (<10%)
	3/25/2025	9:36 AM	-	25.35	-	0	Did not replace sock (<10%)
	3/26/2025	9:50 AM	-	25.50	-	2	Did not replace sock (25%)
	3/27/2025	10:45 AM	-	25.78	-	0.0	Did not replace sock (25%)
	3/28/2025	10:13 AM	-	25.58	-	2.2	Did not replace sock (25%)
	3/29/2025	10:24 AM	-	25.21	-	3.3	Did not replace sock (25%)
	3/31/2025	10:37 AM	-	25.24	-	0.2	Did not replace sock (50%)
	4/1/2025	10:53 AM	-	25.38	-	2.8	Did not replace sock (50%)
	4/2/2025	10:52 AM	-	25.38	-	1.0	Replaced sock (50%)
	4/3/2025	10:51 AM	-	24.81	-	6.1	Did not replace sock (25%)
	4/4/2025	10:20 AM	-	24.40	-	0.4	Replaced sock (75%)
	4/5/2025	10:06 AM	-	24.39	-	0.5	Did not replace sock (25%)
	4/7/2025	10:22 AM	-	23.81	-	8.8	Replaced sock (50%)
	4/8/2025	10:26 AM	-	23.90	-	4.3	Replaced sock (40%)
	4/9/2025	10:19 AM	-	24.58	-	2.4	Did not replace sock (50%)
	4/10/2025	9:41 AM	-	24.96	-	0.9	Did not replace sock (50%)
	4/11/2025	9:42 AM	-	24.55	-	0.8	Did not replace sock (50%)
	4/12/2025	10:05 AM	-	24.20	-	0.9	Did not replace sock (50%)
	4/14/2025	10:58 AM	-	24.10	-	7.1	Did not replace sock (50%)
	4/15/2025	9:30 AM	-	23.39	-	2.3	Did not replace sock (50%)
	4/16/2025	9:26 AM	-	23.47	-	2.6	Replaced sock (80%)
	4/17/2025	9:29 AM	-	24.08	-	0.3	Did not replace sock (0%)
	4/18/2025	11:10 AM	-	24.40	-	1.5	Did not replace sock (5%)
	4/19/2025	10:12 AM	-	24.12	-	7.7	Did not replace sock (25%)
	4/21/2025	9:16 AM	-	24.89	-	2.6	Replaced sock (25%)
	4/22/2025	9:35 AM	-	24.56	-	1.7	Did not replace sock (0%)
	4/23/2025	9:36 AM	-	25.03	-	1.4	Did not replace sock (0%)
	4/24/2025	9:40 AM	-	25.19	-	3.2	Did not replace sock (0%)
	4/25/2025	9:10 AM	-	25.61	-	0.0	Did not replace sock (0%)
	4/26/2025	9:23 AM	-	24.93	-	0.0	Did not replace sock (0%)
	4/28/2025	9:34 AM	-	25.99	-	6.1	Did not replace sock (0%)
	4/29/2025	9:30 AM	-	26.09	-	1.2	Removed Sock (1%)
	4/30/2025	9:50 AM	-	26.35	-	3.1	-
	5/1/2025	9:50 AM	-	26.09	-	7.4	-
	5/2/2025	9:25 AM	-	25.63	-	2.1	-
	5/3/2025	11:00 AM	-	26.32	-	5.7	-
	5/5/2025	9:40 AM	-	26.39	-	0.0	-
	5/6/2025	9:47 AM	-	26.12	-	0.0	-
	5/7/2025	9:12 AM	-	25.96	-	0.8	-
	5/8/2025	9:44 AM	-	25.84	-	2.2	-
	5/9/2025	10:08 AM	-	26.12	-	1.0	-
	5/10/2025	10:38 AM	-	26.56	-	0.9	-
	5/12/2025	11:05 AM	-	26.81	-	2.3	-
	5/13/2025	11:50 AM	-	26.36	-	0.8	-
	5/14/2025	10:52 AM	-	25.91	-	0.4	-
	5/15/2025	10:30 AM	-	24.80	-	0.7	-
	5/16/2025	11:11 AM	-	24.48	-	0.2	-
	5/17/2025	10:40 AM	-	23.81	-	0.4	-
	5/19/2025	11:05 AM	-	23.62	-	0.0	-
	5/20/2025	10:10 AM	-	23.50	-	0.8	-
	5/21/2025	10:32 AM	-	23.88	-	0.8	-
	5/22/2025	10:35 AM	-	23.17	-	0.5	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
REDA Glenwood Drive	5/23/2025	10:29 AM	-	22.61	-	2.7	-
	5/24/2025	10:45 AM	-	22.31	-	0.4	-
	5/27/2025	10:35 AM	-	23.49	-	0.0	-
	5/28/2025	9:40 AM	-	23.37	-	0.0	-
	5/29/2025	9:40 AM	-	23.15	-	0.0	-
	5/30/2025	9:40 AM	-	23.21	-	0.0	-
	5/31/2025	9:58 AM	-	23.34	-	5.2	-
	6/2/2025	9:36 AM	-	23.37	-	0.0	-
	6/3/2025	11:33 AM	-	23.04	-	0.7	-
	6/4/2025	10:39 AM	-	23.76	-	1.6	-
	6/5/2025	10:21 AM	-	23.97	-	1.2	-
	6/6/2025	9:10 AM	-	24.86	-	3.5	-
	6/7/2025	9:40 AM	-	24.02	-	3.1	-
	6/9/2025	11:08 AM	-	25.19	-	1.3	-
	6/10/2025	9:45 AM	-	27.04	-	16.8	-
	6/11/2025	9:30 AM	-	25.17	-	2.8	-
	6/12/2025	9:10 AM	-	25.15	-	3.0	-
	6/13/2025	9:40 AM	-	25.29	-	0.1	-
	6/14/2025	9:00 AM	-	25.16	-	5.6	-
	6/16/2025	10:00 AM	-	25.20	-	0.0	-
	6/17/2025	9:35 AM	-	25.35	-	0.0	-
	6/18/2025	9:15 AM	-	25.30	-	0.4	-
	6/19/2025	9:28 AM	-	25.43	-	2.4	-
	6/20/2025	9:40 AM	-	25.21	-	0.2	-
	6/21/2025	9:02 AM	-	27.28	-	2.7	-
	6/23/2025	9:55 AM	-	26.19	-	1.9	-
	6/24/2025	9:18 AM	-	25.81	-	0.6	-
	6/24/2025	10:25 AM	-	25.81	-	0.6	-
	6/25/2025	9:24 AM	-	25.75	-	0.2	-
	6/25/2025	9:57 AM	-	25.79	-	0.2	-
	6/26/2025	9:19 AM	-	26.55	-	4.7	-
	6/26/2025	9:37 AM	-	28.57	-	0.4	-
	6/27/2025	8:50 AM	-	25.90	-	1.1	-
	6/28/2025	9:31 AM	-	26.10	-	1.0	-
	6/30/2025	10:34 AM	-	26.18	-	0.0	-
	7/1/2025	9:59 AM	-	28.90	-	0.9	-
	7/2/2025	10:44 AM	-	26.56	-	1.8	-
	7/3/2025	11:00 AM	-	26.49	-	0.1	-
	7/5/2025	9:37 AM	-	26.19	-	0.0	-
	7/7/2025	9:45 AM	-	26.18	-	0.5	-
	7/8/2025	9:33 AM	-	26.57	-	1.8	-
	7/9/2025	9:17 AM	-	26.70	-	0.1	-
	7/10/2025	9:50 AM	-	27.01	-	0.0	-
	7/11/2025	9:30 AM	-	26.68	-	0.1	-
	7/12/2025	9:20 AM	-	26.65	-	0.5	-
	7/14/2025	9:30 AM	-	26.88	-	0.8	-
	7/21/2025	9:35 AM	-	28.02	-	0.1	-
	7/28/2025	9:34 AM	-	27.34	-	0.0	-
	8/4/2025	11:27 AM	-	28.80	-	0.0	-
	8/11/2025	10:18 AM	-	27.88	-	1.0	-
	8/18/2025	10:39 AM	-	29.17	-	5.8	-
	8/25/2025	9:15 AM	-	29.29	-	2.6	-
	9/2/2025	9:30 AM	-	30.38	-	0.4	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	1/31/2025	1050	Not Measured	Not Measured		433.6	LNAPL present but bailer unable to be retrieved. Caught on wire.
	2/7/2025	-	72.21	84.55	12.34	376.8	Pump out 16.48 gallons LNAPL
	2/8/2025	-	64.54	64.64	0.10	-	
	2/8/2025	-	-	105.49	-	Not Measured	Gauging data inconsistent with previous measurements.
	2/9/2025	11:26 AM	72.91	72.98	0.07	296.7	-
	2/9/2025	12:00 PM	71.29	71.55	0.26	-	Less than an inch bailed out (0.12 gal)
	2/10/2025	10:00 AM	72.82	73.20	0.38	193	Bailed ~1 gallon of LNAPL
	2/10/2025	11:00 AM	71.56	71.80	0.24	-	Bailed <1 gallon of LNAPL
	2/11/2025	09:45 AM	65.78	66.24	0.46	328	Bailed ~1 gallon of LNAPL
	2/11/2025	10:10 AM	65.60	65.74	0.14	-	-
	2/12/2025	1:50 PM	87.59	88.01	0.42	395	Bailed 1.5 gallons of LNAPL
	2/12/2025	2:05 PM	87.18	87.35	0.17	-	-
	2/12/2025	2:08 PM	87.00	87.13	0.13	-	-
	2/13/2025	-	85.91	86.24	0.33	260	Bailed 0.5 gallons of LNAPL
	2/13/2025	-	85.39	85.47	0.08	-	-
	2/14/2025	9:05 AM	86.39	86.75	0.36	132	Bailed 0.5 gallons of LNAPL
	2/14/2025	-	85.85	85.94	0.09	-	-
	2/15/2025	9:30 AM	63.49	63.77	0.28	393	Bailed 0.5 gallons of LNAPL
	2/15/2025	-	63.52	63.58	0.06	-	Bailed approximately 2.5 gallons of LNAPL/water
	2/17/2025	-	58.53	59.01	0.48	199	Bailed approximately 1 gallon of LNAPL/water
	2/17/2025	-	58.71	58.81	0.10	-	-
	2/18/2025	9:30 AM	72.84	73.23	0.39	162	Bailed approximately 1/2 gallon of LNAPL/water
	2/18/2025	-	72.10	72.28	0.18	-	0% LEL
	2/19/2025	9:35 AM	64.66	65.04	0.38	286.0	Bailed approximately 0.2 gallons of LNAPL
	2/19/2025	3:05 PM	72.06	72.39	0.33	225.0	Bailed approximately 0.2 gallons of LNAPL
	2/20/2025	10:00 AM	62.20	62.71	0.51	286.0	Bailed approximately 1.5 gallons of LNAPL
	2/20/2025	1:30 PM	55.80	55.95	0.15	257.0	Bailed approximately 0.5 gallons of LNAPL
	2/21/2025	9:30 AM	61.89	62.04	0.15	132.0	Bailed approximately 0.25 gallons of LNAPL
	2/21/2025	-	61.84	61.92	0.08	-	-
	2/21/2025	1:30 PM	53.03	53.13	0.10	281.0	Bailed approximately 0.5 gallons of LNAPL
	2/21/2025	-	53.12	53.19	0.07	-	-
	2/22/2025	9:15 AM	48.79	49.03	0.24	186	Bailer string wrapped around drop tube and could not be retrieved without pulling pump. Homeowner was not home to turn off breaker so pump could not be pulled.
	2/22/2025	12:35 PM	62.42	62.66	0.24	188	
	2/23/2025	8:50 AM	37.51	37.82	0.31	154	No product bailed (see above)
	2/23/2025	9:50 AM	37.06	37.36	0.30	147	No product bailed (see above)
	2/24/2025	10:00 AM	70.28	70.70	0.42	418	Bailed approximately 0.5 gallons of LNAPL
	2/24/2025	1:50:00 PM	90.94	91.20	0.26	60	Bailed approximately 0.5 gallons of LNAPL
	2/24/2025	2:10:00 PM	90.13	90.24	0.11	-	-
	2/25/2025	9:35 AM	80.97	81.15	0.18	314	Bailed approximately 0.5 gallons of LNAPL
	2/25/2025	-	80.55	80.62	0.07	-	-
	2/25/2025	2:40 PM	65.44	65.55	0.11	322	Bailed approximately 0.5 gallons of LNAPL
	2/25/2025	-	65.21	65.25	0.04	-	-
	2/26/2025	9:25 AM	44.22	44.41	0.19	331	Bailed approximately 1 gallon of LNAPL
	2/26/2025	-	44.76	44.79	0.03	-	-
	2/26/2025	2:15:00 PM	40.76	40.81	0.05	107	Bailed approximately 0.5 gallon of LNAPL/water
	2/26/2025	-	41.22	41.24	0.02	-	-
	2/27/2025	9:40 AM	51.66	51.75	0.09	88	Bailed approximately 1 gallon of LNAPL
	2/27/2025	-	51.71	51.73	0.02	-	-
	2/27/2025	2:45 PM	57.17	57.19	0.02	204	Bailed approximately 0.5 gallon of LNAPL
	2/27/2025	-	57.10	57.11	0.01	-	-
	2/28/2025	9:00 AM	47.94	48.04	0.10	372	Bailed approximately 0.5 gallon of LNAPL
	2/28/2025	-	48.06	48.10	0.04	-	-
	2/28/2025	1:45 PM	42.62	42.70	0.08	323	Bailed approximately 0.5 gallon of LNAPL
	2/28/2025	-	42.87	42.90	0.03	-	-
	3/1/2025	9:00 AM	56.87	57.00	0.13	150	Bailed approximately 0.25 gallon of LNAPL
	3/1/2025	-	-	56.75	Sheen	-	-
	3/1/2025	1:00 PM	52.81	52.92	0.11	243	Bailed approximately 0.25 gallon of LNAPL
	3/1/2025	-	72.85	72.96	0.11	-	-
	3/2/2025	11:25 AM	70.26	70.42	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/2/2025	-	69.68	69.80	0.12	-	-
	3/2/2025	12:55 PM	80.18	80.34	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/2/2025	-	79.40	79.54	0.14	-	-
	3/3/2025	10:00 AM	71.40	71.62	0.22	97	Bailed approximately 0.5 gallon of LNAPL
	3/3/2025	-	71.19	71.26	0.07	-	-
	3/3/2025	1:35 PM	100.22	100.32	0.10	82	Bailed approximately 0.3 gallon of LNAPL
	3/3/2025	-	99.42	99.45	0.03	-	-
	3/4/2025	10:15 AM	57.68	57.78	0.10	155	Bailed approximately 0.25 gallon of LNAPL
	3/4/2025	-	57.59	57.62	0.03	-	-
	3/4/2025	1:35 PM	61.75	61.82	0.07	142	Bailed approximately 0.25 gallon of LNAPL
	3/4/2025	-	61.59	61.61	0.02	-	-
	3/5/2025	9:30 AM	76.76	76.87	0.11	160	Bailed approximately 0.25 gallon of LNAPL
	3/5/2025	-	76.19	76.22	0.03	-	-
	3/6/2025	9:40 AM	55.93	56.07	0.14	280	Bailed approximately 0.5 gallon of LNAPL
	3/6/2025	-	55.74	55.77	0.03	-	-
	3/6/2025	1:20 PM	50.07	50.09	0.02	-	-
	3/7/2025	9:00 AM	76.40	76.55	0.15	325	Bailed approximately 0.5 gallon of LNAPL
	3/7/2025	-	75.89	75.91	0.02	-	-
	3/7/2025	1:10 PM	76.49	76.53	0.04	193	Bailed approximately 0.5 gallon of LNAPL
	3/7/2025	-	76.03	76.04	0.01	-	-
	3/8/2025	10:40 AM	51.51	51.65	0.14	275	Bailed approximately 1 gallon of LNAPL
	3/8/2025	-	51.43	51.48	0.05	-	-
	3/8/2025	1:10 PM	48.15	48.27	0.12	269	Bailed approximately 1 gallon of LNAPL
	3/8/2025	-	48.29	48.31	0.02	-	-
	3/9/2025	11:20 AM	61.31	61.46	0.15	-	Bailed approximately 0.25 gallon of LNAPL
	3/9/2025	-	60.94	61.06	0.12	-	-
	3/9/2025	1:10 PM	58.22	58.38	0.16	-	Bailed approximately 0.25 gallon of LNAPL
	3/9/2025	-	57.91	58.06	0.15	-	-
	3/10/2025	9:30 AM	66.42	66.68	0.26	-	Bailed approximately 0.5 gallon of LNAPL
	3/10/2025	-	66.15	66.18	0.03	-	-
	3/10/2025	1:30 PM	57.44	57.52	0.08	334	Bailed approximately 0.5 gallon of LNAPL
	3/10/2025	-	57.49	57.50	0.01	-	-
	3/11/2025	9:20 AM	52.00	52.11	0.11	376	Bailed approximately 1.0 gallon of LNAPL/groundwater
	3/11/2025	-	52.05	52.07	0.02	-	-
	3/11/2025	1:20 PM	46.10	46.13	0.03	377	Bailed approximately 0.5 gallon of LNAPL
	3/11/2025	-	46.23	46.24	0.01	-	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	3/12/2025	9:20 AM	55.52	55.64	0.12	349	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/12/2025	-	55.41	55.42	0.01	-	-
	3/12/2025	1:10 PM	48.10	48.13	0.03	257	Bailed approximately 0.25 gallon of LNAPL/groundwater
	3/12/2025	-	48.13	48.14	0.01	-	-
	3/13/2025	9:00 AM	35.18	35.29	0.11	394	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/13/2025	-	35.49	35.50	0.01	-	-
	3/13/2025	1:40 PM	75.32	75.35	0.03	103	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/13/2025	-	74.99	75.00	0.01	-	-
	3/14/2025	9:00 AM	58.98	59.04	0.06	448	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/14/2025	-	58.87	58.88	0.01	-	-
	3/14/2025	1:30 PM	49.58	49.66	0.08	314	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/14/2025	-	49.71	49.72	0.01	-	-
	3/15/2025	9:40 AM	35.52	35.60	0.08	355	Bailed approximately 1.25 gallon of LNAPL/groundwater
	3/15/2025	-	35.37	35.39	0.02	-	-
	3/15/2025	11:06 AM	35.85	35.88	0.03	73	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/15/2025	-	36.12	36.13	0.01	-	-
	3/16/2025	8:50 AM	46.08	46.11	0.03	236	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/16/2025	-	46.10	46.11	0.01	-	-
	3/16/2025	9:50 AM	44.76	44.78	0.02	223	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/16/2025	-	44.80	44.81	0.01	-	-
	3/17/2025	9:15 AM	51.12	51.22	0.10	189	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/17/2025	-	51.09	51.10	0.01	-	-
	3/17/2025	13:15 PM	56.08	56.13	0.05	163	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/17/2025	-	55.85	55.86	0.01	-	-
	3/18/2025	9:12 AM	79.05	79.14	0.09	93	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/18/2025	-	78.43	78.44	0.01	-	-
	3/18/2025	1:20 PM	86.03	86.09	0.06	81	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/18/2025	-	85.43	85.44	0.01	-	-
	3/19/2025	9:07 AM	45.55	45.67	0.12	365	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/19/2025	-	45.92	45.93	0.01	-	-
	3/19/2025	1:15 PM	52.78	52.81	0.03	313	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/19/2025	-	52.63	52.63	0.00	-	Sheen present on the surface
	3/20/2025	9:05 AM	36.25	36.35	0.10	305	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/20/2025	-	36.71	36.72	0.01	-	-
	3/20/2025	1:15 PM	44.96	45.00	0.04	213	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/20/2025	-	45.16	45.17	0.01	-	-
	3/21/2025	9:05 AM	38.36	38.45	0.09	286	Bailed approximately 0.75 gallon of LNAPL/groundwater
	3/21/2025	-	38.52	38.53	0.01	-	-
	3/21/2025	1:05 PM	47.94	47.97	0.03	64	Bailed approximately 0.5 gallon of LNAPL/groundwater
	3/21/2025	-	47.98	47.99	0.01	-	-
	3/22/2025	8:50 AM	32.24	32.37	0.13	301	Bailed approximately 2.5 gallons of LNAPL/groundwater
	3/22/2025	-	33.45	33.46	0.01	-	-
	3/22/2025	12:50 PM	41.58	41.62	0.04	241	Bailed approximately 1.0 gallon of LNAPL/groundwater
	3/22/2025	-	-	41.79	0.00	-	-
	3/23/2025	10:45 AM	32.29	32.40	0.11	317	Bailed approximately 2 gallons of LNAPL/groundwater
	3/23/2025	-	32.76	32.79	0.03	-	-
	3/23/2025	12:25 PM	31.95	31.98	0.03	137	Bailed approximately 1.5 gallon of LNAPL/groundwater
	3/23/2025	-	32.19	32.20	0.01	-	-
	3/24/2025	10:25 AM	41.88	42.06	0.18	476	Bailed approximately 0.5 gallons of LNAPL/groundwater
	3/24/2025	-	42.13	42.17	0.04	-	-
	3/24/2025	1:24 PM	50.06	50.14	0.08	403	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/24/2025	-	50.06	50.07	0.01	-	-
	3/25/2025	9:10 AM	34.89	35.01	0.12	426	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/25/2025	-	35.05	35.06	0.01	-	-
	3/25/2025	1:04 PM	31.38	31.41	0.03	207	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/25/2025	-	31.32	31.33	0.01	-	-
	3/26/2025	9:05 AM	48.95	49.09	0.14	523	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/26/2025	-	48.90	48.91	0.01	-	-
	3/26/2025	1:00 PM	40.58	40.62	0.04	470	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/26/2025	-	40.51	40.52	0.01	-	-
	3/27/2025	9:20 AM	53.09	53.23	0.14	394	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/27/2025	-	52.68	52.69	0.01	-	-
	3/27/2025	1:21 PM	60.16	60.20	0.04	292	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/27/2025	-	59.98	59.99	0.01	-	-
	3/28/2025	9:20 AM	44.90	45.11	0.21	604.4	Bailed approximately 0.4 gallons of LNAPL/groundwater
	3/28/2025	-	44.94	44.95	0.01	-	-
	3/28/2025	1:01 PM	38.19	38.22	0.03	389.9	Bailed approximately 0.1 gallons of LNAPL/groundwater
	3/28/2025	-	38.17	38.18	0.01	-	-
	3/29/2025	9:28 AM	60.65	60.80	0.15	486.5	Bailed approximately 0.3 gallons of LNAPL/groundwater
	3/29/2025	-	60.23	60.24	0.01	-	-
	3/29/2025	12:40 PM	67.33	67.42	0.09	476.6	Bailed approximately 0.2 gallons of LNAPL/groundwater
	3/29/2025	-	66.61	66.62	0.01	-	-
	3/30/2025	9:45 AM	33.42	33.57	0.15	360.1	Bailed approximately 0.06 gallons of LNAPL/groundwater
	3/30/2025	-	33.38	33.42	0.04	-	-
	3/30/2025	12:00 PM	43.62	43.73	0.11	-	Bailed approximately 0.06 gallons of LNAPL/groundwater
	3/31/2025	9:41 AM	41.73	41.96	0.23	398	Bailed approximately 1.5 gallons of LNAPL/groundwater
	3/31/2025	9:59 AM	41.57	41.59	0.02	-	-
	3/31/2025	1:10 PM	49.71	49.75	0.04	373.9	-
	4/1/2025	9:50 AM	36.86	37.01	0.15	441.4	Bailed approximately 1 gallon of LNAPL/groundwater
	4/1/2025	10:12 AM	36.74	36.76	0.02	-	-
	4/1/2025	1:00 PM	32.11	32.15	0.04	390.6	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/1/2025	1:14 PM	32.08	32.10	0.02	-	-
	4/2/2025	9:32 AM	37.26	37.35	0.09	394.7	Bailed approximately 1 gallon of LNAPL/groundwater
	4/2/2025	9:57 AM	37.03	37.05	0.02	-	-
	4/2/2025	1:08 PM	41.57	41.59	0.02	367.5	-
	4/3/2025	9:19 AM	34.48	34.62	0.14	368.2	Bailed approximately 1.5 gallons of LNAPL/groundwater
	4/3/2025	9:54 AM	34.04	34.06	0.02	-	-
	4/3/2025	1:06 PM	44.46	44.48	0.02	254.4	-
	4/4/2025	9:29 AM	31.60	31.80	0.20	414.4	Bailed approximately 2.5 gallons of LNAPL/groundwater
	4/4/2025	10:00 AM	32.01	32.03	0.02	-	-
	4/4/2025	12:59 PM	40.02	40.06	0.04	377.0	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/4/2025	1:17 PM	39.71	39.72	0.01	-	-
	4/5/2025	9:21 AM	25.02	25.11	0.09	419.1	Bailed approximately 1 gallon of LNAPL/groundwater
	4/5/2025	9:34 AM	23.80	23.82	0.02	-	-
	4/5/2025	1:03 PM	25.27	25.31	0.04	438.3	Unable to recover LNAPL due to minimal thickness
	4/5/2025	1:16 PM	25.69	25.70	0.01	-	-
	4/6/2025	9:07 AM	24.27	24.29	0.02	462.9	Bailed approximately 1.5 gallons of LNAPL/groundwater
	4/6/2025	9:21 AM	24.61	24.62	0.01	-	-
	4/6/2025	1:02 PM	24.51	24.52	0.01	438.9	Bailed approximately 1 gallon of LNAPL/groundwater
	4/6/2025	1:15 PM	-	24.73	-	-	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	4/7/2025	9:32 AM	24.57	24.58	0.01	391.1	Bailed approximately 0.5 gallons of LNAPL/groundwater
	4/7/2025	9:40 AM	-	24.78	-	-	Sheen present on the surface
	4/7/2025	12:45 PM	-	24.61	-	NM	Bailed approximately 0.25 gallons of LNAPL/groundwater
	4/7/2025	12:55 PM	-	24.80	-	NM	-
	4/8/2025	9:34 AM	24.35	24.37	0.02	684.4	Bailed approximately 0.2 gallons of LNAPL/groundwater
	4/8/2025	9:46 AM	-	24.63	-	-	Sheen present on the surface
	4/8/2025	12:33 PM	-	31.79	-	526.8	Bailed approximately 0.1 gallons of LNAPL/groundwater, Sheen present on the surface
	4/8/2025	12:38 PM	-	31.84	-	-	-
	4/9/2025	9:20 AM	-	49.01	-	530.8	Sheen present on the surface; 0.25 gallons of groundwater bailed
	4/9/2025	9:30 AM	-	48.63	-	-	-
	4/9/2025	12:36 PM	-	49.85	-	386.1	Bailed approximately 0.25 gallons of groundwater
	4/9/2025	12:45 PM	-	49.97	-	-	-
	4/10/2025	9:18 AM	25.59	25.63	0.04	531.6	Bailed approximately 0.05 gallons of LNAPL
	4/10/2025	9:22 AM	25.81	25.82	0.01	-	-
	4/10/2025	12:35 PM	44.43	44.45	0.02	497.9	Bailed approximately 0.02 gallons of LNAPL
	4/10/2025	12:55 PM	-	44.40	-	-	Sheen present on the surface
	4/11/2025	9:04 AM	30.05	30.15	0.10	494.6	Bailed approximately 0.15 gallons of LNAPL
	4/11/2025	9:19 AM	30.32	30.34	0.02	-	-
	4/11/2025	11:32 AM	27.37	27.40	0.03	690.1	Bailed approximately 0.03 gallons of LNAPL
	4/11/2025	11:37 AM	27.53	27.55	0.02	-	-
	4/12/2025	8:50 AM	24.60	24.63	0.03	569.7	Bailed approximately 0.04 gallons of LNAPL
	4/12/2025	9:00 AM	24.84	24.85	0.01	-	-
	4/12/2025	12:49 PM	24.64	24.65	0.01	776.0	Bailed approximately 0.02 gallons of LNAPL
	4/12/2025	12:58 PM	-	24.86	-	-	Sheen observed on surface
	4/13/2025	8:40 AM	24.19	24.20	0.01	537.6	Bailed approximately 0.02 gallons of LNAPL
	4/13/2025	8:54 AM	-	24.37	-	-	Sheen observed on surface
	4/13/2025	11:24 PM	-	34.21	-	419.6	Sheen observed on surface
	4/13/2025	11:36 PM	-	33.97	-	-	-
	4/14/2025	9:49 AM	40.79	40.79	-	625.2	Bailed less than 0.25 gallons of groundwater. Sheen observed on surface
	4/14/2025	10:17 AM	-	40.20	-	-	-
	4/14/2025	12:50 PM	-	44.08	-	432.7	-
	4/14/2025	1:07 PM	-	43.77	-	-	-
	4/15/2025	8:48 AM	24.34	24.40	0.06	390.7	Bailed approximately 0.09 gallons of LNAPL
	4/15/2025	9:03 AM	24.65	24.66	0.01	-	-
	4/15/2025	10:54 AM	31.90	31.92	0.02	397.2	Bailed approximately 0.03 gallons of LNAPL
	4/15/2025	11:01 AM	-	31.88	-	-	Sheen observed on surface
	4/16/2025	8:47 AM	33.92	34.02	0.10	466.2	Bailed approximately 0.15 gallons of LNAPL
	4/16/2025	9:02 AM	33.76	33.76	-	-	Sheen observed on surface
	4/16/2025	10:20 AM	30.70	30.71	0.01	410.0	Bailed approximately 0.06 gallons of LNAPL
	4/16/2025	10:31 AM	-	30.63	-	-	-
	4/17/2025	8:53 AM	34.80	34.84	0.04	531.5	Bailed approximately 0.06 gallons of LNAPL
	4/17/2025	9:04 AM	34.67	34.69	0.02	-	-
	4/17/2025	11:20 AM	29.69	29.71	0.02	709.8	Bailed approximately 0.03 gallons of LNAPL
	4/17/2025	11:28 AM	-	29.71	-	-	Sheen observed on surface
	4/18/2025	9:33 AM	24.73	24.80	0.07	1017	Bailed approximately 0.1 gallons of LNAPL
	4/18/2025	10:37 AM	36.15	36.17	0.02	-	Bailed approximately 0.03 gallons of LNAPL
	4/18/2025	11:52 AM	32.73	32.75	0.02	541.8	Sheen observed on surface
	4/18/2025	11:59 AM	-	32.73	-	-	-
	4/19/2025	9:12 AM	26.17	26.40	0.23	564	Bailed approximately 0.34 gallons of LNAPL
	4/19/2025	9:45 AM	27.08	27.09	0.01	-	-
	4/19/2025	10:57 AM	36.77	36.79	0.02	588.6	Bailed approximately 0.03 gallons of LNAPL
	4/19/2025	11:07 AM	36.71	36.72	0.01	-	-
	4/21/2025	8:56 AM	25.90	26.71	0.81	323	Bailed approximately 0.75 gallons of LNAPL
	4/21/2025	10:25 AM	37.30	37.31	0.01	-	-
	4/21/2025	12:57 PM	31.60	31.64	0.04	338.2	Bailed approximately 0.1 gallons of LNAPL
	4/21/2025	12:57 PM	31.83	31.84	0.01	-	-
	4/22/2025	9:00 AM	24.46	24.56	0.10	514.6	Bailed approximately 0.4 gallons of LNAPL
	4/22/2025	9:24 AM	25.93	25.95	0.02	-	-
	4/22/2025	12:52 PM	30.06	30.10	0.04	635.9	Bailed approximately 0.4 gallons of LNAPL
	4/22/2025	1:03 PM	-	30.21	-	-	-
	4/23/2025	9:00 AM	47.84	47.87	0.03	274.6	Bailed approximately 0.1 gallons of LNAPL
	4/23/2025	9:21 AM	47.40	47.41	0.01	-	-
	4/23/2025	12:45 PM	44.01	44.02	0.01	176.6	Bailed approximately 0.05 gallons of LNAPL
	4/23/2025	12:53 PM	44.01	44.02	0.01	-	-
	4/24/2025	9:13 AM	34.71	34.74	0.03	508.6	Bailed approximately 0.25 gallons of LNAPL
	4/24/2025	9:31 AM	-	34.36	-	-	-
	4/24/2025	12:57 PM	-	38.38	-	243.6	-
	4/25/2025	8:50 AM	35.61	35.62	0.01	260.8	LNAPL sample was collected; insufficient volume for recovery
	4/25/2025	12:45 PM	39.13	39.14	0.01	203.7	Insufficient volume for recovery
	4/26/2025	9:06 AM	-	36.10	-	96.6	-
	4/26/2025	12:46 PM	-	27.91	-	272.2	-
	4/27/2025	8:30 AM	36.67	36.77	0.10	303.6	Bailed approximately 0.25 gallons of LNAPL
	4/27/2025	-	-	36.73	-	-	-
	4/27/2025	9:30 AM	-	33.74	-	278.1	-
	4/28/2025	9:00 AM	34.72	35.05	0.33	347.0	Bailed approximately 1.0 gallons of LNAPL
	4/28/2025	9:21 AM	34.41	34.42	0.01	-	-
	4/28/2025	12:33 PM	27.64	27.67	0.03	399.0	Bailed approximately 0.25 gallons of LNAPL
	4/28/2025	12:40 PM	27.68	27.69	0.01	-	LNAPL Sample was collected
	4/29/2025	9:05 AM	49.54	49.57	0.03	734.2	Bailed approximately 0.02 gallons of LNAPL
	4/29/2025	9:14 AM	-	49.40	-	-	-
	4/29/2025	12:50 PM	38.49	38.50	0.01	908.0	-
	4/30/2025	9:10 AM	35.84	36.20	0.36	855.6	Bailed approximately 0.25 gallons of LNAPL
	4/30/2025	9:37 AM	36.05	36.06	0.01	-	-
	4/30/2025	12:35 PM	31.04	31.13	0.09	492.3	Bailed approximately 0.01 gallons of LNAPL
	4/30/2025	12:45 PM	31.23	31.24	0.01	-	-
	5/1/2025	9:23 AM	56.25	56.40	0.15	1,630	Bailed approximately 0.15 gallons of LNAPL
	5/1/2025	9:43 AM	55.75	55.76	0.01	-	-
	5/1/2025	12:35 PM	45.90	45.93	0.03	1,644	Bailed approximately 0.10 gallons of LNAPL
	5/1/2025	12:40 PM	45.82	45.83	0.01	-	-
	5/2/2025	9:05 AM	38.50	38.62	0.12	469.9	Bailed approximately 0.05 gallons of LNAPL
	5/2/2025	9:15 AM	38.45	38.46	0.01	-	-
	5/2/2025	12:33 PM	31.83	31.88	0.05	694.4	Bailed approximately 0.25 gallons of LNAPL
	5/2/2025	12:40 PM	31.95	31.96	0.01	-	-
	5/3/2025	9:55 AM	28.50	28.59	0.09	568.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	10:45 AM	-	29.02	-	249.0	-
	5/3/2025	1:15 PM	62.22	62.26	0.04	208.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	1:45 PM	-	61.52	-	524.0	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	5/4/2025	9:31 AM	31.49	31.56	0.07	253.2	Bailed approximately 0.10 gallons of LNAPL
	5/4/2025	11:45 AM	39.45	39.53	0.08	260.8	Bailed approximately 0.10 gallons of LNAPL
	5/5/2025	9:07 AM	40.77	40.90	0.13	215.0	Bailed approximately 0.25 gallons of LNAPL
	5/5/2025	9:17 AM	40.67	40.68	0.01	-	-
	5/5/2025	12:56 PM	47.86	47.90	0.04	190.3	Bailed approximately 0.125 gallons of LNAPL
	5/5/2025	1:10 PM	-	47.70	-	-	-
	5/6/2025	9:16 AM	28.40	28.48	0.08	40.3	Bailed approximately 0.125 gallons of LNAPL
	5/6/2025	9:26 AM	28.68	28.69	0.01	-	-
	5/6/2025	12:27 PM	46.91	46.93	0.02	274.0	Bailed approximately 0.125 gallons of LNAPL
	5/6/2025	12:35 PM	-	46.80	-	-	-
	5/7/2025	9:20 AM	28.78	28.87	0.09	408.0	Bailed approximately 0.25 gallons of LNAPL
	5/7/2025	9:34 AM	-	28.08	-	-	-
	5/7/2025	12:07 PM	38.70	38.72	0.02	318.0	Bailed approximately 0.125 gallons of LNAPL
	5/7/2025	12:19 PM	-	38.66	-	-	-
	5/8/2025	9:15 AM	36.89	37.01	0.12	366	Bailed approximately 0.25 gallons of LNAPL
	5/8/2025	9:28 AM	-	37.07	-	-	-
	5/8/2025	12:46 PM	31.89	31.92	0.03	374	Bailed approximately 0.125 gallons of LNAPL
	5/8/2025	1:01 PM	-	32.09	-	-	-
	5/9/2025	9:38 AM	27.37	27.38	0.01	420.6	Bailed approximately 0.06 gallons of LNAPL
	5/9/2025	9:45 AM	-	27.52	-	-	-
	5/9/2025	12:35 PM	27.55	27.56	0.01	377.0	Bailed approximately 0.125 gallons of LNAPL
	5/9/2025	12:44 PM	-	27.70	-	-	-
	5/10/2025	9:35 AM	27.33	27.35	0.02	348.8	Bailed approximately <0.2 gallons of LNAPL
	5/10/2025	9:44 AM	27.89	27.90	0.01	-	Bailed approximately <0.2 gallons of LNAPL
	5/10/2025	12:15 PM	27.76	27.77	0.01	283.3	Bailed approximately 0.10 gallons of LNAPL
	5/10/2025	12:19 PM	-	28.03	-	-	-
	5/11/2025	9:15 AM	27.78	27.81	0.03	246.3	Bailed approximately <0.2 gallons of LNAPL
	5/11/2025	9:26 AM	-	28.24	-	-	-
	5/11/2025	11:15 AM	-	28.10	-	200.3	-
	5/12/2025	9:17 AM	56.06	56.10	0.04	390.5	Bailed approximately 0.06 gallons of LNAPL
	5/12/2025	9:48 AM	55.04	55.05	0.01	-	-
	5/12/2025	12:16 PM	48.07	48.11	0.04	280.3	Bailed approximately 0.06 gallons of LNAPL
	5/12/2025	12:30 PM	-	47.97	-	-	Sheen observed on surface
	5/13/2025	9:12 AM	43.70	43.82	0.12	597.6	Bailed approximately 0.18 gallons of LNAPL
	5/13/2025	9:45 AM	43.45	43.47	0.02	-	-
	5/13/2025	12:05 PM	38.60	38.64	0.04	968.5	Bailed approximately 0.06 gallons of LNAPL
	5/13/2025	12:25 PM	-	38.65	-	-	-
	5/14/2025	9:12 AM	65.40	65.54	0.14	358.2	Bailed approximately 0.21 gallons of LNAPL
	5/14/2025	9:54 AM	64.11	64.13	0.02	-	-
	5/14/2025	1:35 PM	51.25	51.30	0.05	342.9	Bailed approximately 0.07 gallons of LNAPL
	5/14/2025	1:52 PM	51.21	51.22	0.01	-	-
	5/15/2025	9:20 AM	45.27	45.47	0.20	745.2	Bailed approximately 0.29 gallons of LNAPL
	5/15/2025	9:50 AM	45.29	45.31	0.02	-	-
	5/15/2025	12:10 PM	51.10	51.15	0.05	478.1	Bailed approximately 0.07 gallons of LNAPL
	5/15/2025	12:25 PM	50.65	50.66	0.01	-	-
	5/16/2025	9:10 AM	54.73	54.99	0.26	273.0	Bailed approximately 0.25 gallons of LNAPL
	5/16/2025	9:50 AM	53.52	53.54	0.02	-	-
	5/16/2025	2:02 PM	40.55	40.72	0.17	280.6	Bailed approximately 0.25 gallons of LNAPL
	5/16/2025	2:18 PM	40.44	40.45	0.01	-	-
	5/17/2025	9:22 AM	41.97	42.21	0.24	254.0	Bailed approximately 0.35 gallons of LNAPL
	5/17/2025	9:55 AM	41.30	41.32	0.02	-	-
	5/17/2025	11:45 AM	36.35	36.40	0.05	359.6	Bailed approximately 0.07 gallons of LNAPL
	5/17/2025	12:00 PM	sheen	36.15	-	-	Sheen observed on surface
	5/18/2025	9:15 AM	43.31	43.57	0.26	655.9	Bailed approximately 0.38 gallons of LNAPL
	5/18/2025	9:50 AM	42.81	42.82	0.01	-	-
	5/18/2025	11:05 AM	51.44	51.46	0.02	375.8	Bailed approximately 0.03 gallons of LNAPL
	5/18/2025	11:20 AM	51.10	51.11	0.01	-	-
	5/19/2025	9:25 AM	38.42	38.52	0.10	301.7	Bailed approximately 0.15 gallons of LNAPL
	5/19/2025	10:00 AM	37.86	37.88	0.02	-	-
	5/19/2025	11:55 AM	33.84	33.89	0.05	470.8	Bailed approximately 0.07 gallons of LNAPL
	5/19/2025	12:05 PM	33.89	33.91	0.02	-	-
	5/20/2025	9:10 AM	43.18	43.44	0.26	431.3	Bailed approximately 0.38 gallons of LNAPL
	5/20/2025	9:42 AM	43.91	43.93	0.02	-	-
	5/20/2025	10:45 AM	39.77	39.80	0.03	536.1	Bailed approximately 0.04 gallons of LNAPL
	5/20/2025	10:55 AM	39.69	39.70	0.01	-	-
	5/21/2025	9:25 AM	34.80	34.95	0.15	510.5	Bailed approximately 0.22 gallons of LNAPL
	5/21/2025	10:00 AM	34.75	34.77	0.02	-	-
	5/21/2025	11:10 AM	34.33	34.36	0.03	159.1	Bailed approximately 0.04 gallons of LNAPL
	5/21/2025	11:30 AM	33.28	33.30	0.02	-	-
	5/22/2025	9:25 AM	36.79	37.14	0.35	421.5	Bailed approximately 0.51 gallons of LNAPL
	5/22/2025	9:55 AM	36.52	36.54	0.02	-	-
	5/22/2025	11:15 AM	32.89	32.95	0.06	372.3	Bailed approximately 0.09 gallons of LNAPL
	5/22/2025	11:30 AM	32.85	32.87	0.02	-	-
	5/23/2025	9:20 AM	49.55	49.90	0.35	403.0	Bailed approximately 0.51 gallons of LNAPL
	5/23/2025	9:56 AM	-	48.32	-	-	Sheen observed on surface
	5/23/2025	11:12 AM	57.00	57.05	0.05	389.3	Bailed approximately 0.07 gallons of LNAPL
	5/23/2025	11:25 AM	-	56.47	-	-	Sheen observed on surface
	5/24/2025	9:13 AM	28.85	29.26	0.41	380.3	Bailed approximately 0.6 gallons of LNAPL
	5/24/2025	9:32 AM	28.46	28.47	0.01	-	-
	5/24/2025	11:24 AM	24.07	24.12	0.05	128.2	Bailed approximately 0.07 gallons of LNAPL
	5/24/2025	11:30 AM	-	24.29	-	-	Sheen observed on surface; groundwater bailed; sock deployed
	5/27/2025	9:45 AM	24.35	24.37	0.02	437.1	Bailed approximately 0.1 gallon of LNAPL. Sock was removed (30%)
	5/27/2025	9:51 AM	22.90	22.91	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/27/2025	11:45 AM	23.92	23.94	0.02	395.1	Bailed approximately 0.1 gallon of LNAPL
	5/27/2025	11:50 AM	22.99	23.00	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	9:15 AM	28.03	28.05	0.02	356.7	Bailed approximately 0.1 gallon of LNAPL.
	5/28/2025	9:22 AM	29.05	29.06	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	11:35 AM	30.25	30.27	0.02	375.5	Bailed approximately 0.1 gallon of LNAPL
	5/28/2025	11:41 AM	-	31.09	-	-	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	9:15 AM	22.80	22.81	0.01	335.0	Bailed approximately 0.1 gallon of LNAPL.
	5/29/2025	9:20 AM	24.02	24.03	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	12:00 PM	33.84	33.85	0.01	109.3	Bailed approximately 0.1 gallon of LNAPL
	5/29/2025	12:05 PM	-	34.50	-	-	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	5/30/2025	9:15 AM	22.74	22.75	0.01	392.3	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	9:20 AM	23.21	23.22	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	11:10 AM	34.15	34.16	0.01	150.5	Bailed approximately 0.1 gallon of LNAPL
	5/30/2025	11:15 AM	34.48	34.49	0.01	-	Bailed approximately 0.1 gallon of LNAPL
	5/31/2025	9:45 AM	-	33.15	-	297.5	-
	5/31/2025	11:35 AM	-	25.89	-	248.4	-
	6/1/2025	8:15 AM	-	22.34	-	79.2	-
	6/1/2025	9:45 AM	-	22.40	-	29.3	-
	6/2/2025	9:27 AM	-	38.05	-	304.3	-
	6/2/2025	12:43 PM	-	55.64	-	346.6	-
	6/3/2025	9:17 AM	26.98	27.16	0.18	159.3	Bailed approximately 0.5 gallons of LNAPL
	6/3/2025	1:28 PM	-	62.36	-	52.1	-
	6/4/2025	9:08 AM	43.92	44.50	0.58	162.6	Bailed approximately 1.25 gallons of LNAPL
	6/4/2025	10:30 AM	37.46	37.47	0.01	-	-
	6/4/2025	12:40 PM	37.95	38.02	0.07	348.3	Bailed approximately 0.25 gallons of LNAPL
	6/4/2025	12:55 PM	52.48	52.50	0.02	-	-
	6/5/2025	9:02 AM	29.30	29.95	0.65	401.4	Bailed approximately 1.5 gallons of LNAPL
	6/5/2025	10:10 AM	28.15	28.16	0.01	-	-
	6/5/2025	12:25 PM	36.20	36.28	0.08	340.9	Bailed approximately 0.5 gallons of LNAPL
	6/5/2025	12:45 PM	40.81	40.83	0.02	-	-
	6/6/2025	9:10 AM	35.61	36.46	0.85	351.6	Bailed approximately 1 gallon of LNAPL
	6/6/2025	9:58 AM	33.25	33.26	0.01	-	-
	6/6/2025	11:31 AM	27.39	27.44	0.05	347.3	Bailed approximately 0.5 gallons of LNAPL
	6/6/2025	11:44 AM	27.49	27.50	0.01	-	-
	6/7/2025	9:02 AM	32.15	32.66	0.51	355.7	Bailed approximately 1 gallon of LNAPL
	6/7/2025	9:31 AM	31.28	31.29	0.01	-	-
	6/7/2025	10:40 AM	27.17	27.18	0.01	221.7	-
	6/8/2025	9:05 AM	28.68	29.25	0.57	429.8	Bailed approximately 1 gallon of LNAPL
	6/8/2025	9:30 AM	29.13	29.14	0.01	-	-
	6/8/2025	10:55 AM	28.89	28.93	0.04	334.9	Bailed approximately 0.5 gallons of LNAPL
	6/8/2025	11:30 AM	41.32	41.33	0.01	-	-
	6/9/2025	10:00 AM	40.31	42.25	1.94	379	Bailed approximately 0.75 gallons of LNAPL
	6/9/2025	10:19 AM	-	39.96	-	-	-
	6/9/2025	1:22 PM	54.33	55.53	1.20	287	Bailed approximately 0.5 gallons of LNAPL
	6/9/2025	1:35 PM	68.03	68.04	0.01	-	-
	6/10/2025	10:20 AM	33.44	35.10	1.66	323.4	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	10:50 AM	35.55	35.75	0.20	-	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	12:10 PM	29.24	30.31	1.07	347.4	Bailed approximately 0.25 gallons of LNAPL
	6/10/2025	12:35 PM	30.59	30.74	0.15	-	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	09:45 AM	32.91	34.22	1.31	459.4	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	10:25 AM	33.40	33.88	0.48	-	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	12:00 PM	27.75	28.56	0.81	347.4	Bailed approximately 0.25 gallons of LNAPL
	6/11/2025	12:40 PM	28.60	28.69	0.09	-	Bailed approximately 0.25 gallons of LNAPL
	6/12/2025	09:30 AM	35.69	36.38	0.69	681.8	Bailed approximately 0.2 gallons of LNAPL
	6/12/2025	09:45 AM	35.91	35.98	0.07	-	Bailed approximately 0.2 gallons of LNAPL
	6/12/2025	11:25 AM	41.89	43.14	1.25	493.5	Bailed approximately 0.25 gallons of LNAPL
	6/12/2025	12:00 PM	43.18	43.28	0.10	-	Bailed approximately 0.25 gallons of LNAPL
	6/13/2025	09:48 AM	25.83	26.38	0.55	667.4	Bailed approximately 0.5 gallons of LNAPL
	6/13/2025	10:15 AM	26.55	26.69	0.14	-	-
	6/13/2025	11:35 AM	39.73	40.00	0.27	355	Bailed approximately 0.5 gallons of LNAPL
	6/13/2025	11:55 AM	38.69	38.71	0.02	-	-
	6/14/2025	09:15 AM	25.14	25.49	0.35	510	Bailed approximately 0.8 gallons of LNAPL
	6/14/2025	09:40 AM	25.52	25.56	0.04	-	-
	6/14/2025	11:30 AM	37.56	37.60	0.04	599	Bailed approximately 0.1 gallons of LNAPL
	6/14/2025	11:48 AM	37.71	37.72	0.01	-	-
	6/15/2025	09:00 AM	36.31	36.52	0.21	596	Bailed approximately 0.5 gallons of LNAPL
	6/15/2025	09:30 AM	35.23	35.24	0.01	-	-
	6/15/2025	10:12 AM	32.63	32.68	0.05	-	Bailed approximately 0.25 gallons of LNAPL
	6/15/2025	10:25 AM	-	32.45	-	-	-
	6/16/2025	09:15 AM	35.35	35.55	0.20	119.5	Bailed approximately 0.5 gallons of LNAPL
	6/16/2025	09:30 AM	33.83	33.84	0.01	-	-
	6/16/2025	11:45 AM	29.05	29.06	0.01	267.5	-
	6/17/2025	09:45 AM	25.08	25.45	0.37	399.8	Bailed approximately 0.25 gallons of LNAPL
	6/17/2025	10:05 AM	25.57	25.60	0.03	-	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	11:45 AM	32.09	32.33	0.24	382.2	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	12:00 PM	34.02	34.04	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/18/2025	09:35 AM	26.27	26.82	0.55	388.9	Bailed approximately 0.25 gallons of LNAPL
	6/18/2025	10:10 AM	27.05	27.07	0.02	-	Bailed approximately 0.05 gallons of LNAPL
	6/18/2025	11:50 AM	26.60	26.67	0.07	478.8	Bailed approximately 0.25 gallons of LNAPL
	6/18/2025	12:00 PM	26.98	27.00	0.02	-	Bailed approximately 0.2 gallons of LNAPL
	6/19/2025	09:37 AM	25.16	25.55	0.39	628.1	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	10:15 AM	26.53	26.61	0.08	-	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	11:45 AM	25.71	25.82	0.11	404.0	Bailed approximately 0.25 gallons of LNAPL
	6/19/2025	12:03 PM	26.29	26.33	0.04	-	Bailed approximately 0.25 gallons of LNAPL
	6/20/2025	09:50 AM	25.49	25.57	0.08	448.1	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	10:15 AM	26.10	26.12	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	11:50 AM	27.41	27.44	0.03	229.2	Bailed approximately 0.1 gallons of LNAPL
	6/20/2025	12:05 PM	27.88	27.89	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/21/2025	9:05 AM	27.29	27.43	0.14	372.2	Bailed approximately 0.5 gallons of LNAPL
	6/21/2025	-	27.86	27.87	0.01	-	-
	6/21/2025	11:50 AM	27.29	27.30	0.01	425.3	-
	6/22/2025	9:18 AM	29.15	29.18	0.03	191.1	Bailed approximately 0.25 gallons of LNAPL
	6/22/2025	9:30 AM	29.60	29.61	0.01	-	Bailed approximately 0.3 gallons of LNAPL
	6/22/2025	10:54 AM	27.37	27.39	0.02	221.4	Bailed approximately 0.12 gallons of LNAPL
	6/22/2025	11:11 AM	27.56	27.57	0.01	-	-
	6/23/2025	9:05 AM	26.28	26.78	0.50	155.8	Bailed approximately 0.5 gallons of LNAPL
	6/23/2025	-	27.24	27.26	0.02	-	-
	6/23/2025	12:15 PM	26.30	26.40	0.10	88.4	Bailed approximately 0.5 gallons of LNAPL
	6/23/2025	-	26.74	26.75	0.01	-	-
	6/23/2025	2:00 PM	26.29	26.32	0.03	-	-
	6/24/2025	9:31 AM	25.60	25.65	0.05	25.4	Bailed approximately 0.5 gallons of LNAPL
	6/24/2025	-	25.84	25.85	0.01	-	-
	6/25/2025	9:01 AM	26.54	26.56	0.02	0.7	-
	6/25/2025	9:28 AM	-	26.63	-	27.0	-
	6/25/2025	10:32 AM	-	26.69	-	7.2	-
	6/25/2025	11:25 AM	26.71	26.72	0.01	16.4	-
	6/26/2025	9:03 AM	26.60	26.62	0.02	1.1	-
	6/26/2025	11:16 AM	27.60	27.62	0.02	10.7	-
	6/26/2025	12:12 PM	27.60	27.65	0.05	1.7	-
	6/26/2025	12:42 PM	27.68	27.70	0.02	5.0	-
	6/26/2025	1:54 PM	-	28.39	-	5.1	-
	6/26/2025	2:54 PM	28.11	28.13	0.02	6.7	-
	6/26/2025	3:42 PM	27.88	27.90	0.02	6.4	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	6/27/2025	8:00 AM	26.70	26.72	0.02	1.7	Geophysics conducted at well
	6/28/2025	9:00 AM	-	-	-	298.3	Due to 100 foot length of interface probe, unable to detect liquid levels
	6/28/2025	12:05 PM	-	-	-	272.5	Due to 100 foot length of interface probe, unable to detect liquid levels
	6/29/2025	9:11 AM	27.55	27.79	0.24	8.4	Bailed approximatley 0.25 gallons of LNAPL
	6/29/2025	9:24 AM	28.04	28.10	0.06	-	Bailed approximatley 0.08 gallons of LNAPL
	6/29/2025	11:00 AM	27.89	27.99	0.10	464.4	Bailed approximatley 0.15 gallons of LNAPL
	6/29/2025	11:12 AM	28.01	28.03	0.02	-	Bailed approximatley 0.1 gallons of LNAPL
	6/30/2025	9:30 AM	27.17	27.34	0.17	95.2	Bailed approximatley 0.5 gallons of LNAPL
	6/30/2025	-	27.67	27.69	0.02	-	-
	6/30/2025	12:00 PM	27.44	27.49	0.05	27.1	-
	6/30/2025	-	27.75	27.77	0.02	-	Unable to recover LNAPL due to minimal thickness
	7/1/2025	9:34 AM	27.61	27.64	0.03	87.4	Bailed approximatley 0.25 gallons of LNAPL
	7/1/2025	-	27.69	27.70	0.01	-	-
	7/1/2025	11:45 AM	28.92	28.94	0.02	153.2	Unable to recover LNAPL due to minimal thickness
	7/2/2025	9:47 AM	31.75	31.94	0.19	76.5	Bailed approximatley 0.25 gallons of LNAPL
	7/2/2025	-	32.17	32.19	0.02	-	-
	7/2/2025	12:33 PM	28.50	28.55	0.05	294.0	Bailed approximatley 0.25 gallons of LNAPL
	7/2/2025	12:51 PM	28.70	28.72	0.02	-	-
	7/3/2025	10:25 AM	34.78	34.88	0.10	32.0	Bailed approximatley 0.25 gallons of LNAPL
	7/3/2025	-	33.65	33.67	0.02	-	-
	7/3/2025	12:35 PM	29.84	29.85	0.01	357.1	Unable to recover LNAPL due to minimal thickness
	7/5/2025	09:17 AM	-	27.86	-	124.5	Sock 100% saturated was removed
	7/5/2025	09:22 AM	-	27.95	-	-	-
	7/5/2025	12:09 PM	-	28.14	-	55.7	-
	7/5/2025	12:15 PM	-	28.16	-	-	-
	7/7/2025	9:15 AM	-	-	-	11.3	Due to 100 foot length of interface probe, unable to detect liquid levels
	7/7/2025	11:45 AM	-	-	-	20.5	Due to 100 foot length of interface probe, unable to detect liquid levels
	7/8/2025	9:20 AM	-	109.21	-	650.1	-
	7/8/2025	11:46 AM	-	85.55	-	311.0	-
	7/9/2025	9:30 AM	28.70	28.75	0.05	98.5	Bailed approximatley 0.25 gallons of LNAPL
	7/9/2025	-	29.09	29.11	0.02	-	-
	7/9/2025	12:35 PM	28.78	28.80	0.02	283.8	-
	7/10/2025	9:33 AM	40.71	40.79	0.08	105.7	Bailed approximatley 0.25 gallons of LNAPL
	7/10/2025	-	40.91	40.92	0.01	-	-
	7/10/2025	11:31 AM	90.65	90.66	0.01	141.3	-
	7/11/2025	9:03 AM	28.73	28.90	0.17	149.7	Bailed approximatley 0.5 gallons of LNAPL
	7/11/2025	-	29.29	29.30	0.01	-	-
	7/11/2025	11:36 AM	38.65	38.69	0.04	158.0	Bailed approximatley 0.15 gallons of LNAPL
	7/11/2025	-	39.64	39.65	0.01	-	-
	7/12/2025	9:00 AM	34.05	34.20	0.15	207.7	Bailed approximatley 0.3 gallons of LNAPL
	7/12/2025	-	34.40	34.41	0.01	-	-
	7/12/2025	11:39 AM	37.20	37.21	0.01	350.2	Unable to recover LNAPL due to minimal thickness
	7/13/2025	9:12 AM	28.85	28.93	0.08	168.0	Bailed approximatley 0.5 gallons of LNAPL
	7/13/2025	9:37 AM	28.46	28.47	0.01	-	-
	7/13/2025	11:45 AM	25.44	25.48	0.04	117.3	Bailed approximatley 0.06 gallons of LNAPL
	7/13/2025	12:14 PM	25.60	25.62	0.02	-	-
	7/14/2025	9:03 AM	27.94	27.97	0.03	184.0	Bailed approximatley 0.25 gallons of LNAPL
	7/14/2025	-	28.25	28.26	0.01	-	-
	7/14/2025	12:25 PM	27.99	28.00	0.01	264.5	-
	7/15/2025	9:41 AM	35.11	35.19	0.08	107.1	Bailed approximatley 0.25 gallons of LNAPL
	7/15/2025	-	34.79	34.80	0.01	-	-
	7/15/2025	12:35 PM	30.29	30.30	0.01	429.1	-
	7/16/2025	9:05 AM	31.60	31.64	0.04	336.3	Bailed approximatley 0.3 gallons of LNAPL
	7/16/2025	-	31.50	31.51	0.01	-	-
	7/16/2025	12:30 PM	28.95	28.96	0.01	200.9	-
	7/17/2025	9:03 AM	27.72	27.77	0.05	72.2	Bailed approximatley 0.25 gallons of LNAPL
	7/17/2025	-	28.06	28.08	0.02	-	-
	7/17/2025	12:45 PM	-	35.52	-	101.4	-
	7/18/2025	9:05 AM	28.38	28.43	0.05	127.7	Bailed approximatley 0.25 gallons of LNAPL
	7/18/2025	-	29.65	29.66	0.01	-	-
	7/18/2025	12:56 PM	28.84	28.85	0.01	76.2	Insufficient volume for recovery
	7/19/2025	9:00 AM	28.40	28.47	0.07	148.3	Bailed approximatley 0.25 gallons of LNAPL
	7/19/2025	-	29.20	29.21	0.01	-	-
	7/19/2025	1:00 PM	30.01	30.02	0.01	145.2	Insufficient volume for recovery
	7/20/2025	8:55 AM	27.74	27.86	0.12	181.7	Bailed approximatley 0.1 gallons of LNAPL
	7/20/2025	9:15 AM	28.19	28.20	0.01	-	-
	7/20/2025	10:31 AM	29.32	29.35	0.03	154.2	Bailed approximatley 0.05 gallons of LNAPL
	7/20/2025	10:44 AM	29.55	29.56	0.01	-	-
	7/21/2025	9:10 AM	29.19	29.22	0.03	35.7	Bailed approximatley 0.25 gallons of LNAPL
	7/21/2025	-	-	29.85	-	-	-
	7/21/2025	1:05 PM	30.05	30.06	0.01	96.1	-
	7/22/2025	9:12 AM	37.26	37.33	0.07	143.3	Bailed approximatley 0.25 gallons of LNAPL
	7/22/2025	-	36.88	36.90	0.02	-	-
	7/22/2025	1:00 PM	67.35	67.36	0.01	50.0	-
	7/23/2025	9:40 AM	44.51	44.56	0.05	47.9	Bailed approximatley 0.25 gallons of LNAPL
	7/23/2025	-	-	44.57	-	-	-
	7/23/2025	1:30 PM	39.20	39.21	0.01	79.5	-
	7/24/2025	9:18 AM	29.33	29.50	0.17	53.5	Bailed approximatley 0.25 gallons of LNAPL
	7/24/2025	-	29.71	29.73	0.02	-	-
	7/24/2025	1:20 PM	37.69	37.70	0.01	77.0	-
	7/25/2025	9:20 AM	28.65	28.83	0.18	83.5	Bailed approximatley 0.50 gallons of LNAPL
	7/25/2025	-	29.35	29.36	0.01	-	-
	7/25/2025	1:20 PM	-	29.40	-	195.3	-
	7/26/2025	9:24 AM	28.09	28.15	0.06	78.1	Bailed approximatley 0.07 gallons of LNAPL
	7/26/2025	-	28.60	28.61	0.01	-	-
	7/26/2025	1:15 PM	29.80	29.82	0.02	117.4	-
	7/27/2025	9:15 AM	28.55	28.64	0.09	396.1	Bailed approximatley 0.25 gallons of LNAPL
	7/27/2025	9:40 AM	29.15	29.16	0.01	-	-
	7/27/2025	11:01 AM	28.78	28.84	0.06	396.5	Bailed approximatley 0.05 gallons of LNAPL
	7/27/2025	11:17 AM	29.04	29.05	0.01	-	-
	7/28/2025	9:20 AM	28.64	28.65	0.01	240.5	Bailed approximatley 0.50 gallons of LNAPL
	7/28/2025	1:09 PM	-	29.21	-	207.7	-
	7/29/2025	9:16 AM	29.31	29.35	0.04	43.5	Bailed approximatley 0.15 gallons of LNAPL
	7/29/2025	-	-	29.95	-	-	-
	7/29/2025	1:12PM	88.73	88.74	0.01	82.1	-
	7/30/2025	9:20 AM	29.19	29.21	0.02	74.4	Bailed approximatley 0.1 gallons of LNAPL
	7/30/2025	1:20 PM	29.79	29.80	0.01	49.1	-
	7/31/2025	9:18 AM	29.69	29.70	0.01	65.1	Unable to recover LNAPL due to minimal thickness
	7/31/2025	1:10 PM	30.30	30.31	0.01	26.1	-
	8/1/2025	9:25 AM	30.50	30.55	0.05	69.9	Bailed approximatley 0.20 gallons of LNAPL
	8/1/2025	-	-	31.20	-	-	-
	8/1/2025	1:00 PM	52.39	52.40	0.01	158.5	-
	8/2/2025	9:05 AM	33.20	33.22	0.02	128.8	Bailed approximatley 0.20 gallons of LNAPL



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	8/2/2025	-	-	33.41	-	-	-
	8/2/2025	1:08 PM	-	35.28	-	122.1	-
	8/3/2025	9:00 AM	29.96	30.11	0.15	256.8	Bailed approximatley 0.25 gallons of LNAPL
	8/3/2025	-	30.45	30.46	0.01	-	-
	8/3/2025	1:00 PM	32.60	32.61	0.01	168.4	-
	8/4/2025	9:45 AM	31.20	31.30	0.10	377.7	Bailed approximatley 0.25 gallons of LNAPL
	8/4/2025	10:00 AM	31.50	31.51	0.01	-	-
	8/4/2025	1:21 PM	30.37	30.41	0.04	155.6	Bailed approximatley 0.06 gallons of LNAPL
	8/4/2025	1:28 PM	30.55	30.56	0.01	-	-
	8/5/2025	9:17 AM	38.04	38.15	0.11	328.1	Bailed approximatley 0.25 gallons of LNAPL
	8/5/2025	9:30 AM	37.90	37.91	0.01	-	-
	8/5/2025	1:23 PM	30.17	30.22	0.05	407.2	Bailed approximatley 0.13 gallons of LNAPL
	8/5/2025	1:30 PM	30.35	30.36	0.01	-	-
	8/6/2025	9:20 AM	28.50	28.54	0.04	305.2	Bailed approximatley 0.13 gallons of LNAPL
	8/6/2025	9:30 AM	28.88	28.89	0.01	-	-
	8/6/2025	1:05 PM	28.87	28.88	0.01	96.6	Bailed approximatley 0.01 gallons of LNAPL
	8/6/2025	1:10 PM	29.02	29.03	0.01	-	-
	8/7/2025	9:07 AM	28.78	28.81	0.03	107.3	Bailed approximatley 0.51 gallons of LNAPL
	8/7/2025	9:20 AM	-	29.15	-	-	-
	8/7/2025	1:14 PM	28.70	28.71	0.01	47.8	-
	8/7/2025	1:24 PM	-	28.99	-	-	-
	8/8/2025	9:27 AM	28.90	29.05	0.15	172.0	Bailed approximatley 0.10 gallons of LNAPL
	8/8/2025	9:40 AM	29.32	29.33	0.01	-	-
	8/8/2025	1:20 PM	84.45	84.50	0.05	55.2	Bailed approximatley 0.10 gallons of LNAPL
	8/8/2025	-	82.38	82.39	0.01	-	-
	8/9/2025	9:00 AM	30.02	30.10	0.08	186.2	Bailed approximatley 0.8 gallons of LNAPL
	8/9/2025	9:30 AM	30.18	30.18	0.00	-	-
	8/9/2025	12:15 PM	30.09	30.10	0.01	93.1	-
	8/10/2025	8:55 AM	29.02	29.05	0.03	202.0	Bailed approximatley 0.05 gallons of LNAPL
	8/10/2025	9:15 AM	-	29.17	-	-	-
	8/10/2025	11:00 AM	-	29.35	-	119.5	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Walker Road	8/11/2025	10:26 AM	50.75	50.77	0.02	114.1	Unable to recover LNAPL due to minimal thickness
	8/11/2025	1:25 PM	35.90	35.92	0.02	138.0	Unable to recover LNAPL due to minimal thickness
	8/12/2025	10:46 AM	36.02	36.06	0.04	299.6	Bailed approximatley 0.01 gallons of LNAPL
	8/12/2025	10:50 AM	-	36.90	-	-	-
	8/12/2025	1:45 PM	-	60.80	-	108.4	-
	8/13/2025	9:23 AM	29.93	29.99	0.06	278	Bailed approximatley 0.01 gallons of LNAPL
	8/13/2025	10:50 AM	-	30.31	-	-	-
	8/13/2025	1:45 PM	29.95	29.96	0.01	70.3	-
	8/13/2025	1:50 PM	-	30.02	-	-	-
	8/14/2025	9:13 AM	30.60	30.64	0.04	35.4	Bailed approximatley 0.01 gallons of LNAPL
	8/14/2025	9:22 AM	-	31.22	-	-	-
	8/14/2025	1:15 PM	-	30.75	-	72.2	-
	8/15/2025	9:07 AM	30.34	30.43	0.09	59.8	Bailed approximatley 0.01 gallons of LNAPL
	8/15/2025	9:20 AM	31.09	31.10	0.01	-	-
	8/15/2025	1:30 PM	-	33.91	-	55.4	-
	8/16/2025	9:18 AM	31.15	31.18	0.03	60.3	Bailed approximatley 0.5 gallons of LNAPL
	8/16/2025	-	-	31.75	-	-	-
	8/16/2025	1:17 PM	-	31.66	-	173.3	-
	8/17/2025	8:05 AM	30.85	30.86	0.01	360.1	Bailed approximatley 0.06 gallons of LNAPL
	8/17/2025	-	-	30.96	-	-	-
	8/17/2025	9:33 AM	-	30.78	-	195.1	-
	8/18/2025	10:41 AM	-	98.80	-	21.1	-
	8/18/2025	1:09 PM	-	99.65	-	175.6	-
	8/19/2025	9:12 AM	30.35	30.50	0.15	102.7	Bailed approximatley 0.5 gallons of LNAPL
	8/19/2025	-	-	31.14	-	-	-
	8/19/2025	1:11 PM	30.70	30.71	0.01	191.6	-
	8/20/2025	9:10 AM	30.50	30.59	0.09	47.5	Bailed approximatley 0.5 gallons of LNAPL
	8/20/2025	-	31.04	31.05	0.01	-	-
	8/20/2025	1:10 PM	-	122.30	-	29.2	-
	8/21/2025	9:15 AM	30.11	30.26	0.15	90.1	Bailed approximatley 0.5 gallons of LNAPL
	8/21/2025	-	30.90	30.91	0.01	-	-
	8/21/2025	1:15 PM	45.89	45.90	0.01	168.5	-
	8/22/2025	9:20 AM	54.60	54.69	0.09	95.3	Bailed approximatley 0.5 gallons of LNAPL
	8/22/2025	-	53.88	53.89	0.01	-	-
	8/22/2025	1:00 PM	42.10	42.11	0.01	24.8	-
	8/23/2025	9:17 AM	29.95	30.01	0.06	137.5	Bailed approximatley 0.7 gallons of LNAPL
	8/23/2025	9:33 AM	31.60	31.61	0.01	-	-
	8/23/2025	1:06 PM	-	30.31	-	145.3	-
	8/24/2025	9:01 AM	31.10	31.30	0.20	154.0	Bailed approximatley 0.5 gallons of LNAPL
	8/24/2025	9:30 AM	31.69	31.70	0.01	-	-
	8/24/2025	1:02 PM	32.53	32.54	0.01	228.3	-
	8/25/2025	9:06 AM	30.52	30.54	0.02	260.5	Unable to recover LNAPL due to minimal thickness
	8/25/2025	1:10 PM	-	30.93	-	88.3	-
	8/26/2025	9:06 AM	30.35	30.37	0.02	153.2	Bailed approximatley 0.1 gallons of LNAPL
	8/26/2025	-	31.11	31.12	0.01	-	-
	8/26/2025	1:02 PM	-	127.88	-	27.2	-
	8/27/2025	9:06 AM	30.31	30.34	0.03	106.1	Bailed approximately 0.2 gallons of LNAPL
	8/27/2025	-	-	30.92	-	-	-
	8/27/2025	1:05 PM	-	123.41	-	124.1	-
	8/28/2025	9:15 AM	30.42	30.44	0.02	275.8	Bailed approximately 0.1 gallons of LNAPL
	8/28/2025	1:04 PM	-	51.60	-	22.6	-
	8/29/2025	9:14 AM	32.17	32.25	0.08	161.5	Bailed approximately 0.5 gallons of LNAPL
	8/29/2025	-	32.30	32.31	0.01	-	-
	8/29/2025	1:05 PM	-	31.02	-	30.2	Absorbent sock deployed
	9/2/2025	9:13 AM	-	81.41	-	147.9	Absorbent sock removed; 20% saturated
	9/2/2025	1:05 PM	-	46.96	-	119.2	-
	9/3/2025	9:18 AM	38.64	38.66	0.02	108.2	Bailed approximately 0.10 gallons of LNAPL
	9/3/2025	-	-	38.49	-	-	-
	9/3/2025	1:02 PM	-	32.33	-	87.2	-
	9/4/2025	9:16 AM	-	32.11	-	110.7	-
	9/4/2025	1:03 PM	-	31.60	-	46.9	-
	9/5/2025	9:01 AM	-	138.02	-	164.9	-
	9/5/2025	1:03 PM	-	92.74	-	82.5	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED Spencer Road	1/29/2025	-	50.99	51.00	0.01	22.1	LNAPL darker in color than other LNAPL found.
	2/10/2025	1300	-	51.58	-	13.0	Bailer was clear
	2/17/2025	-	-	34.68	-	3.0	Bailer was clear
	2/18/2025	-	-	32.56	-	2.0	Bailer was clear; 0% LEL
	2/19/2025	12:00 PM	-	29.60	-	9.0	-
	2/20/2025	-	-	28.50	-	8.0	-
	2/21/2025	-	-	30.92	-	2.0	-
	2/22/2025	9:35 AM	-	27.72	-	22	-
	2/24/2025	12:00 PM	-	26.54	-	4.0	-
	2/25/2025	-	-	26.54	-	3.0	-
	2/26/2025	-	-	27.73	-	12	-
	2/27/2025	-	-	27.84	-	11	-
	2/28/2025	-	-	27.93	-	3.0	-
	3/1/2025	11:40 AM	-	29.49	-	4	-
	3/3/2025	-	-	32.26	-	2	-
	3/4/2025	-	-	43.74	-	1	-
	3/5/2025	-	-	35.89	-	29	-
	3/6/2025	-	-	29.25	-	9	-
	3/7/2025	-	-	28.64	-	4	-
	3/8/2025	-	-	27.38	-	0	-
	3/10/2025	10:30 AM	-	26.51	-	4	-
	3/11/2025	10:05 AM	-	31.60	-	4	-
	3/12/2025	10:00 AM	-	25.58	-	4	-
	3/13/2025	9:45 AM	-	26.61	-	3	-
	3/14/2025	9:50 AM	-	26.31	-	7	-
	3/15/2025	10:42 AM	-	26.14	-	1	-
	3/17/2025	10:12 AM	-	28.92	-	2	-
	3/18/2025	10:38 AM	-	25.80	-	1	-
	3/19/2025	10:15 AM	-	25.42	-	1	-
	3/20/2025	11:20 AM	-	25.00	-	0	-
	3/21/2025	10:39 AM	-	24.30	-	0	-
	3/22/2025	9:47 AM	-	25.98	-	0	-
	3/24/2025	9:40 AM	-	23.58	-	0	-
	3/25/2025	9:53 AM	-	23.37	-	1	-
	3/26/2025	10:12 AM	-	24.73	-	2	-
	3/27/2025	11:04 AM	-	24.78	-	1	-
	3/28/2025	10:38 AM	-	23.70	-	4.6	-
	3/29/2025	10:56 AM	-	23.92	-	4.4	-
	3/31/2025	11:01 AM	-	23.54	-	4.0	-
	4/1/2025	11:14 AM	-	30.67	-	0.5	-
	4/2/2025	11:16 AM	-	22.76	-	2.3	-
	4/3/2025	11:11 AM	-	22.23	-	4.1	-
	4/4/2025	10:40 AM	-	23.35	-	4.3	-
	4/5/2025	10:25 AM	-	21.67	-	0.6	-
	4/7/2025	10:45 AM	-	27.22	-	6.9	-
	4/8/2025	10:41 AM	-	21.79	-	4.4	-
	4/9/2025	10:30 AM	-	22.24	-	4.3	-
	4/10/2025	10:04 AM	-	22.91	-	4.8	-
	4/11/2025	9:57 AM	-	22.31	-	4.0	-
	4/12/2025	10:25 AM	-	22.09	-	3.1	-
	4/14/2025	11:35 AM	-	21.42	-	5.0	-
	4/15/2025	9:56 AM	-	21.10	-	3.2	-
	4/16/2025	9:47 AM	-	21.40	-	5.1	-
	4/17/2025	9:50 AM	-	21.71	-	2.8	-
	4/18/2025	11:27 AM	-	22.54	-	2.2	-
	4/19/2025	10:43 AM	-	23.44	-	8.8	-
	4/21/2025	11:37 AM	-	30.69	-	2.0	-
	4/22/2025	10:20 AM	-	31.39	-	1.4	-
	4/23/2025	10:23 AM	-	23.53	-	1.3	-
	4/24/2025	10:00 AM	-	23.94	-	3.3	-
	4/25/2025	9:42 AM	-	24.23	-	1.0	-
	4/26/2025	9:53 AM	-	28.20	-	0.0	-
	4/28/2025	10:29 AM	-	26.93	-	8.6	-
	4/29/2025	10:12 AM	-	26.98	-	6.9	-
	4/30/2025	10:33 AM	-	27.60	-	7.6	-
	5/1/2025	10:10 AM	-	26.95	-	4.2	-
	5/2/2025	9:45 AM	-	30.70	-	0.2	-
	5/3/2025	12:35 PM	-	27.86	-	1.6	-
	5/5/2025	10:16 AM	-	36.07	-	1.0	-
	5/6/2025	10:23 AM	-	36.60	-	2.1	-
	5/7/2025	10:26 AM	-	30.91	-	1.6	-
	5/8/2025	10:09 AM	-	43.84	-	5.8	-
	5/9/2025	10:54 AM	-	30.89	-	1.2	-
	5/10/2025	11:09 AM	-	31.12	-	0.4	-
	5/12/2025	11:53 AM	-	32.55	-	5.7	-
	5/13/2025	11:55 AM	-	34.11	-	3.0	-
	5/14/2025	1:30 PM	-	28.86	-	4.0	-
	5/15/2025	11:25 AM	-	25.69	-	3.1	-
	5/16/2025	1:34 PM	-	25.29	-	2.5	-
	5/17/2025	11:15 AM	-	37.75	-	0.7	-
	5/19/2025	11:38 AM	-	21.50	-	2.0	-
	5/20/2025	10:34 AM	-	23.55	-	12.9	-
	5/21/2025	11:04 AM	-	22.00	-	0.0	-
	5/22/2025	11:10 AM	-	21.15	-	0.0	-
	5/23/2025	10:53 AM	-	24.50	-	0.0	-
	5/24/2025	11:05 AM	-	21.02	-	0.0	-
	5/27/2025	11:30 AM	-	21.88	-	0.5	-
	5/28/2025	11:15 AM	-	23.15	-	0.0	-
	5/29/2025	11:35 AM	-	23.00	-	0.0	-
	5/30/2025	10:40 AM	-	23.58	-	4.6	-
	5/31/2025	10:17 AM	-	22.09	-	0.0	-
	6/2/2025	10:55 AM	-	24.93	-	0.0	-
	6/3/2025	12:54 PM	-	31.02	-	0.3	-
	6/4/2025	11:14 AM	-	28.59	-	1.5	-
	6/5/2025	11:32 AM	-	22.43	-	1.7	-
	6/6/2025	10:41 AM	-	22.61	-	3.1	-
	6/7/2025	10:02 AM	-	22.79	-	1.4	-
	6/9/2025	11:35 AM	-	23.58	-	2.6	-
	6/10/2025	11:55 AM	-	23.82	-	0.2	-
	6/11/2025	11:35 AM	-	32.34	-	0.0	-
	6/12/2025	11:05 AM	-	24.58	-	0.2	-
	6/13/2025	11:12 AM	-	25.12	-	1.3	-
	6/14/2025	10:15 AM	-	33.32	-	0.4	-
	6/16/2025	10:35 AM	-	28.04	-	0.0	-
	6/17/2025	11:00 AM	-	29.70	-	0.0	-
	6/18/2025	11:05 AM	-	25.40	-	0.0	-
	6/19/2025	11:25 AM	-	29.05	-	0.0	-
	6/20/2025	11:10 AM	-	24.89	-	1.6	-
	6/21/2025	10:00 AM	-	25.90	-	0.6	-
	6/23/2025	-	-	26.21	-	2.9	-
	6/24/2025	11:00 AM	-	27.07	-	1.4	-
	6/25/2025	10:46 AM	-	27.21	-	1.2	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
REDA Spencer Road	6/26/2025	10:00 AM	-	29.99	-	0.3	-
	6/27/2025	9:55 AM	-	30.69	-	0.9	-
	6/28/2025	10:01 AM	-	28.26	-	1.1	-
	6/30/2025	11:08 AM	-	40.52	-	1.3	-
	7/1/2025	10:35 AM	-	33.18	-	0.4	-
	7/2/2025	11:10 AM	-	30.81	-	5.2	-
	7/3/2025	12:18 PM	-	31.18	-	2.9	-
	7/5/2025	10:40 AM	-	38.42	-	0.0	-
	7/7/2025	10:50 AM	-	31.45	-	1.6	-
	7/8/2025	11:11 AM	-	32.62	-	0.3	-
	7/9/2025	10:30 AM	-	39.32	-	0.4	-
	7/10/2025	11:07 AM	-	33.80	-	0.3	-
	7/11/2025	10:07 AM	-	30.97	-	0.8	-
	7/12/2025	10:40 AM	-	31.29	-	0.5	-
	7/14/2025	10:50 AM	-	34.66	-	4.1	-
	7/21/2025	10:12 AM	-	33.82	-	0.0	-
	7/28/2025	9:53 AM	-	39.25	-	0.0	-
	8/4/2025	11:47 AM	-	40.72	-	0.0	-
	8/11/2025	9:46 AM	-	40.46	-	0.6	-
	8/18/2025	10:12 AM	-	43.99	-	3.7	-
	8/25/2025	9:46 AM	-	46.11	-	0.7	-
	9/2/2025	10:08 AM	-	47.90	-	0.2	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED# Spencer Road	1/23/2025	-	Not Measured	Not Measured		21.0	LNAPL split sample with PADEP
	1/29/2025	1020	79.31	80.27	0.96	30.5	-
	2/10/2025	-	117.98	118.19	0.21	3.0	Approximately 0.01 gal bailed
	2/12/2025	2:51 PM	68.89	69.35	0.46	-	Bailed ~1 gallon of LNAPL
	2/12/2025	3:08 PM	68.20	68.39	0.19	-	-
	2/13/2025	10:40 AM	60.89	61.12	0.23	43	Bailed 0.5 gallons of LNAPL
	2/13/2025	11:50 AM	63.67	63.73	0.06	-	-
	2/14/2025	9:30 AM	58.69	58.75	0.06	6	Not recoverable with Bailer
	2/15/2025	11:10 AM	67.01	67.06	0.05	23.7	Bailed ~1 gallon of LNAPL / water
	2/15/2025	-	66.29	66.30	0.01	-	Not recoverable with Bailer
	2/17/2025	-	-	32.56	-	25	-
	2/18/2025	-	53.40	53.45	0.05	8.0	Not recoverable with Bailer; 0% LEL
	2/19/2025	12:10 PM	61.69	61.71	0.02	21.0	Not recoverable with Bailer
	2/20/2025	-	49.64	49.65	0.01	20.0	Not recoverable with Bailer
	2/21/2025	-	51.26	51.28	0.02	2.0	Not recoverable with Bailer
	2/22/2025	9:43 AM	52.25	52.26	0.01	15	Not recoverable with Bailer
	2/24/2025	11:40 AM	52.23	52.24	0.01	35	Not recoverable with Bailer
	2/25/2025	-	49.55	49.57	0.02	41	Deployed absorbent sock
	2/26/2025	-	51.96	51.97	0.01	7	Pulled and Replaced sock
	2/27/2025	-	-	47.77	-	41	Pulled and Replaced sock
	2/28/2025	-	-	54.79	-	7	-
	3/1/2025	-	-	52.95	-	8	-
	3/3/2025	-	-	47.76	-	12	Pulled and Replaced sock
	3/4/2025	-	-	49.29	-	3	-
	3/5/2025	-	-	47.14	-	8	Pulled and Replaced sock
	3/6/2025	-	-	52.12	-	2	-
	3/7/2025	-	-	47.10	-	6	-
	3/8/2025	-	-	47.48	-	2	-
	3/10/2025	10:35 AM	-	51.12	-	4	Sock was not replaced (10%)
	3/11/2025	9:55 AM	-	46.73	-	1	Pulled and Replaced sock (40%)
	3/12/2025	8:40 AM	-	44.51	-	9	Sock was removed and not replaced
	3/13/2025	9:35 AM	-	48.62	-	8	-
	3/14/2025	9:40 AM	-	48.28	-	7	-
	3/15/2025	10:37 AM	-	45.41	-	7	-
	3/17/2025	10:06 AM	-	45.62	-	1	-
	3/18/2025	10:28 AM	-	47.90	-	1	-
	3/19/2025	9:52 AM	46.25	46.26	0.01	3	Bailed approximately 0.5 gallons of LNAPL
	3/19/2025	-	-	46.13	-	-	-
	3/20/2025	-	-	44.89	-	1	-
	3/21/2025	10:44 AM	-	45.68	-	0	-
	3/22/2025	9:53 AM	-	46.45	-	4	-
	3/24/2025	10:15 AM	-	45.00	-	13	-
	3/25/2025	9:46 AM	-	44.58	-	3	-
	3/26/2025	10:05 AM	-	45.27	-	10	-
	3/27/2025	10:56 AM	-	42.21	-	3	-
	3/28/2025	10:28 AM	-	43.72	-	4.5	-
	3/29/2025	10:47 AM	-	46.10	-	4.4	-
	3/31/2025	11:10 AM	-	42.63	-	3.8	-
	4/1/2025	11:23 AM	-	44.21	-	3.1	-
	4/2/2025	11:26 AM	-	50.02	-	4.8	-
	4/3/2025	11:25 AM	-	43.76	-	11.3	-
	4/4/2025	10:55 AM	-	43.86	-	5.5	-
	4/5/2025	10:35 AM	-	44.63	-	3.1	-
	4/7/2025	11:06 AM	-	43.44	-	54.9	-
	4/8/2025	10:47 AM	-	41.57	-	10.4	-
	4/9/2025	10:37 AM	-	48.60	-	11.6	-
	4/10/2025	10:09 AM	-	41.39	-	8.0	-
	4/11/2025	10:00 AM	-	43.59	-	11.5	-
	4/12/2025	10:34 AM	-	45.47	-	8.9	-
	4/14/2025	12:17 PM	-	38.18	-	8.9	-
	4/15/2025	10:21 AM	-	40.27	-	6.4	-
	4/16/2025	9:53 AM	-	48.21	-	7.2	-
	4/17/2025	9:55 AM	-	40.42	-	5.9	-
	4/18/2025	11:32 AM	-	45.21	-	8.8	-
	4/19/2025	10:35 AM	-	40.79	-	18.7	-
	4/21/2025	11:29 AM	-	42.12	-	5.0	-
	4/22/2025	10:10 AM	-	42.69	-	5.3	-
	4/23/2025	10:13 AM	-	42.49	-	2.1	-
	4/24/2025	10:14 AM	-	38.30	-	6.4	-
	4/25/2025	9:33 AM	-	43.05	-	2.9	-
	4/26/2025	9:48 AM	-	38.66	-	2.9	-
	4/28/2025	10:23 AM	-	39.47	-	8.3	-
	4/29/2025	10:08 AM	-	40.03	-	14.6	-
	4/30/2025	10:30 AM	-	41.67	-	12.2	-
	5/1/2025	10:05 AM	-	44.59	-	7.0	-
	5/2/2025	9:42 AM	-	40.17	-	6.5	-
	5/3/2025	12:20 PM	-	44.60	-	21.6	-
	5/5/2025	10:10 AM	-	41.30	-	2.9	-
	5/6/2025	10:15 AM	-	41.68	-	2.4	-
	5/7/2025	10:19 AM	-	41.87	-	4.7	-
	5/8/2025	10:16 AM	-	32.02	-	6.9	-
	5/9/2025	10:45 AM	-	48.65	-	3.4	-
	5/10/2025	11:14 AM	-	43.91	-	1.5	-
	5/12/2025	11:40 AM	-	49.65	-	3.2	-
	5/13/2025	11:30 AM	-	47.91	-	7.1	-
	5/14/2025	1:25 PM	-	65.20	-	2.0	-
	5/15/2025	11:32 AM	-	45.17	-	4.3	-
	5/16/2025	1:44 PM	-	43.56	-	1.4	-
	5/17/2025	11:20 AM	-	41.42	-	1.0	-
	5/19/2025	11:45 AM	-	38.84	-	4.5	-
	5/20/2025	10:30 AM	-	39.28	-	7.0	-
	5/21/2025	10:58 AM	-	38.67	-	4.6	-
	5/22/2025	11:05 AM	-	38.25	-	1.2	-
	5/23/2025	10:58 AM	-	40.27	-	12.2	-
	5/24/2025	11:11 AM	-	41.04	-	4.3	-
	5/27/2025	11:25 AM	-	40.55	-	0.5	-
	5/28/2025	11:20 AM	-	38.19	-	0.0	-
	5/29/2025	11:30 AM	-	36.97	-	0.5	-
	5/30/2025	10:35 AM	-	37.37	-	23.3	-
	5/31/2025	10:20 AM	-	41.54	-	0.0	-
	6/2/2025	10:45 AM	-	41.32	-	21.3	-
	6/3/2025	12:48 PM	-	45.88	-	3.3	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RED# Spencer Road	6/4/2025	11:07 AM	-	44.17	-	4.4	-
	6/5/2025	11:26 AM	-	38.58	-	4.7	-
	6/6/2025	10:35 AM	-	31.02	-	1.4	-
	6/7/2025	9:57 AM	-	38.65	-	3.6	-
	6/9/2025	11:25 AM	-	40.85	-	1.0	-
	6/10/2025	11:50 AM	-	38.26	-	0.0	-
	6/11/2025	11:30 AM	-	38.70	-	0.1	-
	6/12/2025	11:00 AM	-	40.91	-	0.2	-
	6/13/2025	11:10 AM	-	42.80	-	8.8	-
	6/14/2025	10:10 AM	-	44.56	-	12.8	-
	6/16/2025	10:20 AM	-	42.83	-	0.0	-
	6/17/2025	10:55 AM	-	39.77	-	0.2	-
	6/18/2025	11:00 AM	-	42.56	-	0.7	-
	6/19/2025	11:20 AM	-	40.97	-	0.8	-
	6/20/2025	11:00 AM	-	41.66	-	0.0	-
	6/21/2025	9:51 AM	-	43.09	-	1.9	-
	6/23/2025	10:50 AM	-	41.45	-	4.1	-
	6/24/2025	10:50 AM	-	48.09	-	3.1	-
	6/25/2025	10:21 AM	-	45.38	-	4.9	-
	6/26/2025	9:45 AM	-	43.07	-	3.9	-
	6/27/2025	9:45 AM	-	41.00	-	0.2	-
	6/28/2025	10:14 AM	-	43.12	-	6.5	-
	6/30/2025	11:00 AM	-	51.73	-	4.8	-
	7/1/2025	10:25 AM	-	45.97	-	2.5	-
	7/2/2025	11:00 AM	-	56.96	-	5.8	-
	7/3/2025	12:10 PM	-	45.07	-	3.4	-
	7/5/2025	10:32 AM	-	44.99	-	2.7	-
	7/7/2025	10:55 AM	-	48.80	-	2.8	-
	7/8/2025	11:05 AM	-	45.47	-	2.5	-
	7/9/2025	10:20 AM	-	49.09	-	2.3	-
	7/10/2025	11:00 AM	-	48.65	-	5.3	-
	7/11/2025	10:03 AM	-	47.48	-	7.7	-
	7/12/2025	10:30 AM	-	45.32	-	1.7	-
	7/14/2025	10:40 AM	-	31.82	-	2.5	-
	7/21/2025	10:07 AM	-	57.95	-	1.5	-
	7/28/2025	9:50 AM	-	48.19	-	0.0	-
	8/4/2025	11:39 AM	-	55.77	-	0.0	-
	8/11/2025	9:48 AM	-	49.86	-	1.5	-
	8/18/2025	10:09 AM	-	52.70	-	7.7	-
	8/25/2025	9:35 AM	-	53.89	-	5.1	-
	9/2/2025	10:01 AM	-	51.84	-	0.7	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
108 Spencer Road	1/28/2025	-	Approximately 55	Not Measured		82.2	Checked with bailer, pale yellow
	1/29/2025	10:00 AM	55.61	62.55	6.94	397.1	-
	2/7/2025	-	63.92	69.60	5.68	81.9	-
	2/10/2025	12:25 PM	64.69	70.28	5.59	94	Pump out 12 gallons LNAPL
	2/11/2025	-	57.65	57.67	0.02	188	0% LEL
	2/12/2025	-	-	62.15	-	73	-
	2/13/2025	-	59.12	59.13	0.01	97	Not recoverable with Bailer
	2/14/2025	9:40 AM	62.79	62.80	0.01	25	Not recoverable with Bailer
	2/15/2025	11:45 AM	-	61.15	-	393.8	-
	2/17/2025	9:45 AM	-	57.00	-	-	-
	2/18/2025	8:10 AM	52.68	52.69	0.01	0.0	Not recoverable with Bailer; 0% LEL
	2/19/2025	12:04 PM	51.83	51.84	0.01	22.0	Not recoverable with Bailer
	2/20/2025	-	-	50.94	-	26.0	-
	2/21/2025	-	50.08	50.11	0.03	31.0	Not recoverable with Bailer
	2/22/2025	9:30 AM	48.99	49.00	0.01	124	Not recoverable with Bailer
	2/24/2025	11:50 AM	48.03	48.05	0.02	69	Not recoverable with Bailer
	2/25/2025	-	47.32	47.35	0.03	38	Deployed absorbent sock
	2/26/2025	-	-	47.78	-	14	Pulled and Replaced sock with 2 new socks
	2/27/2025	-	-	47.60	-	171	Pulled and Replaced 2 socks
	2/28/2025	-	-	47.55	-	5	Pulled and Replaced 2 socks
	3/1/2025	-	-	37.35	-	4	-
	3/3/2025	-	-	48.40	-	49	Pulled and Replaced 2 socks
	3/4/2025	-	-	48.21	-	25	-
	3/5/2025	-	-	47.78	-	14	Pulled and Replaced 2 socks
	3/6/2025	-	-	47.70	-	2	-
	3/7/2025	-	-	48.30	-	8	-
	3/8/2025	-	49.32	49.33	0.01	1	Biosludge on absorbent socks; LNAPL not observed
	3/10/2025	10:45 AM	-	48.53	-	5	Sock not replaced (5%)
	3/11/2025	7:35 AM	47.82	47.83	0.01	93	Socks removed (50%) for packer testing
	3/12/2025	-	-	-	-	-	NM due to packer testing
	3/13/2025	-	-	-	-	-	NM due to packer testing
	3/14/2025	-	-	-	-	-	NM due to packer testing
	3/15/2025	-	-	-	-	-	NM due to packer testing
	3/17/2025	-	-	-	-	-	NM due to packer testing
	3/18/2025	10:17 AM	47.24	47.25	0.01	2	-
	3/19/2025	-	-	-	-	-	NM due to drilling
	3/20/2025	9:40 AM	45.98	45.99	0.01	3	Unable to bail due to transducer
	3/21/2025	-	-	-	-	-	NM due to drilling
	3/22/2025	9:58 AM	44.58	44.60	0.02	98	-
	3/24/2025	9:47 AM	43.80	43.86	0.06	43	Installed sock in the well
	3/25/2025	10:10 AM	-	43.62	-	5	Sock not replaced (25%)
	3/26/2025	10:29 AM	-	43.18	-	32	Sock replaced
	3/27/2025	11:10 AM	-	43.24	-	4	Sock not replaced (0%)
	3/28/2025	11:04 AM	-	42.82	-	23.4	Sock not replaced (25%)
	3/29/2025	11:20 AM	-	42.55	-	24.8	Sock not replaced (25%)
	3/31/2025	11:20 AM	-	42.46	-	0.9	Sock replaced
	4/1/2025	11:27 AM	-	42.31	-	0.2	Sock replaced (75%)
	4/2/2025	11:45 AM	-	42.39	-	1.7	Sock replaced (75%)
	4/3/2025	9:03 AM	-	41.66	-	4.6	Sock removed (10%) and well purged
	4/4/2025	11:02 AM	43.85	43.86	0.01	51.3	-
	4/5/2025	10:43 AM	-	42.50	-	3.9	-
	4/7/2025	11:04 AM	41.54	41.55	0.01	14.1	-
	4/8/2025	10:53 AM	-	41.15	-	7.7	-
	4/9/2025	10:52 AM	41.32	41.33	0.01	21.8	-
	4/10/2025	10:13 AM	40.89	40.91	0.02	38.3	Installed sock in the well
	4/11/2025	10:02 AM	-	40.29	-	76.0	Sock not replaced (50%)
	4/12/2025	10:02 AM	-	40.22	-	20.9	Sock not replaced (50%)
	4/14/2025	11:45 AM	-	39.77	-	10.8	Sock not replaced (50%)
	4/15/2025	10:26 AM	-	39.36	-	4.9	Sock replaced (100%)
	4/16/2025	9:57 AM	-	39.33	-	12.2	Sock not replaced (10%)
	4/17/2025	10:02 AM	-	39.55	-	12.0	Sock not replaced (25%)
	4/18/2025	11:40 AM	-	39.53	-	3.5	Sock not replaced (50%)
	4/19/2025	10:27 AM	-	39.09	-	10.9	Sock not replaced (75%)
	4/21/2025	11:48 AM	-	39.87	-	1.0	Sock not replaced (<5%)
	4/22/2025	10:30 AM	-	39.69	-	4.5	Sock not replaced (<5%)
	4/23/2025	10:31 AM	-	40.30	-	1.5	Sock not replaced (<5%)
	4/24/2025	10:22 AM	-	40.71	-	4.5	Sock not replaced (<5%)
	4/25/2025	9:49 AM	-	40.94	-	4.4	Sock not replaced (<5%)
	4/26/2025	10:07 AM	-	40.89	-	4.8	Sock not replaced (<5%)
	4/28/2025	10:12 AM	-	41.80	-	2.1	Sock replaced (10%)
	4/29/2025	10:23 AM	-	42.11	-	5.9	Sock Removed (0%)
	4/30/2025	10:38 AM	-	41.83	-	11.2	-
	5/1/2025	10:18 AM	-	42.11	-	3.9	-
	5/2/2025	9:55 AM	-	42.19	-	2.6	-
	5/3/2025	12:45 PM	-	42.43	-	0.7	-
	5/5/2025	10:22 AM	-	43.17	-	0.0	-
	5/6/2025	11:16 AM	-	43.29	-	0.1	-
	5/7/2025	10:41 AM	-	44.27	-	0.2	-
	5/8/2025	10:21 AM	-	44.69	-	0.8	-
	5/9/2025	9:16 AM	-	45.10	-	0.8	-
	5/10/2025	11:20 AM	-	43.41	-	0.0	-
	5/12/2025	11:29 AM	-	45.53	-	1.5	-
	5/13/2025	11:20 AM	-	45.69	-	0.3	-
	5/14/2025	11:16 AM	-	41.17	-	0.9	-
	5/15/2025	11:15 AM	-	41.17	-	0.3	-
	5/16/2025	11:38 AM	-	44.98	-	0.2	Sheen observed on surface
	5/17/2025	11:10 AM	-	41.88	-	0.4	-
	5/19/2025	11:30 AM	-	43.82	-	0.0	-
	5/20/2025	10:27 AM	-	43.66	-	0.0	-
	5/21/2025	10:52 AM	-	41.08	-	0.0	-
	5/22/2025	10:59 AM	-	39.89	-	0.0	-
	5/23/2025	10:48 AM	-	39.17	-	0.0	Sheen observed on surface
	5/24/2025	10:59 AM	-	39.00	-	0.0	-
	5/27/2025	11:20 AM	-	38.72	-	0.0	-
	5/28/2025	11:10 AM	-	38.38	-	0.0	-
	5/29/2025	11:25 AM	-	38.34	-	0.0	-
	5/30/2025	10:55 AM	-	38.31	-	0.7	-
	5/31/2025	10:26 AM	-	38.02	-	0.0	-
	6/2/2025	10:58 AM	-	38.78	-	0.0	-
	6/3/2025	12:58 PM	-	38.95	-	0.2	-
	6/4/2025	11:24 AM	-	38.94	-	1.4	-
	6/5/2025	11:36 AM	-	38.73	-	1.6	-
	6/6/2025	10:47 AM	-	38.65	-	6.0	-
	6/7/2025	10:12 AM	-	38.74	-	7.0	-
	6/9/2025	11:28 AM	-	39.81	-	0.0	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
108 Spencer Road	6/10/2025	11:40 AM	-	39.71	-	1.0	-
	6/11/2025	11:25 AM	-	40.26	-	0.3	-
	6/12/2025	10:55 AM	-	41.30	-	0.0	-
	6/13/2025	11:05 AM	-	41.22	-	0.0	-
	6/14/2025	10:20 AM	-	41.32	-	0.8	-
	6/16/2025	11:00 AM	-	41.69	-	0.0	-
	6/17/2025	10:50 AM	-	41.72	-	0.4	-
	6/18/2025	10:55 AM	-	41.69	-	0.0	-
	6/19/2025	11:15 AM	-	41.85	-	0.3	-
	6/20/2025	10:55 AM	-	39.71	-	0.2	-
	6/21/2025	10:30 AM	-	42.23	-	0.0	-
	6/23/2025	11:55 AM	-	42.33	-	0.0	-
	6/24/2025	11:18 AM	-	43.04	-	0.7	-
	6/25/2025	11:00 AM	-	42.95	-	0.5	-
	6/26/2025	10:16 AM	-	25.86	-	1.6	-
	6/27/2025	10:02 AM	-	43.31	-	0.4	-
	6/28/2025	10:26 AM	-	43.95	-	1.0	-
	6/30/2025	11:15 AM	-	44.57	-	0.2	-
	7/1/2025	10:45 AM	-	44.43	-	0.1	-
	7/2/2025	11:25 AM	-	44.53	-	0.6	-
	7/3/2025	12:27 PM	-	44.49	-	0.1	-
	7/5/2025	10:28 AM	-	46.23	-	1.7	-
	7/7/2025	11:03 AM	-	45.17	-	0.2	-
	7/8/2025	11:25 AM	-	45.68	-	0.1	-
	7/9/2025	10:51 AM	-	45.44	-	0.3	-
	7/10/2025	11:20 AM	-	38.22	-	1.2	-
	7/11/2025	10:15 AM	-	45.15	-	0.2	-
	7/12/2025	11:05 AM	-	45.16	-	0.0	-
	7/14/2025	10:52 AM	-	45.79	-	0.0	-
	7/21/2025	10:21 AM	-	45.55	-	0.0	-
	7/28/2025	10:00 AM	-	47.02	-	0.0	-
	7/30/2025	11:00 AM	-	36.55	-	0.1	-
	8/4/2025	11:41 AM	-	48.38	-	0.0	-
	8/11/2025	9:43 AM	-	50.37	-	0.2	-
	8/18/2025	10:19 AM	-	50.96	-	1.1	-
	8/25/2025	10:00 AM	-	51.71	-	0.2	-
	9/2/2025	10:15 AM	-	52.88	-	0.1	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
REDX Glenwood Drive	3/27/2025	10:20 AM	25.07	26.11	1.04	-	Approximately 2 gallons of LNAPL bailed
	3/27/2025	1:40 PM	25.65	25.67	0.02	170	Approximately 0.1 gallons of LNAPL bailed
	3/27/2025	2:08 PM	25.26	25.27	0.01	-	-
	3/28/2025	9:53 AM	25.15	25.29	0.14	201	Approximately 0.2 gallons of LNAPL bailed
	3/28/2025	10:03 AM	25.23	25.24	0.01	-	-
	3/28/2025	12:48 PM	25.62	25.64	0.02	260	Approximately 0.03 gallons of LNAPL bailed
	3/28/2025	12:56 PM	25.47	25.48	0.01	-	-
	3/29/2025	10:03 AM	24.88	24.90	0.02	527	Approximately 0.03 gallons of LNAPL bailed
	3/29/2025	-	25.01	25.02	0.01	-	-
	3/29/2025	12:25 PM	24.94	24.96	0.02	213	Approximately 0.03 gallons of LNAPL bailed
	3/29/2025	-	25.05	25.06	0.01	-	-
	3/31/2025	10:15 AM	24.87	24.99	0.12	172.4	Approximately 0.03 gallons of LNAPL bailed
	3/31/2025	10:25 AM	25.02	25.05	0.03	-	-
	3/31/2025	1:18 PM	24.77	24.81	0.04	149.5	-
	4/1/2025	10:24 AM	25.06	25.10	0.04	160.1	Approximately 0.5 gallons of LNAPL bailed
	4/1/2025	10:40 AM	25.43	25.44	0.01	-	-
	4/1/2025	1:25 PM	-	27.64	-	243.1	-
	4/2/2025	10:21 AM	25.19	25.27	0.08	188.1	Approximately 1 gallon of LNAPL bailed
	4/2/2025	10:39 AM	25.35	25.37	0.02	-	-
	4/2/2025	1:19 PM	24.84	24.86	0.02	284.6	-
	4/3/2025	10:16 AM	24.30	24.33	0.03	331.7	Approximately 0.5 gallon of LNAPL/groundwater bailed
	4/3/2025	10:25 AM	24.34	24.35	0.01	-	-
	4/3/2025	1:20 PM	24.49	24.50	0.01	142.0	-
	4/4/2025	10:08 AM	24.63	24.64	0.01	245.3	Unable to recover LNAPL due to minimal thickness
	4/4/2025	1:26 PM	24.33	24.35	0.02	194.4	Unable to recover LNAPL due to minimal thickness
	4/5/2025	9:50 AM	23.80	23.82	0.02	92.3	Unable to recover LNAPL due to minimal thickness
	4/5/2025	1:29 PM	23.89	23.91	0.02	70.6	Unable to recover LNAPL due to minimal thickness
	4/7/2025	9:50 AM	23.44	23.47	0.03	46.3	Approximately 0.25 gallons of LNAPL/groundwater bailed
	4/7/2025	10:00 AM	23.52	23.54	0.02	-	Sock installed
	4/7/2025	1:05 PM	-	23.58	-	-	Sock not replaced (25%)
	4/7/2025	1:10 PM	-	23.58	-	-	-
	4/8/2025	10:04 AM	-	23.52	-	515.3	Sock replaced (35%)
	4/8/2025	10:09 AM	-	23.54	-	-	-
	4/8/2025	12:52 PM	-	23.66	-	523.3	Approximately 0.05 gallons of LNAPL recovered from the sock
	4/8/2025	12:56 PM	-	23.66	-	-	Sock removed
	4/9/2025	9:42 AM	-	24.01	-	377.9	Approximately 0.25 gallons groundwater bailed
	4/9/2025	9:58 AM	-	24.19	-	-	-
	4/9/2025	12:55 PM	-	24.69	-	181.7	Approximately 0.15 gallons of groundwater bailed
	4/9/2025	12:58 PM	-	24.70	-	-	-
	4/10/2025	9:47 AM	24.66	24.69	0.03	346.9	Approximately 0.02 gallons of LNAPL bailed
	4/10/2025	9:54 AM	24.82	24.83	0.01	-	-
	4/10/2025	12:50 PM	24.45	24.46	0.01	265.3	Approximately 0.02 gallons of LNAPL bailed
	4/10/2025	12:55 PM	24.67	24.68	0.01	-	-
	4/11/2025	9:27 AM	24.22	24.23	0.01	397.8	Approximately 0.05 gallons of LNAPL bailed
	4/11/2025	9:33 AM	-	24.25	-	-	-
	4/11/2025	11:50 AM	24.09	24.10	0.01	285.3	Approximately 0.01 gallons of LNAPL bailed
	4/11/2025	11:53 AM	-	24.19	-	-	-
	4/12/2025	9:30 AM	23.81	23.82	0.01	200.5	Approximately 0.02 gallons of LNAPL bailed
	4/12/2025	9:41 AM	-	24.89	-	-	-
	4/12/2025	1:19 PM	-	24.07	-	216.3	Sheen observed on surface
	4/12/2025	1:30 PM	-	25.17	-	-	-
	4/14/2025	10:31 AM	23.42	23.47	0.05	142.0	Approximately 0.07 gallons of LNAPL bailed
	4/14/2025	10:45 AM	-	23.59	-	-	Sheen observed on surface
	4/14/2025	1:18 PM	23.44	23.45	0.01	426.5	-
	4/14/2025	1:28 PM	-	23.53	-	-	Sheen observed on surface
	4/15/2025	9:10 AM	23.05	23.07	0.02	246.0	Approximately 0.03 gallons of LNAPL bailed
	4/15/2025	9:19 AM	-	23.20	-	-	Sheen observed on surface
	4/15/2025	11:10 AM	-	23.61	-	249.8	-
	4/15/2025	11:19 AM	-	23.61	-	-	-
	4/16/2025	9:10 AM	-	23.13	-	386.7	-
	4/16/2025	9:16 AM	-	23.28	-	-	-
	4/16/2025	10:43 AM	-	23.17	-	280.2	-
	4/16/2025	10:54 AM	-	25.11	-	-	-
	4/17/2025	9:13 AM	-	23.72	-	306.9	-
	4/17/2025	9:19 AM	-	23.75	-	-	-
	4/17/2025	11:36 AM	-	23.52	-	323.7	-
	4/17/2025	11:44 AM	-	23.64	-	-	-
	4/18/2025	10:46 AM	26.94	26.95	0.01	218.8	Approximately 0.02 gallons of LNAPL bailed
	4/18/2025	10:53 AM	-	25.73	-	-	Sheen observed on surface
	4/18/2025	12:06 PM	-	24.14	-	282.9	Approximately 0.01 gallons of LNAPL bailed
	4/18/2025	12:12 PM	-	24.37	-	-	-
	4/19/2025	9:52 AM	23.52	23.53	0.01	390.4	Approximately 0.02 gallons of LNAPL bailed
	4/19/2025	9:57 AM	-	23.65	-	-	-
	4/19/2025	11:18 AM	-	23.64	-	369.3	-
	4/19/2025	-	-	23.77	-	-	-
	4/21/2025	10:44 AM	24.67	24.83	0.16	205.3	Approximately 0.25 gallons of LNAPL bailed
	4/21/2025	11:12 AM	24.93	24.94	0.01	-	-
	4/21/2025	1:05 PM	24.52	24.54	0.02	235.6	Approximately 0.1 gallons of LNAPL bailed
	4/21/2025	1:21 PM	24.80	24.81	0.01	-	-
	4/22/2025	9:45 AM	24.21	24.23	0.02	286.3	Approximately 0.04 gallons of LNAPL bailed
	4/22/2025	9:56 AM	24.47	24.48	0.01	-	-
	4/22/2025	1:10 PM	24.22	24.23	0.01	336.4	Approximately 0.03 gallons of LNAPL bailed
	4/22/2025	1:19 PM	-	25.07	-	-	-
	4/23/2025	9:45 AM	25.37	25.40	0.03	126.5	Approximately 0.1 gallons of LNAPL bailed
	4/23/2025	10:00 AM	25.09	25.10	0.01	-	Installed sock in the well
	4/23/2025	1:00 PM	-	25.66	-	188.2	-
	4/24/2025	9:54 AM	-	24.93	-	155.6	Sock replaced (75%)
	4/24/2025	1:04 PM	-	24.96	-	95.7	Sock replaced (70%)
	4/25/2025	9:20 AM	-	30.65	-	40.6	Sock replaced (70%)
	4/25/2025	1:02 PM	25.00	25.02	0.02	117.4	Sock not replaced (0%)
	4/26/2025	9:33 AM	-	25.38	-	92.3	Sock replaced (70%)
	4/26/2025	12:55 PM	-	24.58	-	56.9	Sock relaced (30%)
	4/28/2025	9:47 AM	-	25.36	-	257.0	-
	4/28/2025	12:54 PM	-	25.28	-	200.7	-
	4/29/2025	9:37 AM	-	64.25	-	384.4	Sock Removed (25%), house power washed at time of gauging
	4/29/2025	9:47 AM	42.70	42.75	0.05	-	-
	4/29/2025	1:00 PM	26.05	26.31	0.26	324.0	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
 Glenwood Drive	4/30/2025	10:00 AM	26.41	26.65	0.24	255.1	Approximately 0.25 gallons of LNAPL bailed
	4/30/2025	10:15 AM	26.49	26.50	0.01	-	-
	4/30/2025	12:55 PM	26.06	26.10	0.04	355.1	Approximately 0.06 gallons of LNAPL bailed
	4/30/2025	1:00 PM	26.08	26.09	0.01	-	-
	5/1/2025	9:57 AM	26.93	26.95	0.02	439.7	-
	5/1/2025	12:50 PM	25.86	25.88	0.02	568.8	-
	5/2/2025	9:33 AM	25.29	25.31	0.02	163.3	-
	5/2/2025	12:50 PM	25.86	25.88	0.02	105.1	-
	5/3/2025	11:35 AM	25.96	26.06	0.10	115.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	12:10 PM	-	26.18	-	72.8	-
	5/3/2025	2:00 PM	25.87	25.88	0.01	248.0	Bailed approximately 0.25 gallons of LNAPL
	5/3/2025	2:20 PM	-	25.94	-	41.8	-
	5/5/2025	9:50 AM	25.97	25.98	0.01	44.0	-
	5/5/2025	1:38 PM	25.94	25.95	0.01	69.0	-
	5/6/2025	10:02 AM	25.95	25.97	0.02	105.0	-
	5/6/2025	12:50 PM	25.70	25.72	0.02	74.0	-
	5/7/2025	9:50 AM	26.77	26.78	0.01	43.8	-
	5/7/2025	12:27 PM	25.82	25.84	0.02	126.0	-
	5/8/2025	9:53 AM	26.85	26.86	0.01	122	-
	5/8/2025	1:08 PM	25.59	25.61	0.02	121	-
	5/9/2025	10:17 AM	25.50	25.53	0.03	103.2	Bailed approximately 0.125 gallons of LNAPL
	5/9/2025	10:25 AM	-	25.69	-	-	-
	5/9/2025	12:53 PM	-	25.71	-	169.3	Sheen observed on surface
	5/10/2025	10:15 AM	25.71	25.72	0.01	-	Bailed approximately <0.40 gallons of LNAPL
	5/10/2025	10:22 AM	-	25.78	-	-	-
	5/10/2025	12:48 PM	25.95	25.96	0.01	-	Bailed approximately 0.01 gallons of LNAPL
	5/10/2025	12:55 PM	-	26.10	-	-	-
	5/12/2025	10:10 AM	26.65	26.77	0.12	108.4	Bailed approximately 0.18 gallons of LNAPL
	5/12/2025	10:44 AM	26.76	26.77	0.01	-	-
	5/12/2025	12:50 PM	26.53	26.55	0.02	280.3	Bailed approximately 0.03 gallons of LNAPL
	5/12/2025	1:00 PM	-	26.64	-	-	Sheen observed on surface
	5/13/2025	10:15 AM	26.10	26.11	0.01	291.6	Bailed approximately 0.02 gallons of LNAPL
	5/13/2025	10:30 AM	-	26.15	-	-	Sheen observed on surface
	5/13/2025	12:35 PM	26.01	26.02	0.01	225.6	Bailed approximately 0.02 gallons of LNAPL
	5/13/2025	12:55 PM	-	26.24	-	-	-
	5/14/2025	10:20 AM	25.61	25.63	0.02	89.4	Bailed approximately 0.03 gallons of LNAPL
	5/14/2025	10:40 AM	-	25.76	-	-	Sheen observed on surface
	5/14/2025	2:00 PM	-	26.28	-	242.1	Only bailed groundwater
	5/14/2025	2:15 PM	-	25.75	-	-	-
	5/15/2025	10:05 AM	-	24.85	-	323.3	-
	5/15/2025	12:35 PM	-	24.76	-	264.2	-
	5/16/2025	10:30 AM	24.24	24.30	0.06	199.5	Bailed approximately 0.09 gallons of LNAPL
	5/16/2025	10:57 AM	25.15	25.16	0.01	-	-
	5/16/2025	2:25 PM	24.24	24.25	0.01	207.4	Bailed approximately 0.02 gallons of LNAPL
	5/16/2025	2:40 PM	-	24.26	-	-	Sheen observed on surface
	5/17/2025	10:10 AM	23.43	23.44	0.01	161.4	Bailed approximately 0.02 gallons of LNAPL
	5/17/2025	10:25 AM	-	24.26	-	-	Sheen observed on surface
	5/17/2025	12:15 PM	-	23.46	-	153.1	Bailed approximately <0.01 gallons of LNAPL
	5/17/2025	10:25 AM	-	23.58	-	-	Sheen observed on surface
	5/19/2025	10:10 AM	23.76	23.80	0.04	287.1	Bailed approximately 0.06 gallons of LNAPL
	5/19/2025	10:45 AM	23.62	23.64	0.02	-	-
	5/19/2025	12:20 PM	23.47	23.50	0.03	286.7	Bailed approximately 0.04 gallons of LNAPL
	5/19/2025	12:25 PM	23.54	23.55	0.01	-	-
	5/20/2025	9:54 AM	23.25	23.27	0.02	298.1	Bailed approximately 0.03 gallons of LNAPL
	5/20/2025	9:59 AM	-	23.36	-	-	Sheen observed on surface
	5/20/2025	11:06 AM	23.19	23.20	0.01	394.6	Bailed approximately 0.02 gallons of LNAPL
	5/20/2025	11:12 AM	-	23.33	-	-	-
	5/21/2025	10:15 AM	23.47	23.48	0.01	289.5	Bailed approximately 0.03 gallons of LNAPL
	5/21/2025	10:25 AM	-	23.46	-	-	-
	5/21/2025	11:45 AM	-	23.63	-	187.3	Bailed approximately <0.01 gallons of LNAPL. Sheen observed on the surface
	5/21/2025	11:55 AM	-	23.64	-	-	-
	5/22/2025	10:10 AM	22.72	22.73	0.01	252.8	Bailed approximately 0.02 gallons of LNAPL
	5/22/2025	10:25 AM	-	22.81	-	-	-
	5/22/2025	11:40 AM	22.89	22.90	0.01	315.2	Bailed approximately 0.02 gallons of LNAPL.
	5/22/2025	11:50 AM	-	23.03	-	-	Sheen observed on surface
	5/23/2025	10:00 AM	22.81	22.82	0.01	203.1	Bailed approximately 0.02 gallons of LNAPL
	5/23/2025	10:17 AM	-	22.87	-	-	-
	5/23/2025	11:36 AM	-	23.09	-	249.1	Bailed approximately 0.01 gallons of LNAPL. Sheen observed on the surface
	5/23/2025	11:50 AM	-	23.02	-	-	Sheen observed on surface
	5/24/2025	9:48 AM	-	22.60	-	90.3	-
	5/24/2025	9:51 AM	-	22.65	-	-	-
	5/24/2025	11:47 AM	-	22.53	-	114.0	-
	5/24/2025	11:52 AM	-	22.59	-	-	-
	5/27/2025	10:50 AM	23.35	23.35	-	28.4	Sock was removed (10%); sheen observed
	5/27/2025	10:54 AM	22.69	22.70	0.01	-	Bailed approximately <0.1 gallons of LNAPL
	5/27/2025	12:10 PM	23.08	23.09	0.01	32.7	Bailed approximately <0.1 gallons of LNAPL
	5/27/2025	12:14 PM	22.25	22.26	0.01	-	Bailed approximately <0.1 gallons of LNAPL
	5/28/2025	10:20 AM	24.55	24.56	0.01	69.1	Bailed approximately 0.1 gallons of LNAPL
	5/28/2025	10:25 AM	-	23.78	-	-	Bailed approximately 0.1 gallons of LNAPL
	5/28/2025	11:45 AM	23.35	23.36	0.01	156.7	-
	5/28/2025	11:50 AM	23.60	23.61	0.01	-	-
	5/29/2025	10:15 AM	22.98	22.99	0.01	64.0	Bailed approximately 0.1 gallons of LNAPL
	5/29/2025	10:20 AM	-	23.32	-	-	-
	5/29/2025	12:20 PM	-	23.03	-	71.6	-
	5/30/2025	9:30 AM	-	23.01	-	167.3	-
	5/30/2025	11:35 AM	-	23.38	-	168.1	-
	5/31/2025	10:05 AM	-	25.36	-	120.4	-
	6/2/2025	9:43 AM	-	23.66	-	166.3	-
	6/2/2025	12:49 PM	-	23.85	-	218.0	-
	6/3/2025	11:41 AM	-	23.25	-	146.7	-
	6/3/2025	3:00 PM	-	23.28	-	152.6	-
	6/4/2025	10:45 AM	-	23.73	-	132.6	-
	6/5/2025	10:26 AM	23.79	23.89	0.10	191.7	Bailed approximately <1 gallon of LNAPL
	6/5/2025	11:02 AM	24.40	24.41	0.01	-	-
	6/5/2025	12:49 AM	24.08	24.12	0.04	263.2	Bailed approximately 0.25 gallons of LNAPL
	6/5/2025	1:02 PM	24.20	24.21	0.01	-	-
	6/6/2025	10:11 AM	24.29	24.31	0.02	65.5	Bailed approximately 0.25 gallons of LNAPL
	6/6/2025	12:02 PM	24.41	24.42	0.01	88.1	-
	6/7/2025	9:45 AM	24.00	24.01	0.01	123.3	-
	6/9/2025	10:36 AM	25.01	25.08	0.07	301	Bailed approximately 0.5 gallons of LNAPL
	6/9/2025	10:55 AM	25.28	25.29	0.01	-	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
REDA Glenwood Drive	6/10/2025	11:00 AM	26.85	26.94	0.09	86.7	Bailed approximately 0.1 gallons of LNAPL
	6/10/2025	11:20 AM	27.04	27.06	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/11/2025	10:45 AM	25.36	25.42	0.06	294.1	Bailed approximately 0.1 gallons of LNAPL
	6/11/2025	11:05 AM	25.76	25.78	0.02	-	Bailed approximately 0.1 gallons of LNAPL
	6/12/2025	10:15 AM	25.33	25.39	0.06	128.2	Bailed approximately 0.1 gallons of LNAPL
	6/12/2025	10:30 AM	25.44	25.45	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	10:31 AM	25.20	25.27	0.07	252	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	10:50 AM	25.51	25.52	0.01	-	-
	6/13/2025	12:00 PM	25.43	25.46	0.03	410	Bailed approximately 0.1 gallons of LNAPL
	6/13/2025	12:10 PM	25.62	25.63	0.01	-	-
	6/14/2025	9:50 PM	25.10	25.12	0.02	267	Bailed approximately 0.2 gallons of LNAPL
	6/14/2025	10:00 AM	25.19	25.20	0.01	-	-
	6/14/2025	11:15 AM	-	25.12	-	135	-
	6/16/2025	10:00 AM	-	25.20	-	0.0	-
	6/17/2025	10:15 AM	25.29	25.31	0.02	54.1	Bailed approximately 0.1 gallons of LNAPL
	6/17/2025	10:25 AM	25.75	25.76	0.01	-	Bailed approximately 0.1 gallons of LNAPL
	6/18/2025	10:20 AM	25.15	25.16	0.01	333.4	Bailed approximately 0.05 gallons of LNAPL
	6/18/2025	10:30 AM	-	25.35	-	-	-
	6/19/2025	10:29 AM	-	25.19	-	228.1	-
	6/20/2025	10:30 AM	-	25.61	-	238.2	-
	6/21/2025	9:35 AM	-	28.09	-	75.1	-
	6/23/2025	10:06 AM	26.34	26.35	0.01	231.1	-
	6/24/2025	9:55 AM	-	27.79	-	57.1	-
	6/24/2025	10:15 AM	-	27.79	-	57.1	-
	6/25/2025	9:30 AM	26.70	26.75	0.05	59.4	Bailed approximately 0.5 gallons of LNAPL
	6/25/2025	-	26.16	26.17	0.01	-	-
	6/26/2025	9:38 AM	26.19	26.21	0.02	51.1	-
	6/27/2025	8:39 AM	26.94	26.96	0.02	128.2	-
	6/28/2025	9:45 AM	26.61	26.62	0.01	156.4	-
	6/30/2025	10:51 AM	26.48	26.50	0.02	74.5	Unable to recover LNAPL due to minimal thickness
	7/1/2025	10:16 AM	26.67	26.68	0.01	48.5	Unable to recover LNAPL due to minimal thickness
	7/2/2025	10:55 AM	26.37	26.39	0.02	53.5	Unable to recover LNAPL due to minimal thickness
	7/3/2025	11:22 AM	26.38	26.40	0.02	202.8	Unable to recover LNAPL due to minimal thickness
	7/5/2025	9:53 AM	26.25	26.29	0.04	329.7	Approximately 0.05 gallons LNAPL bailed
	7/5/2025	10:05 AM	26.39	26.40	0.01	-	Approximately 0.03 gallons LNAPL bailed
	7/7/2025	9:54 AM	26.00	26.01	0.01	138.8	Unable to recover LNAPL due to minimal thickness
	7/8/2025	10:00 AM	26.27	26.29	0.02	74.3	Unable to recover LNAPL due to minimal thickness
	7/8/2025	11:35 AM	26.47	26.48	0.01	110.9	Unable to recover LNAPL due to minimal thickness
	7/9/2025	10:05 AM	-	26.88	-	179.3	-
	7/10/2025	10:05 AM	-	26.20	-	249.8	-
	7/11/2025	9:40 AM	-	26.54	-	141.7	-
	7/12/2025	10:16 AM	-	26.52	-	64.0	-
	7/14/2025	10:27 AM	-	26.79	-	217.7	-
	7/15/2025	10:03 AM	-	27.37	-	86.8	-
	7/16/2025	9:30 AM	-	27.85	-	19.7	-
	7/17/2025	9:31 AM	-	26.67	-	75.6	-
	7/18/2025	9:31 AM	26.50	26.51	0.01	28.6	Unable to recover LNAPL due to minimal thickness
	7/19/2025	9:30 AM	27.24	27.25	0.01	74.0	Unable to recover LNAPL due to minimal thickness
	7/21/2025	9:55 AM	-	27.51	-	159.5	-
	7/22/2025	9:40 AM	27.30	27.31	0.01	110.9	Unable to recover LNAPL due to minimal thickness
	7/23/2025	10:06 AM	-	27.39	-	179.5	-
	7/24/2025	9:40 AM	-	27.35	-	168.7	-
	7/25/2025	9:47 AM	-	26.99	-	82.4	-
	7/26/2025	9:49 AM	-	27.30	-	83.5	-
	7/28/2025	9:40 AM	-	28.48	-	254.8	-
	7/29/2025	9:34 AM	-	29.40	-	41.0	-
	7/30/2025	9:35 AM	-	29.02	-	118.3	-
	7/31/2025	9:26 AM	-	28.35	-	143.3	-
	8/1/2025	9:52 AM	-	28.29	-	158.2	-
	8/2/2025	9:35 AM	-	28.50	-	104.1	-
	8/4/2025	11:32 AM	-	28.95	-	150.6	-
	8/5/2025	10:10 AM	-	27.65	-	224.7	-
	8/6/2025	10:43 AM	-	27.78	-	111.6	-
	8/7/2025	12:51 PM	-	27.22	-	232.3	-
	8/8/2025	10:37 AM	-	27.16	-	321.5	-
	8/9/2025	10:00 AM	-	27.86	-	110.7	-
	8/11/2025	10:08 AM	-	27.75	-	209.5	-
	8/12/2025	10:38 AM	-	28.19	-	73.9	-
	8/13/2025	9:41 AM	-	31.21	-	59.0	-
	8/14/2025	9:34 AM	-	28.34	-	16.9	-
	8/15/2025	9:30 AM	-	28.45	-	26.1	-
	8/16/2025	9:37 AM	-	29.34	-	133.1	-
	8/18/2025	10:33 AM	-	28.95	-	213.0	-
	8/19/2025	9:32 AM	-	28.64	-	193.3	-
	8/20/2025	9:36 AM	-	28.56	-	37.0	-
	8/21/2025	9:50 AM	-	28.31	-	107.3	-
	8/22/2025	9:48 AM	-	28.55	-	86.5	-
	8/23/2025	9:45 AM	-	28.45	-	132.8	-
	8/25/2025	9:21 AM	-	28.95	-	91.6	-
	8/26/2025	9:34 AM	-	30.75	-	101.3	-
	8/27/2025	9:27 AM	-	28.76	-	0.1	-
	8/28/2025	9:29 AM	-	28.68	-	120.7	-
	8/29/2025	9:37 AM	-	29.11	-	0.5	-
	9/2/2025	9:36 AM	-	31.06	-	57.9	-
	9/3/2025	9:35 AM	-	29.94	-	124.0	-
	9/4/2025	9:28 AM	-	29.66	-	132.7	-
	9/5/2025	9:14 AM	-	31.59	-	63.9	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-1	3/22/2025	10:01 AM	-	43.53	-	62	-
	3/24/2025	9:51 AM	-	42.67	-	144	-
	3/25/2025	10:02 AM	-	42.81	-	88	-
	3/26/2025	10:18 AM	-	42.53	-	128	-
	3/27/2025	11:16 AM	-	42.62	-	93	-
	3/28/2025	10:45 AM	-	42.32	-	184.3	-
	3/29/2025	11:17 AM	-	41.93	-	69.8	-
	3/31/2025	11:35 AM	41.64	41.65	0.01	139.2	-
	4/1/2025	11:44 AM	-	42.14	-	224.9	-
	4/2/2025	12:01 PM	-	41.92	-	140.5	-
	4/3/2025	11:38 AM	-	40.91	-	127.6	-
	4/4/2025	11:10 AM	-	41.09	-	104.2	-
	4/5/2025	10:51 AM	-	40.53	-	149.0	-
	4/7/2025	11:10 AM	-	39.37	-	114.7	-
	4/7/2025	1:28 PM	-	39.33	-	NM	-
	4/8/2025	11:00 AM	-	39.22	-	139.2	-
	4/8/2025	1:07 PM	-	39.16	-	69.9	-
	4/9/2025	11:06 AM	-	39.51	-	58.2	-
	4/9/2025	1:07 PM	-	39.53	-	72.3	-
	4/10/2025	10:20 AM	-	40.55	-	56.7	-
	4/10/2025	1:02 PM	-	39.27	-	52.6	-
	4/11/2025	10:10 AM	-	38.85	-	57.5	-
	4/11/2025	12:01 PM	-	38.85	-	59.8	-
	4/12/2025	10:55 AM	-	38.52	-	53.9	-
	4/12/2025	1:45 PM	-	38.53	-	59.7	-
	4/14/2025	9:18 AM	-	37.25	-	102.4	-
	4/14/2025	12:28 PM	-	37.11	-	67.7	-
	4/15/2025	10:36 AM	-	36.18	-	61.6	-
	4/15/2025	12:03 PM	-	36.10	-	70.4	-
	4/16/2025	9:39 AM	-	35.80	-	41.4	-
	4/16/2025	11:07 AM	-	35.75	-	41.7	-
	4/17/2025	9:42 AM	-	35.49	-	51.5	-
	4/17/2025	11:07 AM	-	35.43	-	51.4	-
	4/18/2025	11:20 AM	-	34.44	-	44.3	-
	4/18/2025	12:23 PM	-	34.61	-	35.2	-
	4/19/2025	10:23 AM	-	33.89	-	36.8	-
	4/19/2025	11:32 PM	-	33.87	-	23.0	-
	4/21/2025	11:43 AM	-	33.54	-	28.3	-
	4/22/2025	10:25 AM	-	33.03	-	12.2	-
	4/23/2025	10:27 AM	-	33.35	-	6.1	-
	4/24/2025	10:20 AM	-	32.98	-	21.0	-
	4/25/2025	9:45 AM	-	32.80	-	12.0	-
	4/26/2025	9:59 AM	-	32.05	-	11.8	-
	4/28/2025	10:08 AM	-	32.53	-	17.8	-
	4/29/2025	10:18 AM	-	32.20	-	44.7	-
	4/30/2025	10:37 AM	-	32.21	-	44.6	-
	5/1/2025	10:15 AM	-	32.11	-	73.9	-
	5/2/2025	9:50 AM	-	34.21	-	72.6	-
	5/3/2025	12:55 PM	-	33.24	-	54.0	-
	5/5/2025	10:30 AM	-	33.22	-	21.5	-
	5/6/2025	11:12 AM	-	32.95	-	20.1	-
	5/7/2025	10:44 AM	-	32.42	-	15.1	-
	5/8/2025	10:25 AM	-	32.73	-	15.3	-
	5/9/2025	9:25 AM	-	32.79	-	12.9	-
	5/10/2025	11:24 AM	-	32.84	-	10.3	-
	5/12/2025	11:19 AM	-	32.77	-	12.8	-
	5/13/2025	11:10 AM	-	32.64	-	11.7	-
	5/14/2025	11:00 AM	-	32.20	-	4.8	-
	5/15/2025	11:05 AM	-	32.20	-	16.3	-
	5/16/2025	11:20 AM	-	28.34	-	6.0	-
	5/17/2025	11:05 AM	-	26.81	-	3.1	-
	5/19/2025	11:25 AM	-	25.76	-	23.6	-
	5/20/2025	10:22 AM	-	25.64	-	4.3	-
	5/21/2025	10:42 AM	-	25.22	-	3.2	-
	5/22/2025	10:54 AM	-	24.58	-	3.2	-
	5/23/2025	10:43 AM	-	24.35	-	4.4	-
	5/24/2025	10:54 AM	-	23.97	-	2.6	-
	5/27/2025	11:15 AM	-	22.52	-	0.0	-
	5/28/2025	11:05 AM	-	22.75	-	0.0	-
	5/29/2025	11:20 AM	-	22.77	-	0.0	-
	5/30/2025	10:50 AM	-	22.59	-	7.5	-
	5/31/2025	10:29 AM	-	22.49	-	0.0	-
	6/2/2025	11:02 AM	-	22.71	-	6.4	-
	6/3/2025	1:04 PM	-	23.23	-	7.8	-
	6/4/2025	11:18 AM	-	22.97	-	12.5	-
	6/6/2025	10:53 AM	-	22.99	-	8.2	-
	6/7/2025	10:07 AM	-	22.96	-	11.4	-
	6/9/2025	11:33 AM	-	23.83	-	2.3	-
	6/10/2025	-	-	23.80	-	0.0	-
	6/11/2025	11:20 AM	-	24.35	-	1.2	-
	6/12/2025	10:50 AM	-	24.84	-	8.2	-
	6/13/2025	11:01 AM	-	25.36	-	4.1	-
	6/14/2025	10:25 AM	-	25.10	-	15.1	-
	6/16/2025	10:48 AM	-	25.19	-	0.0	-
	6/17/2025	10:45 AM	-	24.86	-	0.0	-
	6/18/2025	10:50 AM	-	29.24	-	21.7	-
	6/19/2025	11:10 AM	-	26.70	-	11.7	-
	6/20/2025	10:50 AM	-	25.34	-	20.7	-
	6/21/2025	10:15 AM	-	26.94	-	13.8	-
	6/23/2025	11:06 AM	-	26.47	-	5.3	-
	6/23/2025	12:28 PM	-	26.44	-	5.1	-
	6/23/2025	1:48 PM	-	42.90	-	0.8	-
	6/24/2025	9:45 AM	-	42.89	-	0.2	-
	6/24/2025	10:56 AM	-	42.93	-	0.8	-
	6/24/2025	1:21 PM	-	43.01	-	0.7	-
	6/24/2025	2:32 PM	-	43.03	-	0.7	-
	6/25/2025	9:45 AM	-	42.89	-	0.0	-
	6/25/2025	11:05 AM	-	42.99	-	1.7	-
	6/26/2025	9:52 AM	-	42.99	-	0.0	-
	6/27/2025	10:09 AM	-	26.49	-	3.6	-
	6/28/2025	10:39 AM	-	26.50	-	2.6	-
	6/30/2025	11:10 AM	-	26.52	-	2.4	-
	7/1/2025	11:00 AM	-	27.05	-	3.1	-
	7/2/2025	11:20 AM	-	27.37	-	1.9	-
	7/3/2025	12:23 PM	-	26.63	-	3.5	-
	7/5/2025	10:11 AM	-	26.17	-	0.0	-
	7/7/2025	10:59 AM	-	25.76	-	1.5	-
	7/8/2025	11:18 AM	-	26.10	-	0.9	-
	7/9/2025	10:40 AM	-	25.79	-	1.5	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-1	7/10/2025	11:15 AM	-	28.12	-	1.4	-
	7/11/2025	10:10 AM	-	25.38	-	1.0	-
	7/12/2025	10:56 AM	-	25.94	-	0.6	-
	7/14/2025	10:55 AM	-	27.38	-	1.6	-
	7/17/2025	9:50 AM	-	26.69	-	0.5	-
	7/18/2025	9:49 AM	-	26.47	-	0.7	-
	7/19/2025	10:35 AM	-	27.44	-	0.6	-
	7/21/2025	10:16 AM	-	26.39	-	0.5	-
	7/22/2025	10:00 AM	-	26.26	-	0.7	-
	7/23/2025	10:31 AM	-	27.95	-	0.8	-
	7/24/2025	10:43 AM	-	26.47	-	0.9	-
	7/25/2025	10:36 AM	-	26.80	-	0.7	-
	7/26/2025	10:06 AM	-	26.52	-	5.6	-
	7/28/2025	9:56 AM	-	27.95	-	0.0	-
	7/29/2025	10:19 AM	-	27.28	-	0.7	-
	7/30/2025	11:10 AM	-	27.88	-	0.1	-
	7/31/2025	10:10 AM	-	27.88	-	0.8	-
	8/1/2025	10:45 AM	-	28.09	-	0.2	-
	8/2/2025	10:08 AM	-	28.45	-	0.0	-
	8/4/2025	11:44 AM	-	29.09	-	0.0	-
	8/5/2025	10:20 AM	-	29.25	-	2.9	-
	8/6/2025	10:53 AM	-	31.60	-	0.0	-
	8/7/2025	1:35 PM	-	30.96	-	0.0	-
	8/8/2025	10:45 AM	-	31.47	-	0.0	-
	8/9/2025	10:50 AM	-	31.30	-	0.0	-
	8/11/2025	1:49 PM	-	31.34	-	0.0	-
	8/12/2025	10:12 AM	-	33.59	-	0.2	-
	8/13/2025	9:10 AM	-	32.31	-	0.2	-
	8/14/2025	9:00 AM	-	32.08	-	0.1	-
	8/15/2025	9:00 AM	-	33.49	-	0.1	-
	8/16/2025	9:49 AM	-	33.72	-	1.3	-
	8/18/2025	10:16 AM	-	35.74	-	0.2	-
	8/19/2025	10:20 AM	-	37.02	-	1.7	-
	8/20/2025	10:40 AM	-	37.59	-	1.3	-
	8/21/2025	-	-	37.49	-	0.0	-
	8/22/2025	10:32 AM	-	37.66	-	0.1	-
	8/23/2025	9:58 AM	-	38.74	-	1.3	-
	8/25/2025	9:52 AM	-	38.74	-	0.0	-
	8/26/2025	10:30 AM	-	39.10	-	0.0	-
	8/27/2025	10:49 AM	-	39.66	-	0.2	-
	8/28/2025	10:24 AM	-	39.65	-	0.0	-
	8/29/2025	10:40 AM	-	40.45	-	0.1	-
	9/2/2025	10:12 AM	-	43.03	-	0.1	-
	9/3/2025	10:30 AM	-	42.99	-	0.0	-
	9/4/2025	-	-	43.02	-	28.5	-
	9/5/2025	10:01 AM	-	43.21	-	0.0	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-2	5/22/2025	3:35 PM	-	19.13	-	18.7	-
	5/23/2025	-	-	19.00	-	163.7	-
	5/24/2025	10:22 AM	-	18.30	-	244.8	Water could be heard trickling in the well
	5/27/2025	10:08 AM	-	19.77	-	31.7	-
	5/28/2025	9:50 AM	-	20.27	-	10.2	-
	5/29/2025	9:45 AM	-	20.70	-	0.0	-
	5/30/2025	9:50 AM	-	19.82	-	4.3	-
	5/31/2025	10:34 AM	-	20.07	-	0.0	-
	6/2/2025	9:52 AM	-	19.51	-	18.7	-
	6/3/2025	11:54 AM	-	19.24	-	14.8	-
	6/4/2025	11:02 AM	-	19.98	-	0.9	Well was developed via surge and purge (approximately 115 gallons of groundwater)
	6/5/2025	9:11 AM	-	20.45	-	16.5	-
	6/5/2025	11:37 AM	22.08	22.19	0.11	-	LNAPL detected after purging approximately 130 gallons of water; bailed approximately 4 gallons of LNAPL
	6/5/2025	12:12 PM	21.59	21.60	0.01	-	Bailed approximately 1.25 gallons of LNAPL
	6/5/2025	1:48 PM	22.59	22.60	0.01	-	Pumped approximately 30 gallons groundwater / 20 gallons LNAPL
	6/5/2025	2:53 PM	-	21.75	-	-	Socks deployed
	6/6/2025	09:15 AM	-	21.48	-	12.7	Socks removed (100% saturated)
	6/6/2025	11:19 AM	26.05	26.07	0.02	-	Pump approximately 175 gallons groundwater, 1 gallon of LNAPL
	6/6/2025	11:45 AM	-	23.16	-	-	-
	6/7/2025	10:25 AM	-	20.79	-	47.6	-
	6/9/2025	9:13 AM	*	21.89	*	6.7	Socks <15% saturated * IFP did not detect the LNAPL during gauging Approximately 0.9 feet in bailer; 0.25 gallons bailed; Sock replaced (100% saturated)
	6/9/2025	12:25 PM	*	22.31	*	-	-
	6/10/2025	11:41 AM	23.73	24.03	0.30	-	1.75 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/10/2025	2:00 PM	26.21	26.24	0.03	-	-
	6/11/2025	10:00 AM	22.33	22.45	0.12	-	2.5 gallons of LNAPL recovered via pumping; Sock replaced (100% saturated)
	6/11/2025	11:36 AM	-	26.30	-	-	-
	6/12/2025	11:05 AM	-	22.10	-	198	2.5 gallons of LNAPL recovered via pumping
	6/12/2025	11:36 AM	-	26.30	-	-	-
	6/13/2025	9:30 AM	22.32	22.37	0.05	308	Groundwater recovery via pumping (225 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/13/2025	11:17 AM	-	26.32	-	-	-
	6/14/2025	10:53 AM	22.35	22.39	0.04	235	Approximately 0.3 gallons of LNAPL hand bailed
	6/16/2025	9:15 AM	22.02	22.15	0.13	594	Groundwater recovery via pumping (200 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (100% saturated)
	6/16/2025	-	-	25.30	-	-	-
	6/17/2025	12:53 PM	22.53	23.02	0.49	253	Groundwater recovery via pumping (100 gallons); Approximately 0.85 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/17/2025	-	24.47	24.70	0.23	-	-
	6/18/2025	9:45 AM	22.20	22.89	0.69	286	Groundwater recovery via pumping (200 gallons); Approximately 0.69 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/18/2025	-	23.80	23.82	0.02	-	-
	6/19/2025	9:10 AM	22.25	22.30	0.05	45.3	Groundwater recovery via pumping (200 gallons); Approximately 1.6 gallons of LNAPL recovered; Sock replaced (70% saturated)
	6/19/2025	-	24.15	24.17	0.02	-	-
	6/20/2025	9:16 AM	21.39	21.56	0.17	295.5	Groundwater recovery via pumping (200 gallons); Approximately 1.7 gallons of LNAPL recovered; Sock replaced (80% saturated)
	6/20/2025	-	25.40	25.41	0.01	-	-
	6/21/2025	10:30 AM	-	23.70	-	120.1	Sock replaced (60% saturated)
	6/23/2025	10:21 AM	22.90	22.93	0.03	-	-
	6/24/2025	9:17 AM	22.73	22.80	0.07	18.3	Bailed approximately 0.5 gallons of LNAPL
	6/24/2025	1:09 PM	22.80	22.85	0.05	260.4	-
	6/24/2025	2:45 PM	22.65	22.70	0.05	78.4	-
	6/25/2025	9:16 AM	22.65	22.68	0.03	70.8	-
	6/25/2025	10:37 AM	22.91	23.00	0.09	61.2	-
	6/25/2025	12:00 PM	22.84	22.95	0.11	68.4	-
	6/26/2025	9:19 AM	22.71	22.87	0.16	68.8	-
	6/27/2025	8:58 AM	22.66	24.50	1.84	105.3	-
	6/28/2025	11:13 AM	22.97	23.98	1.01	114.6	-
	6/30/2025	9:15 AM	22.62	22.90	0.28	71.5	Bailed approximately 0.5 gallons of LNAPL
	6/30/2025	-	-	23.54	-	-	-
	7/1/2025	9:00 AM	23.39	25.40	2.01	358.2	Bailed approximately 0.4 gallons of LNAPL after pump down for geophysics. Replaced sock (80% saturated)
	7/1/2025	-	24.60	24.62	0.02	-	-
	7/1/2025	12:25 PM	25.38	25.40	0.02	362.3	-
	7/2/2025	9:00 AM	23.50	23.65	0.15	285.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (80% saturated)
	7/2/2025	-	26.35	26.36	0.01	-	-
	7/2/2025	1:05 PM	28.42	28.44	0.02	293.6	-
	7/3/2025	9:01 AM	23.69	23.70	0.01	442.5	Bailed approximately 0.1 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	-	23.79	23.80	0.01	-	Passive skimmer installed
	7/5/2025	11:46 AM	-	22.80	-	374.4	-
	7/5/2025	12:27 PM	-	22.83	-	118.3	-
	7/7/2025	10:20 AM	23.02	23.03	0.01	168.0	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	10:25 AM	23.70	23.85	0.15	164.8	Recovered approximately 0.4 gallons of LNAPL via skimmer
	7/9/2025	11:28 AM	23.80	24.45	0.65	207.0	Recovered approximately 0.24 gallons of LNAPL via skimmer
	7/10/2025	10:04 AM	23.24	23.30	0.06	274.7	Recovered approximately 0.64 gallons of LNAPL via skimmer
	7/11/2025	9:12 AM	23.28	23.29	0.01	-	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/11/2025	-	23.34	23.55	0.21	-	Recovered approximately 0.85 gallons of LNAPL via skimmer
	7/12/2025	9:30 AM	23.49	23.69	0.20	205.5	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/14/2025	9:55 AM	24.31	24.33	0.02	139.3	Recovered approximately 0.7 gallons of LNAPL via skimmer
	7/14/2025	12:35 PM	23.93	23.96	0.03	124.8	Recovered approximately 0.06 gallons of LNAPL via skimmer
	7/15/2025	10:15 AM	24.64	24.77	0.13	164.7	Recovered approximately 0.4 gallons of LNAPL via skimmer.
	7/15/2025	12:47 PM	26.31	26.32	0.01	178.5	Recovered 2.5 gallons of LNAPL via pumping
	7/16/2025	10:08 AM	23.65	23.80	0.15	132.2	Recovered approximately 0.05 gallons of LNAPL via skimmer.
	7/16/2025	12:35 PM	27.00	27.03	0.03	154.9	Recovered 2.2 gallons of LNAPL via pumping
	7/17/2025	10:00 AM	23.37	23.80	0.43	151.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/17/2025	12:55 PM	27.85	27.86	0.01	163.5	Recovered 2.52 gallons of LNAPL via pumping
	7/18/2025	10:00 AM	23.84	23.85	0.01	100.0	Recovered approximately 0.85 gallons of LNAPL via skimmer.
	7/18/2025	1:13 PM	-	24.35	-	97.6	Recovered 2.3 gallons of LNAPL via pumping
	7/19/2025	10:00 AM	27.94	27.96	0.02	103.4	Recovered approximately 0.06 gallons of LNAPL via skimmer.
	7/21/2025	10:33 AM	24.81	24.83	0.02	103.3	Recovered approximately 0.26 gallons of LNAPL via skimmer.
	7/21/2025	1:00 PM	-	28.00	-	-	Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/22/2025	10:06 AM	24.23	24.29	0.06	92.4	-
	7/22/2025	12:30 PM	-	26.78	-	98.7	Recovered approximately 2.5 gallons of LNAPL via pumping.



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-2	7/23/2025	9:00 AM	24.25	24.50	0.25	119.5	Recovered approximately 2.52 gallons of LNAPL via pumping.
	7/23/2025	12:30 PM	24.70	24.75	0.05	-	-
	7/23/2025	12:45 PM	-	25.40	-	122.3	-
	7/24/2025	9:47 AM	-	24.21	-	113.6	Recovered approximately 0.65 gallons of LNAPL via skimmer.
	7/24/2025	1:05 PM	-	27.29	-	-	Recovered approximately 2.5 gallons of LNAPL via pumping.
	7/25/2025	10:03 AM	23.97	24.03	0.06	73.6	Recovered approximately 0.13 gallons of LNAPL via skimmer. Recovered approximately 2.6 gallons of LNAPL via pumping.
	7/25/2025	10:05 AM	-	24.74	-	-	-
	7/25/2025	1:00 PM	-	26.30	-	-	-
	7/26/2025	11:10 AM	24.25	24.27	0.02	107.6	Recovered approximately 0.53 gallons of LNAPL via skimmer.
	7/28/2025	10:12 AM	24.19	24.65	0.46	370.4	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2 gallons via pumping.
	7/28/2025	1:15 PM	-	27.01	-	-	-
	7/29/2025	9:44 AM	25.05	25.25	0.20	110.4	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.7 gallons via pumping.
	7/29/2025	1:30 PM	-	26.56	-	111.6	-
	7/30/2025	9:47 AM	25.01	25.29	0.28	36.4	Recovered approximately 0.52 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	7/30/2025	1:06 PM	-	27.92	-	-	-
	7/31/2025	9:40 AM	25.69	25.95	0.26	56.2	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.5 gallons via pumping.
	7/31/2025	1:05 PM	28.70	28.71	0.01	64.6	-
	8/1/2025	10:05 AM	25.79	25.95	0.16	81.1	Recovered approximately 0.8 gallons of LNAPL via skimmer and 2.4 gallons via pumping.
	8/1/2025	1:15 PM	-	28.08	-	-	-
	8/2/2025	10:37 AM	25.05	25.60	0.55	269.9	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/4/2025	10:15 AM	25.75	26.00	0.25	305.2	Recovered approximately 0.66 gallons of LNAPL via skimmer
	8/4/2025	12:40 PM	27.10	27.11	0.01	-	Recoverd approximately 0.9 gallons of LNAPL via pumping
	8/5/2025	9:35 AM	24.88	25.23	0.35	152.3	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/5/2025	11:52 AM	-	26.75	-	-	-
	8/6/2025	9:37 AM	24.30	24.68	0.38	124.2	Recovered approximately 1.82 gallons of LNAPL via skimmer and pumping
	8/6/2025	12:56 PM	-	26.50	-	-	-
	8/7/2025	9:37 AM	24.51	24.65	0.14	151.0	Recovered approximately 0.39 gallons of LNAPL via skimmer and pumping
	8/7/2025	11:41 AM	26.89	26.91	0.02	-	-
	8/8/2025	9:50 AM	25.00	25.15	0.15	197.8	Recovered approximately 1.10 gallons of LNAPL via skimmer and pumping
	8/8/2025	1:10 PM	-	25.78	-	-	-
	8/9/2025	9:40 AM	25.35	25.88	0.53	37.5	Recovered approximately 0.6 gallons of LNAPL via skimmer
	8/9/2025	11:30 AM	25.43	25.51	0.08	-	-
	8/11/2025	10:41 AM	24.84	25.92	1.08	218.3	Recovered approximately 0.97 gallons of LNAPL via skimmer and pumping
	8/11/2025	1:30 PM	-	26.05	-	-	-
	8/12/2025	11:01 AM	26.11	26.14	0.03	115.7	Recovered approximately 1.05 gallons of LNAPL via skimmer and pumping
	8/12/2025	1:45 PM	-	28.84	-	-	-
	8/13/2025	9:50 AM	25.60	25.72	0.12	103.8	Recovered approximately 0.73 gallons of LNAPL via skimmer and pumping
	8/13/2025	1:30 PM	26.61	26.63	0.02	-	-
	8/14/2025	9:40 AM	25.92	25.94	0.02	140	Recovered approximately 0.54 gallons of LNAPL via skimmer and pumping
	8/14/2025	1:30 PM	26.61	26.63	0.02	-	-
	8/15/2025	9:38 AM	25.85	25.94	0.09	120.0	Recovered approximately 0.7 gallons of LNAPL via skimmer and pumping
	8/15/2025	1:30 PM	28.08	28.09	0.01	-	-
	8/16/2025	10:20 AM	27.70	27.79	0.09	315.9	No volume of LNAPL recovered by skimmer
	8/18/2025	10:54 AM	26.38	26.47	0.09	207.3	Recovered approximately 2 gallons of LNAPL via skimmer and pumping
	8/18/2025	1:13 PM	28.11	28.19	0.08	204.2	-
	8/18/2025	1:19 PM	-	28.31	-	-	-
	8/19/2025	9:43 AM	25.98	26.05	0.07	207.0	Recovered approximately 2.06 gallons of LNAPL via skimmer and pumping
	8/19/2025	1:01 PM	26.40	26.41	0.01	62.3	-
	8/20/2025	11:04 AM	25.94	25.96	0.02	201.4	Recovered approximately 2.53 gallons of LNAPL via skimmer and pumping
	8/20/2025	1:31 PM	-	31.11	-	65.9	-
	8/21/2025	10:02 AM	25.75	25.90	0.15	100.1	Recovered approximately 2.6 gallons of LNAPL via pumping
	8/21/2025	12:30 PM	-	29.82	-	-	-
	8/22/2025	9:39 AM	25.90	25.95	0.05	106.6	Recovered approximately 1.52 gallons of LNAPL via skimmer and pumping
	8/22/2025	12:05 PM	26.90	26.91	0.01	97.8	-
	8/23/2025	9:58 AM	25.90	25.93	0.03	273.5	Recovered approximately 0.4 gallons of LNAPL via skimmer
	8/25/2025	10:10 AM	26.11	26.38	0.27	136.2	Recovered approximately 1.76 gallons of LNAPL via skimmer and pumping
	8/25/2025	12:46 PM	-	27.90	-	121.8	-
	8/26/2025	9:46 AM	26.29	26.40	0.11	121.7	Recovered approximately 1.75 gallons of LNAPL via skimmer and pumping
	8/26/2025	12:10 PM	-	28.02	-	120.5	-
	8/27/2025	9:40 AM	-	26.08	-	109.9	Recovered approximately 0.97 gallons of LNAPL via skimmer and pumping
	8/27/2025	12:35 PM	-	27.42	-	132.9	-
	8/28/2025	9:40 AM	-	26.15	-	105.4	Recovered approximately 2.25 gallons of LNAPL via skimmer and pumping
	8/28/2025	1:49 PM	-	27.99	-	116.4	-
	8/29/2025	9:47 AM	-	26.49	-	111.4	Recovered approximately 2.57 gallons of LNAPL via skimmer and pumping
	8/29/2025	12:30 PM	-	27.43	-	109.5	-
	9/2/2025	10:43 AM	-	27.34	-	56.7	Recovered approximately 1.42 gallons of LNAPL via skimmer and pumping
	9/2/2025	1:34 PM	-	28.25	-	47.4	-
	9/3/2025	9:47 AM	-	27.41	-	146.4	Recovered approximately 2.2 gallons of LNAPL via pumping
	9/3/2025	12:35 PM	-	28.35	-	132.6	-
	9/4/2025	9:45 AM	27.24	27.29	0.05	25.3	Recovered approximately 2 gallons of LNAPL via pumping
	9/4/2025	1:09 PM	-	29.47	-	125.4	-
	9/5/2025	9:22 AM	-	27.35	-	133.4	Recovered approximately 1.85 gallons of LNAPL via skimmer and pumping
	9/5/2025	12:05 PM	-	27.93	-	108.7	-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-3	5/23/2025	9:10 AM	19.71	19.75	0.04	686	Approximately 1 - 2 gallons of LNAPL purged via pump
	5/24/2025	10:12 AM	19.49	19.49	-	139.3	Sheen observed; bailed approximately 0.01 gallons of LNAPL
	5/27/2025	10:15 AM	25.08	25.10	0.02	120.0	Approximately 0.2 gallons of LNAPL bailed. Sock was removed (60%)
	5/27/2025	12:10 PM	23.03	23.07	0.04	92.4	Approximately 0.2 gallons of LNAPL bailed
	5/28/2025	10:05 AM	20.21	20.36	0.15	568.3	Approximately 0.15 gallons of LNAPL bailed
	5/28/2025	12:05 PM	20.31	20.43	0.12	570.1	Approximately 0.15 gallons of LNAPL bailed
	5/29/2025	10:00 AM	20.02	20.29	0.27	460.5	Approximately 0.2 gallons of LNAPL bailed
	5/29/2025	12:35 PM	20.00	20.31	0.31	810.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	10:15 AM	20.11	20.60	0.49	892.1	Approximately 0.2 gallons of LNAPL bailed
	5/30/2025	11:50 AM	20.05	20.38	0.33	550.9	Approximately 0.2 gallons of LNAPL bailed
	5/31/2025	10:39 AM	20.49	21.07	0.58	1,039	Approximately 2 gallons of LNAPL bailed
	6/2/2025	9:57 AM	20.50	20.90	0.40	492.1	Approximately 0.5 gallons of LNAPL bailed
	6/2/2025	10:32 AM	20.76	20.84	0.08	-	-
	6/3/2025	12:05 PM	20.21	20.28	0.07	533.1	Approximately 0.5 gallons of LNAPL bailed
	6/3/2025	1:40 PM	20.18	20.19	0.01	481.4	Absorbent Sock Deployed
	6/4/2025	12:40 PM	20.98	21.23	0.25	522.7	Sock was removed (100% saturated); well was developed; approximately 110 gallons of groundwater and 1 gallon of LNAPL purged)
	6/4/2025	1:02 PM	24.15	24.16	0.01	133.8	Absorbent Sock Deployed
	6/5/2025	9:16 AM	21.21	21.34	0.13	619.8	Sock was removed (100% saturated)
	6/5/2025	10:10 AM	21.96	21.97	0.01	-	-
	6/5/2025	11:09 AM	21.31	21.32	0.01	-	Grundfos pump used to pump down water level; approximately 1.67 gallons of LNAPL and 200 gallons of groundwater were extracted
	6/6/2025	9:18 AM	21.41	21.52	0.11	233	Socks removed (100% saturated); hand bailed LNAPL 1.75 gallons removed
	6/6/2025	10:36 AM	30.04	30.05	0.01	-	Socks removed (100% saturated); pump approximately 50 gallons groundwater, approximately 20 gallons were LNAPL
	6/7/2025	10:31 AM	-	21.04	-	336.2	Sock removed (100% saturated)
	6/9/2025	9:25 AM	22.40	22.51	0.11	548	Sock removed (100% saturated); approximatley 2 gallons LNAPL bailed
	6/9/2025	12:47 PM	22.97	23.00	0.03	-	-
	6/10/2025	10:00 AM	24.67	24.91	0.24	704	1.75 gallons of LNAPL recovered via pumping; Sock removed (50% saturated); groundwater + LNAPL recovery via pumping (175 gallons)
	6/10/2025	12:42 PM	26.56	26.58	0.02	-	-
	6/11/2025	12:00 PM	-	22.30	-	-	Sock removed (100% saturated); groundwater recovery via pumping (170 gallons)
	6/11/2025	14:45 PM	-	33.05	-	-	-
	6/12/2025	9:45 AM	22.59	22.66	0.07	239	Sock removed (100% saturated); groundwater recovery via pumping (90 gallons); approximately 1.75 gallons of LNAPL
	6/12/2025	11:00 AM	32.08	32.11	0.03	-	-
	6/13/2025	10:45 AM	22.88	22.96	0.08	166	Sock removed (50% saturated); groundwater recovery via pumping (225 gallons); approximately 2.5 gallons of LNAPL
	6/13/2025	2:00 PM	37.54	37.61	0.07	-	-
	6/14/2025	10:45 AM	22.68	22.69	0.01	331	Approximately 0.4 gallons of LNAPL were hand bailed
	6/16/2025	12:30 PM	22.90	23.05	0.15	1119	Sock removed (100% saturated); groundwater recovery via pumping (200 gallons); approximately 0.88 gallons of LNAPL
	6/16/2025	-	31.55	31.57	0.02	-	-
	6/17/2025	9:55 AM	22.50	22.55	0.05	267	Sock removed (80% saturated); groundwater recovery via pumping (185 gallons); approximately 0.8 gallons of LNAPL
	6/17/2025	-	44.11	44.13	0.02	-	-
	6/18/2025	12:23 PM	22.85	23.10	0.25	452	Sock removed (65% saturated); groundwater recovery via pumping (200 gallons); approximately 0.25 gallons of LNAPL
	6/18/2025	-	-	39.95	-	-	-
	6/19/2025	1:00 PM	22.78	23.03	0.25	459.1	Sock removed (40% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/19/2025	-	28.48	28.49	0.01	-	-
	6/20/2025	9:30 AM	22.98	23.04	0.06	251.4	Sock removed (50% saturated); groundwater recovery via pumping (200 gallons); approximately 1.6 gallons of LNAPL
	6/20/2025	-	27.07	27.09	0.02	-	-
	6/21/2025	10:45 AM	24.29	24.65	0.36	351.1	Sock replaced (50% saturated)
	6/21/2025	12:20 PM	23.66	23.87	0.21	256.4	-
	6/23/2025	10:36 AM	23.01	23.64	0.63	307.4	-
	6/23/2025	12:18 PM	22.93	23.50	0.57	350.3	-
	6/23/2025	2:08 PM	22.86	23.39	0.53	338.3	-
	6/24/2025	9:39 AM	22.59	23.68	1.09	388.0	-
	6/24/2025	10:34 AM	22.60	23.70	1.10	189.3	Approximately 1.0 gallons of LNAPL bailed
	6/26/2025	9:23 AM	22.61	22.87	0.26	614.4	-
	6/26/2025	12:08 PM	23.02	23.35	0.33	45.9	-
	6/26/2025	12:53 PM	23.15	23.42	0.27	179.9	-
	6/26/2025	2:02 PM	23.55	23.86	0.31	50.7	-
	6/27/2025	9:22 AM	22.94	23.29	0.35	508.0	-
	6/28/2025	11:40 AM	22.91	23.00	0.09	298.3	-
	6/28/2025	12:20 PM	21.85	22.07	0.22	287.1	-
	6/30/2025	8:55 AM	22.97	23.19	0.22	247.1	Bailed approximately 0.25 gallons of LNAPL
	6/30/2025	-	-	23.35	-	-	-
	6/30/2025	12:35 PM	-	25.02	-	502.5	-
	7/1/2025	-	23.81	23.83	0.02	309.2	-
	7/1/2025	12:05 PM	25.22	25.24	0.02	286.4	-
	7/2/2025	11:30 AM	23.22	23.40	0.18	578.3	Recovery via pumping (30 gallons); Approximately 1 gallon of LNAPL recovered; Sock replaced (65% saturated)
	7/2/2025	-	29.26	29.28	0.02	-	-
	7/2/2025	1:25 PM	28.70	28.71	0.01	472.1	-
	7/3/2025	10:00 AM	23.30	23.49	0.19	538.9	Bailed approximately 0.06 gallon of LNAPL; Sock removed (100% saturated)
	7/3/2025	-	23.58	23.60	0.02	-	Passive skimmer installed
	7/5/2025	11:20 AM	23.61	23.75	0.14	489.1	Bailed approximately 0.16 gallons of LNAPL
	7/5/2025	11:38 AM	24.10	24.11	0.01	-	Bailed approximately 0.04 gallons of LNAPL
	7/5/2025	12:36 PM	-	24.14	-	215.4	-
	7/7/2025	10:08 AM	-	23.31	-	292.1	Recovered approximately 0.3 gallons of LNAPL via skimmer
	7/8/2025	10:45 AM	22.58	23.02	0.44	281.7	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/9/2025	11:50 AM	22.90	23.60	0.70	524.4	Recovered approximately 0.08 gallons of LNAPL via skimmer
	7/10/2025	10:25 AM	23.04	23.33	0.29	513.5	Recovered approximately 0.16 gallons of LNAPL via skimmer
	7/11/2025	10:30 AM	23.62	24.13	0.51	-	Recovered approximately 0.05 gallons of LNAPL via skimmer
	7/11/2025	12:15 PM	22.94	23.56	0.62	-	Bailed approximately 0.05 gallons of LNAPL
	7/12/2025	9:45 AM	22.90	23.20	0.30	425.1	Recovered approximately 0.5 gallons of LNAPL via skimmer
	7/14/2025	10:04 AM	23.32	23.58	0.26	401.2	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/14/2025	12:45 AM	23.24	23.50	0.26	418.4	Recovered approximately 0.03 gallons of LNAPL via skimmer
	7/15/2025	10:35 AM	23.45	23.63	0.18	306.7	Recovered approximately 0.09 gallons of LNAPL via skimmer.
	7/15/2025	2:30 PM	29.98	30.00	0.02	323.1	Recovered 2 gallons of LNAPL via pumping
	7/16/2025	9:48 AM	23.74	23.75	0.01	337.2	Recovered approximately 0.05 gallons of LNAPL via skimmer.
	7/16/2025	2:30 PM	-	29.40	-	325.6	Recovered 2 gallons of LNAPL via pumping
	7/17/2025	12:30 PM	24.30	24.39	0.09	260.2	Recovered approximately 0.07 gallons of LNAPL via skimmer.
	7/17/2025	12:55 PM	-	31.93	-	258.4	Recovered 2.0 gallons of LNAPL via pumping
	7/18/2025	10:15 AM	24.15	24.20	0.05	286.8	Recovered approximately 0.01 gallons of LNAPL via skimmer.
	7/18/2025	2:30 PM	-	29.21	-	269.1	Recovered approximately 1.8 gallons of LNAPL via pumping



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-3	7/19/2025	10:20 AM	24.58	24.60	0.02	296.6	No recovery in skimmer; insufficient volume to recovery LNAPL with bailing
	7/21/2025	11:05 AM	24.32	24.60	0.28	254.2	Recovered approximately 0.1 gallons of LNAPL via skimmer.
	7/21/2025	2:30 PM	-	25.40	-	-	Recovered approximately 1.5 gallons of LNAPL via pumping
	7/22/2025	10:21 AM	23.95	23.96	0.01	235.6	-
	7/22/2025	2:29 PM	-	27.85	-	224.5	Recovered approximately 0.26 gallons of LNAPL via skimmer.
	7/23/2025	9:15 AM	24.05	24.10	0.05	242.0	Recovered approximately 1.6 gallons of LNAPL via pumping
	7/23/2025	1:13 PM	-	24.31	-	-	-
	7/24/2025	10:16 AM	-	25.02	-	116.4	Recovered approximately 0.13 gallons of LNAPL via skimmer;
	7/24/2025	2:35 PM	-	28.65	-	-	Recovered approximately 0.5 gallons of LNAPL via pumping
	7/25/2025	10:15 AM	-	23.98	-	166.7	-
	7/25/2025	10:16 AM	-	24.30	-	-	Recovered approximately 0.08 gallons of LNAPL via skimmer;
	7/25/2025	2:30 PM	-	26.70	-	-	Recovered approximately 1.1 gallons of LNAPL via pumping
	7/26/2025	10:45 AM	-	24.30	-	197.4	-
	7/28/2025	10:28 AM	-	24.11	-	67.7	Recovered approximately 0.26 gallons of LNAPL via skimmer
	7/28/2025	2:21 PM	-	29.50	-	0.0	Recovered approximately 0.4 gallons of LNAPL via skimmer; and 1 gallon via pumping
	7/29/2025	10:00 AM	-	24.76	-	274.5	-
	7/29/2025	2:30 PM	-	26.38	-	255.1	Recovered approximately 0.1 gallons of LNAPL via skimmer; and 0.5 gallon via pumping
	7/30/2025	10:02 AM	24.60	24.62	0.02	161.1	-
	7/30/2025	2:30 PM	-	28.47	-	-	Recovered approximately 0.70 gallons of LNAPL via pumping
	7/31/2025	9:54 AM	25.15	25.16	0.01	192.0	-
	7/31/2025	2:30 PM	-	30.19	-	177.3	Recovered approximately 0.50 gallons of LNAPL via pumping
	8/1/2025	10:17 AM	-	25.01	-	238.7	-
	8/1/2025	2:15 PM	-	29.44	-	-	Recovered approximately 0.30 gallons of LNAPL via pumping
	8/2/2025	10:25 AM	24.55	24.57	0.02	274.3	-
	8/4/2025	12:50 PM	25.10	25.33	0.23	370.4	-
	8/4/2025	1:45 PM	-	26.10	-	-	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/5/2025	12:02 PM	24.44	24.45	0.01	221.0	-
	8/5/2025	1:15 PM	-	27.35	-	-	Recovered approximately <0.1 gallons of LNAPL via pumping
	8/6/2025	11:03 AM	23.98	23.99	0.01	432.6	-
	8/7/2025	10:47 AM	23.91	23.97	0.06	366.5	Recovered approximately 0.03 gallons of LNAPL via skimmer
	8/7/2025	12:36 PM	-	27.49	-	-	-
	8/8/2025	12:20 PM	22.05	22.06	0.01	206.2	-
	8/9/2025	10:20 AM	24.80	24.85	0.05	318.2	-
	8/9/2025	1:33 PM	-	24.94	-	-	Recovered approximately 0.3 gallons of LNAPL via skimmer
	8/11/2025	11:18 AM	24.40	24.46	0.06	194.2	-
	8/11/2025	11:35 AM	24.80	24.81	0.01	-	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/12/2025	11:05 AM	24.80	24.81	0.01	225	-
	8/12/2025	11:15 AM	24.96	24.96	0.00	-	Recovered approximately 0.01 gallons of LNAPL via skimmer / bailing
	8/13/2025	9:55 AM	24.80	24.81	0.01	231	-
	8/14/2025	9:55 AM	25.10	25.19	0.09	329	Recovered approximately 0.01 gallons of LNAPL via skimmer
	8/14/2025	10:05 AM	-	25.50	-	-	-
	8/15/2025	9:50 AM	24.80	24.94	0.14	313.0	-
	8/15/2025	10:00 AM	-	25.03	-	-	Recovered approximately 0.01 gallons of LNAPL via skimmer
	8/16/2025	10:05 AM	25.99	26.01	0.02	210.3	-
	8/18/2025	11:11 AM	-	25.60	-	664.1	Recovered approximately 0.5 gallons of LNAPL via skimmer
	8/18/2025	2:15 PM	-	38.48	-	583.1	Recovered approximately 0.9 gallons of LNAPL via skimmer and pumping
	8/19/2025	10:01 AM	25.65	25.74	0.09	492.9	-
	8/19/2025	2:00 PM	-	24.89	-	75.9	Recovered approximately 0.4 gallons of LNAPL via pumping
	8/20/2025	11:15 AM	-	25.50	-	446.2	-
	8/20/2025	1:45 PM	-	25.15	-	72.6	-
	8/21/2025	10:25 AM	-	25.25	-	356.1	-
	8/21/2025	1:00 PM	-	37.80	-	-	Recovered approximately 0.93 gallons of LNAPL via skimmer and pumping
	8/22/2025	10:06 AM	25.43	25.45	0.02	277.0	-
	8/23/2025	10:23 AM	-	25.55	-	288.7	No recovery in skimmer
	8/25/2025	10:30 AM	-	25.95	-	192.1	Recovered approximately 0.13 gallons of LNAPL via skimmer
	8/25/2025	1:40 PM	-	29.55	-	137.2	Recovered approximately 0.83 gallons of LNAPL via skimmer and pumping
	8/26/2025	10:00 AM	25.80	25.82	0.02	189.3	-
	8/26/2025	1:34 PM	-	29.51	-	146.1	Recovered approximately 0.9 gallons of LNAPL via pumping
	8/27/2025	10:02 AM	25.78	25.80	0.02	228.8	-
	8/27/2025	2:15 PM	-	26.30	-	147.2	Recovered approximately 0.5 gallons of LNAPL via skimmer and pumping
	8/28/2025	9:47 AM	-	25.85	-	200.7	-
	8/29/2025	10:08 AM	-	26.43	-	195.2	-
	8/29/2025	1:33 PM	-	27.70	-	146.1	Recovered approximately 0.35 gallons of LNAPL via skimmer and pumping
	9/2/2025	10:55 AM	26.94	27.01	0.07	77.3	-
	9/2/2025	2:15 PM	-	28.40	-	68.5	Recovered approximately 0.76 gallons of LNAPL via skimmer and pumping
	9/3/2025	10:00 AM	-	27.03	-	336.9	-
	9/3/2025	2:02 PM	-	29.60	-	321.5	Recovered approximately 1.2 gallons of LNAPL via pumping
	9/4/2025	9:56 AM	26.73	26.74	0.01	251.7	-
	9/4/2025	2:25 PM	-	29.53	-	287.1	Recovered approximately 0.8 gallons of LNAPL via pumping
	9/5/2025	9:36 AM	26.82	26.90	0.08	188.2	-
	9/5/2025	2:00 PM	-	30.09	-	174.2	Recovered approximately 0.82 gallons of LNAPL via skimmer and pumping
							-



Table 5
Liquid-Level Gauging Data Summary

Well Location	Date	Time of Day	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Well Head Screening (ppm)	Comments
RW-4	5/23/2025	9:00 AM	-	13.48	-	59	-
	5/24/2025	10:03 AM	-	12.83	-	25.8	-
	5/27/2025	10:25 AM	-	15.39	-	0.0	-
	5/28/2025	10:40 AM	-	13.17	-	4.1	-
	5/29/2025	10:35 AM	-	12.74	-	1.7	-
	5/30/2025	9:55 AM	-	12.37	-	6.2	-
	5/31/2025	11:10 AM	-	12.24	-	0.0	-
	6/2/2025	10:39 AM	-	11.90	-	8.4	-
	6/3/2025	12:02 PM	-	11.95	-	11.8	-
	6/4/2025	9:18 AM	-	12.14	-	0.0	Well was developed via surge and purge (approximately 60 gallons of groundwater)
	6/5/2025	9:09 AM	-	13.51	-	103.2	Well was purged (approximately 55 gallons of groundwater) and a sample collected after purging
	6/6/2025	9:09 AM	-	13.87	-	47.1	-
	6/7/2025	10:20 AM	-	13.25	-	63.9	-
	6/9/2025	9:30 AM	-	13.98	-	24.9	Sock 50% saturated (silty appearance)
	6/10/2025	9:53 AM	-	13.73	-	15.8	-
	6/11/2025	10:10 AM	-	12.53	-	3.2	-
	6/12/2025	10:00 AM	-	12.56	-	2.7	-
	6/13/2025	10:43 AM	-	12.77	-	11.2	-
	6/14/2025	10:59 AM	-	13.08	-	24.5	-
	6/16/2025	10:02 AM	-	12.79	-	24.0	-
	6/17/2025	9:28 AM	-	11.30	-	4.7	-
	6/18/2025	10:00 AM	-	13.19	-	4.8	-
	6/19/2025	10:04 AM	-	13.32	-	5.8	-
	6/20/2025	12:15 PM	-	13.20	-	3.0	-
	6/21/2025	11:00 AM	-	14.12	-	4.8	-
	6/23/2025	10:34 AM	-	13.35	-	3.7	-
	6/23/2025	12:22 PM	-	13.39	-	2.8	-
	6/23/2025	2:29 PM	-	13.38	-	7.1	-
	6/24/2025	9:36 AM	-	13.49	-	8.1	-
	6/24/2025	10:50 AM	-	13.55	-	3.7	-
	6/24/2025	1:12 PM	-	13.51	-	0.7	-
	6/24/2025	2:39 PM	-	13.53	-	9.9	-
	6/25/2025	9:11 AM	-	13.51	-	58.6	-
	6/25/2025	10:28 AM	-	13.61	-	35.9	-
	6/25/2025	11:55 AM	-	13.59	-	15.1	-
	6/26/2025	9:59 AM	-	13.72	-	28.6	-
	6/26/2025	10:52 AM	-	13.89	-	20.4	-
	6/26/2025	12:02 PM	-	13.91	-	14.1	-
	6/26/2025	12:59 PM	-	13.94	-	12.2	-
	6/26/2025	2:05 PM	-	13.91	-	54.0	-
	6/26/2025	2:59 PM	-	13.98	-	83.9	-
	6/26/2025	3:57 PM	-	13.84	-	64.9	-
	6/27/2025	10:23 AM	-	14.06	-	0.8	-
	6/28/2025	12:00 PM	-	14.42	-	13.8	-
	6/30/2025	8:40 AM	-	15.08	-	7.0	-
	7/1/2025	11:15 AM	-	21.11	-	12.5	-
	7/2/2025	12:00 PM	-	18.42	-	7.6	-
	7/3/2025	12:00 PM	-	16.39	-	15.6	-
	7/5/2025	11:07 AM	-	16.50	-	11.4	-
	7/7/2025	10:41 AM	-	16.53	-	3.3	-
	7/8/2025	10:58 AM	-	17.03	-	4.9	-
	7/9/2025	11:01 AM	-	17.21	-	4.1	-
	7/10/2025	10:45 AM	-	16.47	-	2.5	-
	7/11/2025	9:54 AM	-	17.25	-	3.5	-
	7/12/2025	10:02 AM	-	16.74	-	3.1	-
	7/14/2025	10:11 AM	-	17.31	-	3.3	-
	7/15/2025	10:10 AM	-	17.05	-	3.3	-
	7/16/2025	9:37 AM	-	16.51	-	1.9	-
	7/17/2025	9:40 AM	-	15.05	-	1.2	-
	7/18/2025	9:42 AM	-	14.93	-	3.0	-
	7/19/2025	9:45 AM	-	15.64	-	2.3	-
	7/21/2025	10:00 AM	-	17.60	-	1.5	-
	7/22/2025	9:50 AM	-	18.41	-	1.8	-
	7/23/2025	10:22 AM	-	17.93	-	3.4	-
	7/24/2025	10:12 AM	-	17.51	-	3.4	-
	7/25/2025	9:52 AM	-	16.95	-	5.5	-
	7/26/2025	10:38 AM	-	17.11	-	3.4	-
	7/28/2025	10:23 AM	-	14.09	-	0.0	-
	7/29/2025	9:39 AM	-	17.82	-	3.6	-
	7/30/2025	9:40 AM	-	17.75	-	3.5	-
	7/31/2025	9:32 AM	-	19.30	-	2.7	-
	8/1/2025	10:00 AM	-	18.27	-	1.3	-
	8/2/2025	10:18 AM	-	17.75	-	0.0	-
	8/4/2025	11:58 AM	-	17.90	-	0.0	-
	8/5/2025	10:27 AM	-	17.83	-	72.6	-
	8/6/2025	10:41 AM	-	17.54	-	2.0	-
	8/7/2025	11:57 AM	-	17.52	-	2.6	-
	8/8/2025	1:42 PM	-	17.31	-	0.0	-
	8/9/2025	10:10 AM	-	18.15	-	0.0	-
	8/11/2025	11:41 AM	-	18.49	-	1.0	-
	8/12/2025	10:36 AM	-	19.02	-	0.5	-
	8/13/2025	9:45 AM	-	19.50	-	0.3	-
	8/14/2025	9:38 AM	-	19.45	-	0.4	-
	8/15/2025	9:35 AM	-	19.25	-	0.7	-
	8/16/2025	9:58 AM	-	19.71	-	6.4	-
	8/18/2025	10:25 AM	-	19.74	-	2.0	-
	8/19/2025	9:39 AM	-	19.58	-	1.9	-
	8/20/2025	9:41 AM	-	20.49	-	3.3	-
	8/21/2025	9:57 AM	-	20.27	-	0.4	-
	8/22/2025	9:54 AM	-	20.32	-	1.2	-
	8/23/2025	10:05 AM	-	20.45	-	1.8	-
	8/25/2025	9:25 AM	-	21.09	-	0.6	-
	8/26/2025	9:42 AM	-	20.95	-	0.1	-
	8/27/2025	9:32 AM	-	21.03	-	1.2	-
	8/28/2025	9:35 AM	-	21.19	-	9.9	-
	8/29/2025	9:40 AM	-	21.42	-	0.0	-
	9/2/2025	9:44 AM	-	23.97	-	0.1	-
	9/3/2025	9:42 AM	-	23.93	-	0.1	-
	9/4/2025	9:39 AM	-	24.11	-	0.1	-
	9/5/2025	9:18 AM	-	24.10	-	0.2	-

Notes:
ft. = feet
LNAPL = Light Non-Aqueous Phase Liquid
LEL - Lower Explosive Limit
NA = Not Applicable
Well head screening is completed with a photoionization detector (PID).

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-1S Screen 20- 40 ft	8/4/2025	225.20	-	24.26	-	200.94	0.0
	8/5/2025		-	23.54	-	201.66	4.9
	8/6/2025		-	23.25	-	201.95	4.4
	8/7/2025		-	23.06	-	202.14	4.4
	8/8/2025		-	22.65	-	202.55	7.1
	8/11/2025		-	22.82	-	202.38	1.7
	8/12/2025		-	22.98	-	202.22	1.2
	8/13/2025		-	23.18	-	202.02	2.2
	8/13/2025		-	23.17	-	202.03	1.4
	8/14/2025		-	23.25	-	201.95	1.4
	8/15/2025		-	23.23	-	201.97	0.8
	8/15/2025		-	23.36	-	201.84	0.3
	8/18/2025		-	23.51	-	201.69	0.6
	8/19/2025		-	24.24	-	200.96	0.4
	8/20/2025		-	24.19	-	201.01	0.1
	8/21/2025		-	24.05	-	201.15	0.6
	8/22/2025		-	26.31	-	198.89	0.6
	8/26/2025		-	24.60	-	200.60	0.0
	8/27/2025		-	24.30	-	200.90	0.0
	8/28/2025		-	24.61	-	200.59	0.2
	8/29/2025		-	24.63	-	200.57	0.2
	9/2/2025		-	25.38	-	199.82	0.1
	9/3/2025		-	25.48	-	199.72	0.0
	9/4/2025		-	25.29	-	199.91	0.0
	9/5/2025		-	25.40	-	199.80	0.0
MW-1D Screen 50- 75 ft	8/4/2025	225.55	-	27.84	-	197.71	0.0
	8/5/2025		-	27.38	-	198.17	0.0
	8/6/2025		-	27.15	-	198.40	0.0
	8/7/2025		-	26.94	-	198.61	0.0
	8/8/2025		-	27.07	-	198.48	0.2
	8/11/2025		-	27.55	-	198.00	0.0
	8/12/2025		-	27.97	-	197.58	0.0
	8/13/2025		-	27.93	-	197.62	0.0
	8/13/2025		-	27.87	-	197.68	0.0
	8/14/2025		-	28.12	-	197.43	0.0
	8/15/2025		-	28.05	-	197.50	0.0
	8/15/2025		-	29.05	-	196.50	0.0
	8/18/2025		-	29.59	-	195.96	0.0
	8/19/2025		-	28.55	-	197.00	0.0
	8/20/2025		-	28.25	-	197.30	0.0
	8/21/2025		-	28.01	-	197.54	0.3
	8/22/2025		-	28.40	-	197.15	0.3
	8/26/2025		-	29.58	-	195.97	0.0
	8/27/2025		-	28.58	-	196.97	0.0
	8/28/2025		-	29.55	-	196.00	0.2
	8/29/2025		-	28.85	-	196.70	0.2
	9/2/2025		-	29.46	-	196.09	0.5
	9/3/2025		-	29.54	-	196.01	0.2
	9/4/2025		-	29.37	-	196.18	0.0
	9/5/2025		-	29.45	-	196.10	0.0
MW-2S Screen 20- 40 ft	8/4/2025	223.96	-	26.50	-	197.46	1.1
	8/5/2025		-	24.69	-	199.27	0.0
	8/6/2025		-	25.35	-	198.61	0.0
	8/7/2025		-	25.21	-	198.75	0.4
	8/8/2025		-	25.28	-	198.68	0.7
	8/11/2025		-	25.79	-	198.17	0.3
	8/12/2025		-	26.15	-	197.81	0.3
	8/13/2025		-	26.27	-	197.69	0.1
	8/13/2025		-	26.27	-	197.69	0.2
	8/14/2025		-	26.50	-	197.46	0.1
	8/15/2025		-	26.25	-	197.71	0.0
	8/15/2025		-	27.32	-	196.64	0.1
	8/18/2025		-	26.75	-	197.21	0.0
	8/19/2025		-	26.82	-	197.14	0.3
	8/20/2025		-	26.59	-	197.37	0.1
	8/21/2025		-	26.47	-	197.49	0.9
	8/22/2025		-	25.24	-	198.72	0.4
	8/26/2025		-	27.52	-	196.44	0.0
	8/27/2025		-	26.75	-	197.21	0.0
	8/28/2025		-	27.06	-	196.90	0.2
	8/29/2025		-	27.19	-	196.77	1.1
	9/2/2025		-	27.53	-	196.43	0.6
	9/3/2025		-	27.80	-	196.16	0.0
	9/4/2025		-	27.37	-	196.59	0.1
	9/5/2025		-	27.47	-	196.49	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-2D Screen 50- 75 ft	8/4/2025	224.31	-	28.30	-	196.01	0.0
	8/5/2025		-	27.54	-	196.77	0.0
	8/6/2025		-	27.50	-	196.81	0.0
	8/7/2025		-	27.03	-	197.28	0.0
	8/8/2025		-	27.27	-	197.04	0.3
	8/11/2025		-	27.40	-	196.91	0.1
	8/12/2025		-	27.85	-	196.46	0.0
	8/13/2025		-	28.04	-	196.27	0.0
	8/13/2025		-	27.93	-	196.38	0.0
	8/14/2025		-	27.50	-	196.81	0.0
	8/15/2025		-	28.02	-	196.29	0.0
	8/15/2025		-	29.14	-	195.17	0.0
	8/18/2025		-	28.74	-	195.57	0.0
	8/19/2025		-	28.94	-	195.37	0.1
	8/20/2025		-	28.35	-	195.96	0.2
	8/21/2025		-	28.05	-	196.26	0.8
	8/22/2025		-	28.87	-	195.44	0.0
	8/26/2025		-	32.74	-	191.57	0.0
	8/27/2025		-	28.44	-	195.87	0.0
	8/28/2025		-	28.78	-	195.53	0.2
	8/29/2025		-	29.18	-	195.13	0.3
	9/2/2025		-	29.62	-	194.69	0.7
	9/3/2025		-	31.11	-	193.20	0.0
	9/4/2025		-	29.80	-	194.51	0.0
	9/5/2025		-	29.68	-	194.63	0.0
MW-3S Screen 20- 40 ft	8/4/2025	225.66	-	11.11	-	214.55	0.0
	8/5/2025		-	8.58	-	217.08	0.0
	8/6/2025		-	8.05	-	217.61	0.0
	8/7/2025		-	7.76	-	217.90	0.0
	8/8/2025		-	7.67	-	217.99	0.2
	8/11/2025		-	7.83	-	217.83	0.1
	8/12/2025		-	7.99	-	217.67	0.2
	8/13/2025		-	7.96	-	217.70	0.1
	8/13/2025		-	8.02	-	217.64	0.1
	8/14/2025		-	8.03	-	217.63	0.0
	8/15/2025		-	8.13	-	217.53	0.0
	8/15/2025		-	8.16	-	217.50	0.0
	8/18/2025		-	8.21	-	217.45	0.0
	8/19/2025		-	21.59	-	204.07	0.0
	8/20/2025		-	11.78	-	213.88	0.0
	8/21/2025		-	8.95	-	216.71	1.2
	8/22/2025		-	8.89	-	216.77	0.0
	8/26/2025		-	8.63	-	217.03	0.0
	8/27/2025		-	8.76	-	216.90	0.0
	8/28/2025		-	9.03	-	216.63	0.9
	8/29/2025		-	8.76	-	216.90	0.2
	9/2/2025		-	9.13	-	216.53	0.8
	9/3/2025		-	10.80	-	214.86	0.0
	9/4/2025		-	9.06	-	216.60	0.1
	9/5/2025		-	9.00	-	216.66	0.0
MW-3D Screen 50- 75 ft	8/4/2025	225.39	-	19.25	-	206.14	0.0
	8/5/2025		-	18.85	-	206.54	3.0
	8/6/2025		-	18.78	-	206.61	0.0
	8/7/2025		-	18.68	-	206.71	0.6
	8/8/2025		-	18.73	-	206.66	2.2
	8/11/2025		-	19.09	-	206.30	0.5
	8/12/2025		-	19.46	-	205.93	0.2
	8/13/2025		-	19.76	-	205.63	0.2
	8/13/2025		-	19.75	-	205.64	0.3
	8/14/2025		-	19.98	-	205.41	0.6
	8/15/2025		-	20.04	-	205.35	0.6
	8/15/2025		-	20.14	-	205.25	0.3
	8/18/2025		-	20.21	-	205.18	0.0
	8/19/2025		-	21.19	-	204.20	0.0
	8/20/2025		-	20.21	-	205.18	0.8
	8/21/2025		-	20.06	-	205.33	0.8
	8/22/2025		-	20.21	-	205.18	0.0
	8/26/2025		-	20.61	-	204.78	0.0
	8/27/2025		-	20.41	-	204.98	0.2
	8/28/2025		-	20.77	-	204.62	0.6
	8/29/2025		-	20.64	-	204.75	1.2
	9/2/2025		-	21.62	-	203.77	1.1
	9/3/2025		-	21.98	-	203.41	0.4
	9/5/2025		-	21.79	-	203.60	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-4S Screen 15-40 ft	7/28/2025	196.67	-	17.20	-	179.47	0.0
	7/29/2025		-	19.13	-	177.54	0.5
	7/30/2025		-	19.66	-	177.01	0.7
	8/4/2025		-	20.23	-	176.44	3.5
	8/5/2025		-	20.17	-	176.50	0.6
	8/6/2025		-	21.16	-	175.51	0.0
	8/7/2025		-	21.32	-	175.35	1.9
	8/8/2025		-	20.92	-	175.75	2.0
	8/11/2025		-	21.86	-	174.81	0.0
	8/12/2025		-	22.30	-	174.37	0.3
	8/13/2025		-	22.67	-	174.00	0.4
	8/13/2025		-	22.75	-	173.92	0.4
	8/14/2025		-	22.92	-	173.75	0.9
	8/15/2025		-	23.22	-	173.45	0.4
	8/15/2025		-	23.63	-	173.04	0.2
	8/18/2025		-	23.93	-	172.74	2.2
	8/19/2025		-	23.61	-	173.06	1.8
	8/20/2025		-	23.40	-	173.27	1.3
	8/21/2025		-	23.21	-	173.46	0.5
	8/22/2025		-	22.70	-	173.97	0.0
	8/26/2025		-	24.68	-	171.99	0.0
	8/27/2025		-	24.65	-	172.02	0.0
	8/28/2025		-	24.72	-	171.95	0.0
	8/29/2025		-	24.66	-	172.01	0.5
	9/2/2025		-	24.88	-	171.79	0.2
	9/3/2025		-	25.00	-	171.67	0.1
	9/4/2025		-	25.06	-	171.61	0.1
	9/5/2025		-	25.15	-	171.52	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-4D Screen 51-75	7/28/2025	196.63	-	28.40	-	168.23	0.0
	7/29/2025		-	25.35	-	171.28	0.3
	7/29/2025		-	27.24	-	169.39	0.2
	8/4/2025		-	26.76	-	169.87	26.8
	8/5/2025		-	26.47	-	170.16	0.0
	8/6/2025		-	27.53	-	169.10	0.0
	8/7/2025		-	27.62	-	169.01	0.0
	8/8/2025		-	27.48	-	169.15	0.2
	8/11/2025		-	29.06	-	167.57	0.0
	8/12/2025		-	29.79	-	166.84	0.2
	8/13/2025		-	30.03	-	166.60	0.0
	8/13/2025		-	29.93	-	166.70	0.0
	8/14/2025		-	29.90	-	166.73	0.0
	8/15/2025		-	30.23	-	166.40	0.0
	8/15/2025		-	30.87	-	165.76	0.0
	8/18/2025		-	30.00	-	166.63	0.1
	8/19/2025		-	29.53	-	167.10	0.0
	8/20/2025		-	29.50	-	167.13	0.4
	8/21/2025		-	29.14	-	167.49	0.3
	8/22/2025		-	28.64	-	167.99	0.0
	8/26/2025		-	30.89	-	165.74	0.0
	8/27/2025		-	30.59	-	166.04	0.0
	8/28/2025		-	30.45	-	166.18	0.0
	8/29/2025		-	30.76	-	165.87	0.6
	9/2/2025		-	30.34	-	166.29	0.8
	9/3/2025		-	31.96	-	164.67	0.5
	9/4/2025		-	30.52	-	166.11	0.6
	9/5/2025		-	30.82	-	165.81	0.0
MW-5S Screen 10-35 ft	7/24/2025	213.69	-	3.55	-	210.14	-
	7/25/2025		-	3.47	-	210.22	-
	7/28/2025		-	3.71	-	209.98	0.0
	7/29/2025		-	3.82	-	209.87	0.2
	7/30/2025		-	3.95	-	209.74	0.1
	8/4/2025		-	3.91	-	209.78	0.2
	8/5/2025		-	3.98	-	209.71	0.0
	8/6/2025		-	4.11	-	209.58	0.0
	8/7/2025		-	4.10	-	209.59	0.0
	8/8/2025		-	4.15	-	209.54	0.1
	8/11/2025		-	4.33	-	209.36	0.0
	8/12/2025		-	4.59	-	209.10	0.1
	8/13/2025		-	4.24	-	209.45	0.0
	8/13/2025		-	4.58	-	209.11	0.0
	8/14/2025		-	4.68	-	209.01	0.0
	8/15/2025		-	4.46	-	209.23	0.0
	8/15/2025		-	4.36	-	209.33	0.0
	8/18/2025		-	4.49	-	209.20	0.0
	8/19/2025		-	4.60	-	209.09	0.0
	8/20/2025		-	4.44	-	209.25	0.0
	8/21/2025		-	4.68	-	209.01	0.2
	8/22/2025		-	3.83	-	209.86	0.0
	8/26/2025		-	4.72	-	208.97	0.0
	8/27/2025		-	4.80	-	208.89	0.0
	8/28/2025		-	4.87	-	208.82	0.3
	8/29/2025		-	4.69	-	209.00	0.0
	9/2/2025		-	4.94	-	208.75	0.0
	9/3/2025		-	5.55	-	208.14	0.0
	9/4/2025		-	4.37	-	209.32	0.0
	9/5/2025		-	4.42	-	209.27	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-5D Screen 55-75 ft	7/23/2025	213.62	-	40.00	-	173.62	-
	7/23/2025		-	39.77	-	173.85	-
	7/25/2025		-	38.41	-	175.21	-
	7/28/2025		-	38.36	-	175.26	0.0
	7/29/2025		-	38.12	-	175.50	0.5
	7/30/2025		-	37.98	-	175.64	0.3
	8/4/2025		-	37.98	-	175.64	6.5
	8/5/2025		-	37.87	-	175.75	0.5
	8/6/2025		-	37.86	-	175.76	0.0
	8/7/2025		-	37.83	-	175.79	1.2
	8/8/2025		-	37.80	-	175.82	2.5
	8/11/2025		-	37.88	-	175.74	0.0
	8/12/2025		-	38.05	-	175.57	0.2
	8/13/2025		-	37.89	-	175.73	0.3
	8/13/2025		-	38.00	-	175.62	0.3
	8/14/2025		-	37.98	-	175.64	0.1
	8/15/2025		-	37.98	-	175.64	0.0
	8/15/2025		-	37.97	-	175.65	0.1
	8/18/2025		-	38.19	-	175.43	1.0
	8/19/2025		-	37.93	-	175.69	0.0
	8/20/2025		-	38.03	-	175.59	0.0
	8/21/2025		-	37.99	-	175.63	0.2
	8/22/2025		-	39.65	-	173.97	0.0
	8/26/2025		-	37.98	-	175.64	0.0
	8/27/2025		-	37.97	-	175.65	0.0
	8/28/2025		-	38.08	-	175.54	0.5
	8/29/2025		-	37.86	-	175.76	0.6
	9/2/2025		-	37.97	-	175.65	0.0
	9/3/2025		-	39.64	-	173.98	0.0
	9/4/2025		-	37.82	-	175.80	0.0
	9/5/2025		-	37.85	-	175.77	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-6S Screen 20-39	8/7/2025	215.18	-	20.68	-	194.50	4.0
	8/8/2025		-	21.28	-	193.90	83.6
	8/11/2025		-	22.06	-	193.12	45.1
	8/12/2025		-	22.49	-	192.69	12.8
	8/13/2025		-	22.66	-	192.52	23.1
	8/13/2025		-	22.64	-	192.54	18.1
	8/14/2025		-	22.80	-	192.38	16.9
	8/15/2025		-	22.96	-	192.22	44.9
	8/15/2025		-	23.11	-	192.07	14.9
	8/18/2025		-	23.51	-	191.67	20.3
	8/19/2025		-	23.41	-	191.77	19.4
	8/20/2025		-	23.39	-	191.79	18.3
	8/21/2025		-	23.32	-	191.86	20.4
	8/22/2025		-	22.94	-	192.24	4.0
	8/25/2025		-	23.70	-	191.48	20.0
	8/26/2025		-	23.72	-	191.46	0.0
	8/27/2025		-	23.79	-	191.39	4.3
	8/28/2025		-	23.92	-	191.26	0.0
	8/29/2025		-	24.06	-	191.12	8.1
	9/2/2025		-	25.18	-	190.00	1.1
	9/3/2025		-	25.10	-	190.08	1.3
	9/4/2025		-	25.05	-	190.13	5.5
	9/5/2025		-	25.20	-	189.98	9.2
MW-6D Screen 50-75 ft	8/6/2025	215.29	-	21.40	-	193.89	-
	8/7/2025		-	23.18	-	192.11	78.5
	8/8/2025		-	24.26	-	191.03	6.7
	8/11/2025		-	53.85	-	161.44	18.3
	8/12/2025		-	51.38	-	163.91	7.9
	8/13/2025		-	47.44	-	167.85	23.6
	8/13/2025		-	46.59	-	168.70	2.5
	8/14/2025		-	41.80	-	173.49	20.0
	8/15/2025		-	38.38	-	176.91	29.2
	8/15/2025		-	37.93	-	177.36	9.6
	8/18/2025		-	33.10	-	182.19	17.1
	8/19/2025		-	31.54	-	183.75	21.7
	8/20/2025		-	30.81	-	184.48	9.1
	8/21/2025		-	30.16	-	185.13	20.0
	8/22/2025		-	29.58	-	185.71	1.8
	8/25/2025		-	29.05	-	186.24	9.0
	8/26/2025		-	65.18	-	150.11	0.0
	8/27/2025		-	61.54	-	153.75	2.9
	8/28/2025		-	58.55	-	156.74	0.1
	8/29/2025		-	55.47	-	159.82	0.3
	9/2/2025		-	39.39	-	175.90	2.1
	9/3/2025		-	37.58	-	177.71	0.7
	9/4/2025		-	35.40	-	179.89	0.8
	9/5/2025		-	33.77	-	181.52	0.0
MW-7S Screen 15-40 ft	8/8/2025	205.67	-	29.53	-	176.14	0.0
	8/11/2025		-	33.72	-	171.95	-
	8/12/2025		-	30.64	-	175.03	0.4
	8/13/2025		-	30.85	-	174.82	0.6
	8/13/2025		-	30.88	-	174.79	0.0
	8/14/2025		-	31.12	-	174.55	0.7
	8/15/2025		-	31.46	-	174.21	0.0
	8/15/2025		-	31.49	-	174.18	0.1
	8/18/2025		-	32.21	-	173.46	1.0
	8/19/2025		-	32.36	-	173.31	0.0
	8/20/2025		-	32.60	-	173.07	0.0
	8/21/2025		-	32.66	-	173.01	2.1
	8/22/2025		-	32.32	-	173.35	0.0
	8/25/2025		-	33.27	-	172.40	1.0
	8/26/2025		-	33.55	-	172.12	0.0
	8/27/2025		-	33.76	-	171.91	0.0
	8/28/2025		-	33.97	-	171.70	0.0
	8/29/2025		-	34.15	-	171.52	0.5
	9/2/2025		-	35.14	-	170.53	1.1
	9/3/2025		-	35.31	-	170.36	0.2
	9/4/2025		-	35.52	-	170.15	0.2
	9/5/2025		-	35.63	-	170.04	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-7D Screen 50-75 ft	8/8/2025	205.47	-	33.11	-	172.36	0.0
	8/11/2025		-	30.42	-	175.05	-
	8/12/2025		-	33.98	-	171.49	0.6
	8/13/2025		-	33.94	-	171.53	1.8
	8/13/2025		-	33.99	-	171.48	0.2
	8/14/2025		-	34.16	-	171.31	0.0
	8/15/2025		-	34.43	-	171.04	0.1
	8/15/2025		-	34.54	-	170.93	0.1
	8/18/2025		-	34.90	-	170.57	0.7
	8/19/2025		-	35.13	-	170.34	0.0
	8/20/2025		-	35.31	-	170.16	0.0
	8/21/2025		-	35.37	-	170.10	0.4
	8/22/2025		-	35.73	-	169.74	0.0
	8/25/2025		-	35.82	-	169.65	1.0
	8/26/2025		-	47.18	-	158.29	0.0
	8/27/2025		-	36.48	-	168.99	0.0
	8/28/2025		-	36.71	-	168.76	0.0
	8/29/2025		-	36.71	-	168.76	0.2
	9/2/2025		-	37.84	-	167.63	0.8
	9/3/2025		-	38.07	-	167.40	0.0
	9/4/2025		-	37.57	-	167.90	0.1
	9/5/2025		-	37.83	-	167.64	0.0

Table 6
Monitoring Well Liquid Level Gauging Data Summary

Well Location	Date	Top of Casing Elevation (ft.)	Depth to LNAPL (ft.)	Depth to Water (ft.)	LNAPL Thickness (ft.)	Groundwater Elevation (ft.)	Well Head Screening (ppm)
MW-8S Screen 10-40 ft	8/11/2025	224.25	-	8.80	-	215.45	-
	8/11/2025		-	22.14*	-	202.11	-
	8/12/2025		-	8.14	-	216.11	0.0
	8/13/2025		-	8.08	-	216.17	0.1
	8/13/2025		-	8.04	-	216.21	0.0
	8/14/2025		-	7.96	-	216.29	0.1
	8/15/2025		-	8.07	-	216.18	0.4
	8/15/2025		-	8.18	-	216.07	0.1
	8/18/2025		-	8.29	-	215.96	0.9
	8/19/2025		-	8.36	-	215.89	0.0
	8/20/2025		-	8.38	-	215.87	0.0
	8/21/2025		-	8.27	-	215.98	0.6
	8/22/2025		-	8.82	-	215.43	0.3
	8/25/2025		-	8.38	-	215.87	1.0
	8/26/2025		-	10.11	-	214.14	0.0
	8/27/2025		-	8.75	-	215.50	0.0
	8/28/2025		-	8.83	-	215.42	2.1
	8/29/2025		-	8.78	-	215.47	0.0
	9/2/2025		-	9.23	-	215.02	0.4
	9/3/2025		-	9.60	-	214.65	0.9
	9/4/2025		-	9.03	-	215.22	0.3
	9/5/2025		-	9.00	-	215.25	0.0
MW-8D Screen 50-75 ft	8/11/2025	224.17	-	69.95	-	154.22	-
	8/11/2025		-	69.92	-	154.25	-
	8/12/2025		-	67.69	-	156.48	0.6
	8/13/2025		-	65.77	-	158.40	0.0
	8/13/2025		-	65.51	-	158.66	0.3
	8/14/2025		-	63.51	-	160.66	0.3
	8/15/2025		-	61.78	-	162.39	0.6
	8/15/2025		-	61.53	-	162.64	0.0
	8/18/2025		-	56.51	-	167.66	0.9
	8/19/2025		-	54.89	-	169.28	0.1
	8/20/2025		-	53.26	-	170.91	0.0
	8/21/2025		-	51.74	-	172.43	2.1
	8/22/2025		-	51.90	-	172.27	0.5
	8/25/2025		-	42.65	-	181.52	1.0
	8/26/2025		-	57.64	-	166.53	0.0
	8/27/2025		-	56.08	-	168.09	0.0
	8/28/2025		-	54.72	-	169.45	1.5
	8/29/2025		-	53.25	-	170.92	1.5
	9/2/2025		-	45.45	-	178.72	0.5
	9/3/2025		-	44.02	-	180.15	0.8
	9/4/2025		-	41.92	-	182.25	1.8
	9/5/2025		-	40.12	-	184.05	0.0
MW-9S	8/29/2025	204.92	-	31.10	-	173.82	0.2
	9/2/2025		-	29.72	-	175.20	1.1
	9/3/2025		-	30.02	-	174.90	0.1
	9/4/2025		-	29.11	-	175.81	0.3
	9/5/2025		-	30.18	-	174.74	1.7
MW-9D	8/29/2025	205.30	-	46.87	-	158.43	97.0
	9/2/2025		-	41.56	-	163.74	2.2
	9/3/2025		-	42.78	-	162.52	26.0
	9/4/2025		-	43.22	-	162.08	24.8
	9/5/2025		-	44.11	-	161.19	69.0
MW-10S	8/29/2025	196.05	-	39.21	-	156.84	0.0
	9/2/2025		-	39.08	-	156.97	0.0
	9/3/2025		-	39.11	-	156.94	0.5
	9/4/2025		-	39.17	-	156.88	0.0
	9/5/2025		-	39.21	-	156.84	0.7
MW-10D	8/29/2025	196.36	-	40.81	-	155.55	0.0
	9/2/2025		-	41.51	-	154.85	0.5
	9/3/2025		-	42.53	-	153.83	0.0
	9/4/2025		-	41.77	-	154.59	0.1
	9/5/2025		-	41.99	-	154.37	0.0

Notes:

* Measurement collected right after development

ft. = feet


LNAPL = Light Non-Aqueous Phase Liquid


NA = Not Applicable

Well head screening is completed with a photoionization detector (PID).



Appendix A – Surface Water Sample Location Map and Visual Assessment





Upper Makefield Response Daily Site Activities - 08/17/2025

ID: 577863 **GPS:** 40.27747, -74.8589

Date: 2025/08/17 10:12 EDT **Location Description:** Delaware River at Houghs Creek

Primary Identifier: **Observation Type:** Documentation

Secondary Identifier: VA09 **Observation Subtype:** Field Notes

Comments: Calm winds, low flow, fish present, no community activity, no odor, sheen present




ID: 577870 **GPS:** 40.27695, -74.86322

Date: 2025/08/17 11:06 EDT **Location Description:** Delaware Canal at pipeline crossing

Primary Identifier: **Observation Type:** Documentation

Secondary Identifier: VA01 **Observation Subtype:** Field Notes

Comments: Calm winds, moderate flow, no visible wildlife, 5 bikers and 2 walkers, no sheen, no odor




ID: 577864 **GPS:** 40.27452, -74.86231

Date: 2025/08/17 11:13 EDT **Location Description:** Delaware Canal at mouth of unnamed creek

Primary Identifier: **Observation Type:** Documentation

Secondary Identifier: VA02 **Observation Subtype:** Field Notes

Comments: Calm winds, moderate flow, 8 turtles, 12 bikers and 4 walkers, no sheen, no odor




ID: 577869 **GPS:** 40.26727, -74.85884


Date: 2025/08/17 11:55 EDT **Location Description:** Delaware Canal at mouth of Dyers Creek

Primary Identifier: **Observation Type:** Documentation

Secondary Identifier: VA03 **Observation Subtype:** Field Notes

Comments: Calm winds, low flow, no sheen, no odor, 10 turtles, small fish present, 16 bikers, 4 walkers



ID:	577879	GPS:	40.26143, -74.85424
Date:	2025/08/17 12:12 EDT	Location Description:	Delaware Canal " at Lock 7
Primary Identifier:		Observation Type:	Documentation
Secondary Identifier:	VA04	Observation Subtype:	Field Notes
Comments: Clam winds, low flow, no sheen, no odor, 10 turtles, small fish present, 18 bikers, 4 walkers			
			
ID:	577882	GPS:	40.25795, -74.85227
Date:	2025/08/17 12:21 EDT	Location Description:	Delaware Canal " at waste gate upstream of 1799 House
Primary Identifier:		Observation Type:	Documentation
Secondary Identifier:	VA05	Observation Subtype:	Field Notes
Comments: Clam winds, low flow, no sheen, no odor, 10 turtles, small fish present, 18 bikers, 5 walkers			
			
ID:	577878	GPS:	40.25905, -74.84762
Date:	2025/08/17 12:29 EDT	Location Description:	Delaware River " on New Jersey side of I-295 bridge
Primary Identifier:		Observation Type:	Documentation
Secondary Identifier:	VA06	Observation Subtype:	Field Notes
Comments: Clam winds, low flow, no sheen, no odor, birds, fish, deer, 2 boats with people, 8 bikers, 2 walkers			
			
ID:	577859	GPS:	40.25809, -74.8492
Date:	2025/08/17 12:33 EDT	Location Description:	Delaware River " on Pennsylvania side of I-295 bridge
Primary Identifier:		Observation Type:	Documentation
Secondary Identifier:	VA07	Observation Subtype:	Field Notes
Comments: Clam winds, low flow, no sheen, no odor, 3 boats no people, birds, fish present, 8 bikers, 2 walkers			
			

ID:	577862	GPS:	40.25341, -74.84558
Date:	2025/08/17 12:42 EDT	Location Description:	Yardley Boat Ramp
Primary Identifier:		Observation Type:	Documentation
Secondary Identifier:	VA08	Observation Subtype:	Field Notes
Comments: Calm winds, low flow, no sheen, no odor, birds present, 12 people, 2 people fishing, 1 boat			
			



Appendix B – Well Logs



MONITORING WELL LOG

MW-1S

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 33'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/31/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				TOPSOIL: (0'-2.6') Topsoil, dry	TOPSOIL	Hand-cleared to 5' bgs via hand auger	Flush-mounted well vault with locking cap
5	0.0			CL: (2.6'-5') Yellow-brown lean clay with sand and gravel	CL		(0'-0.5') Concrete
10				CL: (5'-13') Light olive brown lean clay with saprolitic gravel			(0.5'-17') Grout
15				ARGILLITE: (13'-15') Very dark greenish-gray saprolitic argillite	ARGILLITE		(0'-20') 2-inch-diameter schedule 40 PVC riser
20				ARGILLITE: (15'-35') Argillite fractured with weathered partings and brown argillite with interbeds of organic shale			(17'-18') Hydrated bentonite
25							(18'-40') No. 2 Sand
30							(20'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
35				ARGILLITE: (35'-40') Transitional brown to black to red argillite with calcareous seamlets/interbeds		(33'-35' bgs) Water bearing zone	
40							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-1D

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 40'

BOREHOLE DIAMETER: 6"

Logged By: Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/30/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				TOPSOIL: (0'-0.33') Topsoil	TOPSOIL	Hand-cleared to 5' bgs	Flush-mounted well vault with locking cap
5				CL: (0.33'-5') Yellowish brown lean clay with sand and gravel	CL		
10				SAPROLITE: (5'-10') Very pale brown saprolitic argillite	SAPROLITE		(0'-0.5') Concrete
15				ARGILLITE: (10'-25') Dark gray to dark yellowish brown argillite interbedded with brown weathered argillite	ARGILLITE		(0.5'-47') Grout
20							
25				ARGILLITE: (25'-40') Dark gray to greenish gray fractured argillite			(0'-50') 2-inch-diameter schedule 40 PVC riser
30							
35							
40				ARGILLITE: (40'-45') Dark gray to dark brown to red-brown argillite with organic shale interbeds		(40' bgs) Little water	
45				ARGILLITE: (45'-60') Dark brown to strong brown to greenish gray argillite			
50							(47'-48') Hydrated bentonite
55						(52' bgs) Significant water	(48'-75') No. 2 Sand
60				ARGILLITE: (60'-70') Grayish brown fractured argillite			
65							(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
70				ARGILLITE: (70'-75') Greenish black argillite with organic shale interbeds			
75							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-2S

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 34'

BOREHOLE DIAMETER: 6"

Logged By: Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/1/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				Topsoil: (0'-1') Topsoil	Topsoil	Hand-cleared to 5' bgs	Flush-mounted well vault with locking cap
		3.3		CL: (1'-5') Dark grayish brown lean clay with sand and gravel	CL		(0'-0.5') Concrete
5				ARGILLITE: (5'-15') Dark yellowish brown to very dark greenish gray argillite with saprolite gravels	ARGILLITE		(0.5'-17') Grout
10							(17'-18') Hydrated bentonite
15				ARGILLITE: (15'-25') Reddish brown to dark grayish brown fractured argillite		(15'-17' bgs) Soft zone	(18'-40') No. 2 Sand
20							(0'-20') 2-inch-diameter schedule 40 PVC riser
25				ARGILLITE: (25'-40') Red brown to very dark grayish brown argillite with few calcareous interbeds/seamlets, organic interbeds			(20'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30							
35						(34' bgs) Water bearing zone	
40							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-2D

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH:

BOREHOLE DIAMETER: 6"

Logged By: Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/31/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)		Stratigraphy	Comments	COMPLETION DETAILS	
0	0.8			TOPSOIL: (0'-3.17') Dark brown topsoil	TOPSOIL	Hand-cleared to 2.25' bgs via air knife and vacuum excavation	Flush-mounted well vault with locking cap		
5				ML: (3.17'-5') Brownish yellow lean clay with sand and gravel	ML				
10				SAPROLITE: (5'-10') Light yellowish brown saprolite	SAPROLITE				
15				ARGILLITE: (10'-35') Dark reddish brown to dark grayish brown fractured argillite	ARGILLITE	(18' bgs) Competent bedrock begins	(0'-0.5') Concrete		
20							(0.5'-47') Grout		
25				ARGILLITE: (35'-50') Dark reddish brown argillite with interbedded organic shale, few calcareous interbed/seamlets			(0'-50') 2-inch-diameter schedule 40 PVC riser		
30							(47'-48') Hydrated bentonite		
35				ARGILLITE: (50'-60') Very dark gray to black argillite	(48'-75') No. 2 Sand				
40						ARGILLITE: (60'-75') Very dark black to black argillite with organic thin shale partings	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen		
45									
50									
55									
60									
65									
70									
75									

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level 



MONITORING WELL LOG

MW-3S

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 36'

BOREHOLE DIAMETER: 6"

Logged By: Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/30/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				Topsoil: (0'-0.16') Topsoil	Topsoil	Hand-cleared to 5' bgs	Flush-mounted well vault with locking cap
				OH: (0.16'-3.17') Lean clay with sand and gravel, dry	OH		
				CL: (3.17'-5') Yellowish brown lean clay with sand and gravel	CL		(0'-0.5') Concrete
5				SAPROLITE: (5'-13') Saprolitic argillite gravel	SAPROLITE		(0.5'-17') Grout
10							
15				ARGILLITE: (13'-30') Very dark gray weathered argillite with calcareous interbeds	ARGILLITE	(13' bgs) Competent rock begins	(17'-18') Hydrated bentonite
20							(0'-20') 2-inch-diameter schedule 40 PVC riser
25							(18'-40') No. 2 Sand
30				ARGILLITE: (30'-40') Very dark gray to black argillite, little pyrite			(20'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
35							
40						(36' bgs) Little water	

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level

Soil Sample Location

MW-3S

p. 1 of 1



MONITORING WELL LOG

MW-3D

Groundwater and Environmental Services, Inc.

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 25'

BOREHOLE DIAMETER: 6"

Logged By: Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/29/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0	2.0			TOPSOIL: (0'-0.25') Grass and topsoil	Topsoil	Hand-cleared to 2.25' bgs via air knife and vacuum excavation	Flush-mounted well vault with locking cap
5				TOPSOIL: (0.25'-2.25') Overburden	CL		
10				ARGILLITE: (2.25'-10') Light olive brown interbedded argillite with very dark greenish grain	ARGILLITE		
15				ARGILLITE: (10'-30') Very dark gray weathered argillite with calcareous interbeds			
20							
25							
30				ARGILLITE: (30'-35') Organic interbedded shales			
35				(30'-45') Very dark gray to black argillite with pyrite			
40							
45				ARGILLITE: (45'-50') Dark gray argillite with calcareous interbeds, some pyrite			
50				ARGILLITE: (50'-65') Very dark gray argillite with calcareous interbeds and pyrite			
55	(55'-65') Interbedded shales						
60							
65	ARGILLITE: (65'-75') Very dark greenish gray argillite with calcareous interbeds and pyrite	(65'-70' bgs) Bio film observed	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen				
70							
75							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-4S

Groundwater and Environmental Services, Inc.

Page 1 of 1

PROJECT: SPLP - Washington Crossing WELL DIAMETER: 2" TOTAL DEPTH: 40'
ADDRESS: Washington Crossing, PA CASING ELEVATION: NM WATER DEPTH: 25'
BOREHOLE DIAMETER: 6"

Logged By: Peter Reichardt Drilling Method: Air-Rotary
Dates Drilled: 7/24/2025 Sampling Method: Grab
Drilling Company: Summit Drilling Soil Class. System: Unified Soil Classification System (USCS)
Drill Rig Type: Reichdrill T-650 W-II Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and sub-base	ASPHALT	Hand-cleared to 5' bgs via hand auger	Flush-mounted well vault with locking cap
	0.3			ML: (0.5'-5') Brown silt, moist	ML		
5	0.0			ARGILLITE: (5'-10') Brown Argillite, some silt and gravel	ARGILLITE		(0'-0.5') Concrete
	0.0						(0.5'-11') Grout
10	0.2			ARGILLITE: (10'-15') Dark gray argillite, some to trace silt			(11'-13') Hydrated bentonite
15	0.1			ARGILLITE: (15'-20') Dark gray argillite, trace silt			(13'-40') No. 2 Sand
20	0.1			ARGILLITE: (20'-25') Olive brown argillite, trace silt			(0'-15') 2-inch-diameter schedule 40 PVC riser
25	0.3			ARGILLITE: (25'-30') Dark greenish gray argillite		(25' bgs) Little water	(15'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30	0.3			ARGILLITE: (30'-35') Dark gray argillite			
35	0.2			ARGILLITE: (35'-40') Gray argillite			
40	0.2						

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-4D

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 65'

BOREHOLE DIAMETER: 6"

Logged By: Peter Reichardt

Drilling Method: Air-Rotary

Dates Drilled: 7/24/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and sub-base	ASPHALT	Hand-cleared to 5' bgs via hand auger	Flush-mounted well vault with locking cap
5	0.2			ML: (0.5'-2') Dark yellowish brown silt, trace sand, moist	ML		
	0.1			ML: (2'-4') Brown silt, trace sand, moist	ARGILLITE		(0'-0.5') Concrete
10	0.1			ML: (4'-5') Brown silt, trace argillite fragments			
	0.1			ARGILLITE: (5'-10') Brown argillite, some silt		(18' bgs) Competent rock begins	(0.5'-47') Grout
15				ARGILLITE: (10'-20') Gray argillite, trace silt			
20	0.1			ARGILLITE: (20'-25') Brown gray argillite			(0'-51') 2-inch-diameter schedule 40 PVC riser
25	0.2			ARGILLITE: (25'-35') Gray argillite			
30	0.2					(33' bgs) Soft Zone	
35	0.2			ARGILLITE: (35'-60') Greenish gray argillite		(35'-40' bgs) Driller introduced water	
40	0.1					(46' bgs) Soft Zone	
45	0.2					(52' bgs) Soft Zone	(47'-49') Hydrated bentonite
50	0.1						(49'-75') No. 2 Sand
55	0.2					(62' bgs) Soft Zone	
60	0.1			ARGILLITE: (60'-75') Argillite with organic shale, very wet		(68' bgs) Soft Zone	(51'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
65	0.1						
70	0.1						
75	0.1						

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-5S

Page 1 of 1

PROJECT: SPLP - Washington Crossing WELL DIAMETER: 2" TOTAL DEPTH: 35'
ADDRESS: Washington Crossing, PA CASING ELEVATION: NM WATER DEPTH: 20'
BOREHOLE DIAMETER: 6"

Logged By: Peter Reichardt Drilling Method: Air-Rotary
Dates Drilled: 7/23/2025 Sampling Method: Grab
Drilling Company: Summit Drilling Soil Class. System: Unified Soil Classification System (USCS)
Drill Rig Type: Reichdrill T-650 W-II Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				Topsoil: (0'-0.25') Grass and topsoil	Topsoil		
				CL: (0.25'-1.75') Reddish brown silt to lean clay, trace sand	CL		
				ARGILLITE: (1.75'-5') Yellowish red argillite with silt, saturated	ARGILLITE	Hand-cleared to 1.75' bgs via air knife and vacuum excavation	Flush-mounted well vault with locking cap
5	0.1			ARGILLITE: (5'-15') Argillite, trace silt, dry to moist			(0'-0.5') Concrete
							(0.5'-6') Grout
							(6'-8') Hydrated bentonite
10	0.1						(8'-35') No. 2 Sand
							(0'-10') 2-inch-diameter schedule 40 PVC riser
15	0.1			ARGILLITE: (15'-20') Gray argillite, some silt			(10'-35') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
20	0.1			ARGILLITE: (20'-25') Gray argillite, saturated			
25	0.2			ARGILLITE: (25'-30') Gray argillite, some silt, black organic shale sheen, saturated			
30	0.3			ARGILLITE: (30'-35') Light gray argillite			
35	0.2						

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-5D

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 45'

BOREHOLE DIAMETER: 6"

Logged By: Peter Reichardt / Mike Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 7/22/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				Topsoil: (0'-0.25') Grass and topsoil	Topsoil		
5	0.5			CL: (0.25'-5') Reddish brown silt to lean clay, trace sand	CL		
10	1.1			ARGILLITE: (5'-10') Reddish brown argillite, trace silt	ARGILLITE		
15	0.0			ARGILLITE: (10'-25.5') Gray to dark gray argillite, with organic black shale			
20	0.0						
25	0.1			ARGILLITE: (25.5'-27.5') Black to dark gray argillite with coal-shale-organic shale seams			
30	0.0			ARGILLITE: (27.5'-35') Very dark gray to dark gray argillite			
35	0.1			ARGILLITE: (35'-42') Dark gray to very dark gray argillite		(35' bgs) Soft Zone	
40	0.1						
45	0.1			ARGILLITE: (42'-55') Dark grayish brown argillite		(45' bgs) Water bearing zone (47' bgs) Soft Zone	
50	0.1					(51' bgs) Soft Zone	
55	0.1			ARGILLITE: (55'-60') Dark greenish argillite			(51'-53') Hydrated bentonite
60	0.1			ARGILLITE: (60'-65') Very dark gray argillite			(53'-75') No. 2 Sand
65	0.0			ARGILLITE: (65'-70') Very dark greenish gray argillite to marl shale		(65' bgs) Soft Zone	
70	0.0			ARGILLITE: (70'-75') Dark gray argillite		(69' bgs) Soft Zone	
75	0.0						(55'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-6S

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 39.2'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 35'

BOREHOLE DIAMETER: 6"

Logged By: Brian Hale P.G.

Drilling Method: Air-Rotary

Dates Drilled: 8/5-6/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0	0.0			ASPHALT: (0'-0.5') Asphalt and sub-base gravel with silt	ASPHALT	Hand-cleared to refusal at 1.08' bgs	Flush-mounted well vault with locking cap
	0.3			ML: (0.5'-1.08') Brown silt and sand with coarse angular gravel	ML		
5	0.0			ML: (1.08'-5') Brown silt, trace fine angular gravel, slightly moist			(0'-2') Concrete
				ML: (5'-10') Brown silt and clay, trace fine angular gravel, low-plasticity, slightly moist			(2'-15') Grout
10	0.0			ML: (10'-15') Brown silt and fine angular gravel, slightly moist			(0'-20') 2-inch-diameter schedule 40 PVC riser
15	0.0			ML: (15'-20') Orange-brown silt with fine sand, slightly moist			(15'-18') Hydrated bentonite
20	0.0			GM: (20'-25') Brown silt and rounded gravel with some clay, low plasticity, slightly moist to moist	GM		(18'-39') No. 2 Sand
25	0.3			GM: (25'-32') Brown rounded medium gravel with silt, moist to saturated		(25' bgs) Fractured Rock	(20'-39') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30	0.1					(25'-30' bgs) Driller introduced water	
35	0.0			ARGILLITE: (32'-39.2') Dark-brown to tan weathered argillite, saturated	ARGILLITE	(35' bgs) Water observed	

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-6D

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 60'

BOREHOLE DIAMETER: 6"

Logged By: Brian Hale P.G.

Drilling Method: Air-Rotary

Dates Drilled: 8/5/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0	0.0			ASPHALT: (0'-0.5') Asphalt and sub-base with gravel and silt	ASPHALT	Hand-cleared to refusal at 1.17' bgs	Flush-mounted well vault with locking cap
5	0.0			ML: (0.5'-1.17') Brown silt and sand with coarse angular gravel	ML		(0'-2') Concrete
10	0.0			ML: (1.17'-5') Brown silt, slightly moist			
15	0.0			ML: (5'-10') Brown to dark-brown clay, low-plasticity, moist			
20	0.0			ML: (10'-15') Brown silt, trace gray-brown clay, moist			(2'-46') Grout
25	0.0			ML: (15'-25') Brown silt, fine angular weathered gravel, slightly moist			
30	0.2			ML: (25'-30') Brown clay with angular bedrock gravel, medium-plasticity, moist			(0'-50') 2-inch-diameter schedule 40 PVC riser
35	0.2			ML: (30'-36') Brown silt and fine angular gravel, slightly moist			
40	0.1			ARGILLITE: (36'-44') Brown weathered argillite, slightly moist	ARGILLITE		
45	0.1			ARGILLITE: (44'-60') Red-brown argillite, slightly moist		(44' bgs) Competent bedrock begins	(46'-48') Hydrated bentonite
50	0.0						
55	0.1						
60	0.0			ARGILLITE: (60'-65') Brown argillite and organic shale streaking, saturated		(66' bgs) Fractured Zone	(48'-75') No. 2 Sand
65	0.0			ARGILLITE: (65'-70') Brown argillite, less organic shale streaking than observed at 60'-65', saturated		(71' bgs) Fractured Zone	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
70	0.0			ARGILLITE: (70'-75') Black argillite, saturated		(73' bgs) Fractured Zone	
75							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-7S

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH:

BOREHOLE DIAMETER: 6"

Logged By: Brian Hale P.G.

Drilling Method: Air-Rotary

Dates Drilled: 8/5, 8/7/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and fill material	ASPHALT		
				FILL: (0.5'-0.75') Gray to dark-brown silty sand with angular gravel fill	FILL	Hand-cleared to refusal at 0.75' bgs	Flush-mounted well vault with locking cap
5	0.3			FILL: (0.75'-5') Brown silt with trace fine angular gravel, dry			(0'-2') Concrete
				ML: (5'-20') Red-brown silt and trace clay, dry	ML	(5'-10' bgs) Driller introduced water	(2'-11') Grout
10	1.2						(0'-15') 2-inch-diameter schedule 40 PVC riser
15	1.3						(11'-13') Hydrated bentonite
20	1.5			ML: (20'-30') Brown silt with some fine angular gravel		(20'-25' bgs) Driller introduced water	(13'-40') No. 2 Sand
25	0.6						(15'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30	0.8			ML: (30'-34') SAA with increased fine angular gravel			
35	0.8			ARGILLITE: (34'-40') Weathered argillite	ARGILLITE	(35'-40' bgs) Driller introduced water	
40						(34'-40' bgs) Weathered Bedrock	

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-7D

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH:

BOREHOLE DIAMETER: 6"

Logged By: Brian Hale P.G.

Drilling Method: Air-Rotary

Dates Drilled: 8/5-6/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and fill material	ASPHALT		
5	0.0			FILL: (0.5'-0.8') Gray to dark-brown silty sand with angular gravel fill	FILL	Hand-cleared to refusal at 0.8' bgs	Flush-mounted well vault with locking cap
10	0.0			FILL: (0.8'-5') Brown silt and fine sand trace fine angular gravel, dry	ML		(0'-2') Concrete
15	0.0			ML: (5'-10') Red-brown silt, trace fine sand, dry			
20	0.0			ML: (10'-15') SAA, no sand			(2'-45') Grout
25	0.0			ML: (15'-25') Red-brown silt and clay with trace coarse sand, low-plasticity, moist			
30	0.0			CL: (25'-30') Red-brown clay and silt with trace fine angular gravel, low-plasticity, moist	CL		(0'-50') 2-inch-diameter schedule 40 PVC riser
35	0.0			GM: (30'-32') Red-brown fine angular gravel with red-brown silt and coarse sand, moist	GM		
40	0.0			ARGILLITE: (32'-38') Red-brown weathered argillite	ARGILLITE	(38' bgs) Competent bedrock begins	
45	0.0			ARGILLITE: (38'-45') Brown argillite			(45'-48') Hydrated bentonite
50	0.0			ARGILLITE: (45'-60') Dark-brown to black argillite		(50' bgs) Driller introduced water	
55	0.0						
60	0.0			ARGILLITE: (60'-65') Brown argillite with dark organic streaking		(60'-65' bgs) Driller introduced water	(48'-75') No. 2 Sand
65	0.0			ARGILLITE: (65'-75') Black argillite with dark organic streaking		(70'-75' bgs) Driller introduced water	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
70	0.0						
75							

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-8S

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 14'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/5/2025, 8/8/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and fill material	ASPHALT	Hand-cleared to refusal at 0.75' bgs	Flush-mounted well vault with locking cap
				FILL: (0.5'-0.75') Gray to dark-brown silty sand with angular gravel fill	FILL		
				CL: (0.75'-5') Lean clay with sand and saprolitic gravel	CL		(0'-2') Concrete
5				CH: (5'-8') Fat clay with few gravel	CH		(0'-7') Grout
				ARGILLITE: (8'-20') Dark gray to very dark gray argillite	ARGILLITE	(8.5' bgs) Rock	(0'-10') 2-inch-diameter schedule 40 PVC riser
10							
15						(14' bgs) Little water	(7'-8') Hydrated bentonite
20				ARGILLITE: (20'-35') Light gray to gray calcareous argillite		(22'-24' bgs) Little water	(8'-40') No. 2 Sand
25						(23' bgs) Organic shale <1cm	(10'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30							
35				ARGILLITE: (35'-40') Dark gray slightly calcareous argillite		(35'-37' bgs) Little water at 35' and fractures at 35' and 37'	
40							

General Comments:

bgs = Below ground surface

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-8D

Page 1 of 1

Groundwater and Environmental Services, Inc.

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 32'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/5/2025, 8/8/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.5') Asphalt and fill material	ASPHALT	Hand-cleared to refusal at 0.7' bgs	Flush-mounted well vault with locking cap
5	0.0			FILL: (0.5'-0.7') Dark-brown to gray silty-sand with angular gravel fill	FILL		
10	0.0			CLAY: (0.7'-5') Lean clay with sand and saprolitic gravel, dry	CLAY	(8' bgs) Hammering	(0'-2') Concrete
15	0.0			CLAY: (5'-8') SAA with no sand	ARGILLITE	(12'-15' bgs) Very stiff	(2'-47') Grout
20	0.0			ARGILLITE: (8'-20') Dark-gray to very dark greenish-gray argillite with organic shale parings, interbeds		(18'-20' bgs) Organic shale pairings <1 cm	
25	0.0			ARGILLITE: (20'-35') Light-gray to gray calcareous argillite			
30	0.0					(30' bgs) No water	(0'-50') 2-inch-diameter schedule 40 PVC riser
35	0.0					(32' bgs) Little water	
40	0.0			ARGILLITE: (35'-40') Dark-gray calcareous argillite			
45	0.0			ARGILLITE: (40'-55') Dark-gray to brown red-brown argillite		(42'-45' bgs) Little water	(47'-48') Hydrated bentonite
50	0.0					(50' bgs) Vertical joint	
55	0.0			ARGILLITE: (55'-75') Red-brown to brown argillite		(53'-55' bgs) Fracture with little water	(48'-75') No. 2 Sand
60	0.0					(60' bgs) Organic shale interbeds	
65	0.0					(71'-73' bgs) Fracture with little water	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
70	0.0						
75							

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level





MONITORING WELL LOG

MW-9S

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 31.1'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/27/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.33') Asphalt and fill material	ASPHALT		
				FILL: (0.33'-1.5') Angular engineering cobbles and boulders	FILL	Hand-cleared to refusal at 5.0' bgs	Flush-mounted well vault with locking cap
				CLAY: (1.5'-5') Strong brown lean clay with sand and gravel, dry	CLAY		(0'-2') Concrete
5	0.0			CLAY: (5'-9') Strong brown fat clay with gravel, dry	CLAY		(0'-7') Grout
10	0.0			ARGILLITE: (9'-40') Brown to red brown to very dark greenish gray argillite, calcareous seamlets less than 3mm	ARGILLITE	(17' bgs) Competent rock	(0'-10') 2-inch-diameter schedule 40 PVC riser
15	0.0						(7'-8') Hydrated bentonite
20	0.0						(8'-40') No. 2 Sand
25	0.0					(24'-26' bgs) Soft zone	(10'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30	0.0						
35	0.0					(36'-40' bgs) Stiff	
40							

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-9D

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 46.8'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/26/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.33') Asphalt and fill material	ASPHALT	Hand-cleared to refusal at 5.0' bgs	Flush-mounted well vault with locking cap
5	0.0			FILL: (0.33'-1.5') Angular engineering cobbles and boulders	FILL		
10	0.0			GRAVEL: (1.5'-5') Gravel with strong brown lean clay dry	GRAVEL		(0'-2') Concrete
15	0.0			CLAY: (5'-8') Strong brown fat clay, dry	CLAY	(12'-15' bgs) Very stiff	
20	0.0			ARGILLITE: (8'-40') Brown to red brown to very dark greenish gray argillite with few organic shale partings, calcareous seamlets	ARGILLITE	(18'-20' bgs) Competent rock	(2'-42') Grout
25	0.0					(22'-25' bgs) Soft zone	
30	0.0					(26'-30' bgs) Very soft	(0'-50') 2-inch-diameter schedule 40 PVC riser
35	0.0					(42' bgs) PID 4.8ppm in open air monitoring	
40	0.0			ARGILLITE: (40'-60') Very dark gray to reddish brown argillite		(47' bgs) Little water organic shale partings	(42'-43') Hydrated bentonite
45	0.0					(49' bgs) Odor in open air 13.6 ppm	
50	0.0			ARGILLITE: (60'-75') Dark reddish gray to dusky red slightly fissile argillite with shale partings, shrinkage cracks		(53'-55' bgs) Fracture with little water	(43'-75') No. 2 Sand
55	0.0					(55'-60' bgs) Slight water zone	
60	0.0					(71'-73' bgs) Fracture with little water	(45'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
65	0.0						
70	0.0						
75							

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-10S

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 40'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 39.2'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/28/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.33') Asphalt and fill material	ASPHALT	Hand-cleared to refusal at 4.0' bgs	Flush-mounted well vault with locking cap
				FILL: (0.33'-1.5') Angular engineering cobbles	FILL		
				CLAY: (1.5'-4') Dark reddish brown lean clay with gravel, dry	CLAY		(0'-2') Concrete
5	0.0			ARGILLITE: (4'-19') Light olive brown to brown very weathered saprolitic argillite	ARGILLITE		(0'-7') Grout
10	0.0						(0'-10') 2-inch-diameter schedule 40 PVC riser
15	0.0					(19' bgs) Competent rock	(7'-8') Hydrated bentonite
20	0.0			ARGILLITE: (19'-40') Red brown to dusky red weathered argillite with calcareous seamlets			(8'-40') No. 2 Sand
25	0.0					(28'-32' bgs) Soft zone	(10'-40') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
30	0.0						
35	0.0					(32'-33' bgs) Stiff	
40							

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level



MONITORING WELL LOG

MW-10D

Page 1 of 1

PROJECT: SPLP - Washington Crossing

WELL DIAMETER: 2"

TOTAL DEPTH: 75'

ADDRESS: Washington Crossing, PA

CASING ELEVATION: NM

WATER DEPTH: 40.8'

BOREHOLE DIAMETER: 6"

Logged By: Michael Haezebrouck

Drilling Method: Air-Rotary

Dates Drilled: 8/27/2025

Sampling Method: Grab

Drilling Company: Summit Drilling

Soil Class. System: Unified Soil Classification System (USCS)

Drill Rig Type: Reichdrill T-650 W-II

Field Screening: PID 10.6 eV Lamp (ppm)

Depth (feet)	Sample Interval	Field Screen (ppm)	Recovery (inches)	SAMPLE LITHOLOGY (USCS)	Stratigraphy	Comments	COMPLETION DETAILS
0				ASPHALT: (0'-0.33') Asphalt and fill material	ASPHALT		
5		0.0		FILL: (0.33'-1.3') Angular engineering cobbles	FILL	Hand-cleared to refusal at 4.0' bgs	Flush-mounted well vault with locking cap
10		0.0		CLAY: (1.3'-4') Dark reddish brown lean clay with sand and gravel, dry	CLAY		(0'-2') Concrete
15		0.0		ARGILLITE: (4'-18') Light olive brown to brown very weathered saprolitic argillite	ARGILLITE		(2'-45') Grout
20		0.0		ARGILLITE: (18'-42') Red brown to dusky red weathered argillite with calcareous seamlets		(19' bgs) Competent rock	
25		0.0				(22'-30' bgs) Soft zone	
30		0.0				(26'-30' bgs) Very soft	(0'-50') 2-inch-diameter schedule 40 PVC riser
35		0.0					
40		0.0					
45		0.0		ARGILLITE: (42'-60') Red brown to dark reddish brown to reddish gray argillite		(46'-50' bgs) Fractures and interbeds with little water	(45'-48') Hydrated bentonite
50		0.0					
55		0.0				(62'-63' bgs) Very stiff zone	
60		0.0		ARGILLITE: (60'-65') Yellow brown to dark gray argillite, few organic shale partings			(48'-75') No. 2 Sand
65		0.0		ARGILLITE: (65'-75') Dark gray to dark greenish gray argillite with calcareous seamlets and yellow brown to black shrinkage cracks		(68'-69' bgs) Fracture with little water	(50'-75') 2-inch-diameter schedule 40 PVC 0.020" slotted screen
70		0.0					
75		0.0				(69' bgs) Very stiff	

General Comments:

bgs = Below ground surface, SAA = Same as above

ppm = Parts per million, NM = Not measured

Symbol Key:

Apparent Water Level